

INSTITUT **PROF DR BECKER**

Literaturliste

Themen

- Routinedaten bzw. Sekundärdaten
- Statistik zur Risikoadjustierung und öffentlichen Berichterstattung

Stand 07. November 2018

Institut Prof. Dr. Becker

E becker@i-pdb.de

W www.i-pdb.de

Bitte besuchen Sie auch die Webseite
www.becker-sachverstaendiger.de

Informationen zum Stand 07.11.2018

Neue Inhalte im Jahr 2018 sind mit einem Strich am linken Rand markiert.

2018

- Aigner R, Hack J, Eschbach D, Ruchholtz S, Knoke M, Dodel R, Buecking B (2018). Is treatment of geriatric hip fracture patients cost-covering? Results of a prospective study conducted at a German University Hospital. *Arch Orthop Trauma Surg.* 2018; 138 (3): 331-337. PubMed-ID: 29198046
- Anderson JE, Utter GH, Romano PS, Jurkovich GJ (2018). Surgeon-Reported Complications vs the AHRQ Patient Safety Indicators. A Comparison of Two Approaches to Identifying Adverse Events. *J. Am. Coll. Surg.* 2018. PubMed-ID: 29981918. Doi: 10.1016/j.jamcollsurg.2018.06.008
- Becker A (2018). Klinisches Risikomanagement. In: Risiken und Komplikationen in der Allgemein- und Viszeralchirurgie. Herausgeber: Lippert H, Mantke R. Thieme Verlag, Stuttgart. 2018. (1)
- Bernal JL, Barrabes JA, Iniguez A, Fernandez-Ortiz A, Fernandez-Perez C, Bardaji A, Elola FJ (2018). Clinical and Administrative Data on the Research of Acute Coronary Syndrome in Spain. Minimum Basic Data Set Validity. *Rev Esp Cardiol (Engl Ed).* 2018. PubMed-ID: 29747944. Doi: 10.1016/j.rec.2018.01.026
- Corbellini C, Andreoni B, Ansaloni L, Sgroi G, Martinotti M, Scandroglio I, Carzaniga P, Longoni M, Foschi D, Dionigi P, Morandi E, Agnello M (2018). Reliability and validity assessment of administrative databases in measuring the quality of rectal cancer management. *Tumori.* 2018; 104. (1): 51-59. PubMed-ID: 29218691. Doi: 10.5301/tj.5000708
- Corti MC, Avossa F, Schievano E, Gallina P, Ferroni E, Alba N, Dotto M, Basso C, Netti ST, Fedeli U, Mantoan D (2018). A case-mix classification system for explaining healthcare costs using administrative data in Italy. *Eur J Intern Med.* 2018. PubMed-ID: 29514743. Doi: 10.1016/j.ejim.2018.02.035
- Diop M, Strumpf EC, Datta GD (2018). Measuring colorectal cancer incidence. The performance of an algorithm using administrative health data. *BMC Med Res Methodol.* 2018; 18. (1): 38. PubMed-ID: 29739338. Doi: 10.1186/s12874-018-0494-x
- Eisenberg N, Gockel I, Dercks N von (2018). Saisonale Verteilung chirurgischer Krankheitsbilder. Ist eine Ressourcenverteilung erforderlich? *Chirurg.* 2018. PubMed-ID: 30006743. Doi: 10.1007/s00104-018-0685-3
- Gansen FM (2018). Health economic evaluations based on routine data in Germany. A systematic review. *BMC Health Serv Res.* 2018; 18. (1): 268. PubMed-ID: 29636046. Doi: 10.1186/s12913-018-3080-3
- Geroldinger A, Sauter SK, Heinze G, Endel G, Dorda W, Duftschmid G (2018). Mortality and continuity of care - Definitions matter! A cohort study in diabetics. *PLoS ONE.* 2018; 13. (1): e0191386. PubMed-ID: 29351547. Doi: 10.1371/journal.pone.0191386
- Haines RW, Lin S-P, Hewson R, Kirwan CJ, Torrance HD, O'Dwyer MJ, West A, Brohi K, Pearse RM, Zolfaghari P, Prowle JR (2018). Acute Kidney Injury in Trauma Patients Admitted to Critical Care. Development and Validation of a Diagnostic Prediction Model. *Sci Rep.* 2018; 8. (1): 3665. PubMed-ID: 29483607. Doi: 10.1038/s41598-018-21929-2

- Harper G (2018). Linkage of Maternity Hospital Episode Statistics data to birth registration and notification records for births in England 2005-2014. Quality assurance of linkage of routine data for singleton and multiple births. *BMJ Open*. 2018; 8. (3): e017898. PubMed-ID: 29500200. Doi: 10.1136/bmjopen-2017-017898
- Henry LR, Minarich MJ, Griffin R, Holzen UW von, Hardy AN, Fornalik H, Schwarz RE (2018). Physician derived versus administrative data in identifying surgical complications. *Fact versus Fiction*. *Am. J. Surg.* 2018. ()
- Hoffmann J, Haastert B, Brüne M, Kaltheuner M, Begun A, Chernyak N, Icks A (2018). How do patients with diabetes report their comorbidities? Comparison with administrative data. *Clin Epidemiol*. 2018; 10.: 499-509. PubMed-ID: 29750054. Doi: 10.2147/CLEP.S135872
- Israni J, Lesser A, Kent T, Ko K (2018). Delirium as a predictor of mortality in US Medicare beneficiaries discharged from the emergency department. A national claims-level analysis up to 12 months. *BMJ Open*. 2018; 8. (5): e021258. PubMed-ID: 29730630. Doi: 10.1136/bmjopen-2017-021258
- Jung B, Cho KH, Lee DH, Kim S (2018). The effects of continuity of care on hospital utilization in patients with knee osteoarthritis. Analysis of Nationwide insurance data. *BMC Health Serv Res*. 2018; 18. (1): 152. PubMed-ID: 29499719. Doi: 10.1186/s12913-018-2951-y
- König V, Kolzter O, Albuszies G, Thölen F (2018). Einflussgrößen auf die Krankenhaussterblichkeit bei Patienten mit Sepsis – Entwicklung eines risikoadjustierten Modells auf Basis der Leistungsdaten deutscher Krankenhäuser. *Z Evid Fortbild Qual Gesundheitswes.* 2018; 133: 30-39. PubMed-ID: 29610028. Doi: 10.1016/j.zefq.2018.03.001
- Kuehnl A, Salvermoser M, Knipfer E, Zimmermann A, Schmid V, Eckstein H-H (2018). Regionale Häufigkeit von revascularisierenden Prozeduren bei Karotisstenose in Deutschland. *Gefäßchirurgie*. 2018; 23. (7): 519-528. Doi: 10.1007/s00772-018-0385-9
- Maali Y, Perez-Concha O, Coiera E, Roffe D, Day RO, Gallego B (2018). Predicting 7-day, 30-day and 60-day all-cause unplanned readmission. A case study of a Sydney hospital. *BMC Med Inform Decis Mak*. 2018; 18 (1): 1. PubMed-ID: 29301576
- Maneck M, Dotzenrath C, Dralle H, Fahlenbrach C, Paschke R, Steinmüller T, Tusch E, Jeschke E, Günster C (2018). Logopädie nach Schilddrüsenoperationen in Deutschland. Eine Routinedatenanalyse von 50.676 AOK-Patienten. *Chirurg*. 2018. (). PubMed-ID: 30006744. Doi: 10.1007/s00104-018-0686-2
- McCormick PJ, Lin H-M, Deiner SG, Levin MA (2018). Validation of the All Patient Refined Diagnosis Related Group (APR-DRG) Risk of Mortality and Severity of Illness Modifiers as a Measure of Perioperative Risk. *J Med Syst*. 2018; 42. (5): 81. PubMed-ID: 29564554. Doi: 10.1007/s10916-018-0936-3
- Ohnuma T, Shinjo D, Brookhart AM, Fushimi K (2018). Predictors associated with unplanned hospital readmission of medical and surgical intensive care unit survivors within 30 days of discharge. *J Intensive Care*. 2018; 6.: 14. PubMed-ID: 29507728. Doi: 10.1186/s40560-018-0284-x

- Olm M, Kuehnl A, Knipfer E, Salvermoser M, Eckstein H-H, Zimmermann A (2018). Veränderung der Krankenhaus Kennzahlen von Diabetikern mit vaskulären Komplikationen in Deutschland. *Gefässchirurgie*. 2018; 23. (6): 452-458. Doi: 10.1007/s00772-018-0386-8
- Olm M, Kuehnl A, Knipfer E, Salvermoser M, Eckstein H-H, Zimmermann A (2018). Veränderung der Krankenhaus Kennzahlen von Diabetikern mit vaskulären Komplikationen in Deutschland. *Gefässchirurgie*. 2018; 36: 112. Doi: 10.1007/s00772-018-0386-8
- Olm M, Kühnl A, Knipfer E, Salvermoser M, Eckstein H-H, Zimmermann A (2018). Operative Versorgung von Diabetikern mit vaskulären Komplikationen. Sekundärdatenanalyse der DRG-Statistik von 2005 bis 2014 in Deutschland. *Chirurg*. 2018. PubMed-ID: 29589075. Doi: 10.1007/s00104-018-0628-z
- Pan P-J, Lin P-H, Tang G-J, Lan T-Y (2018). Comparisons of mortality and rehospitalization between hip-fractured elderly with outpatient rehabilitation and those without. A STROBE-compliant article. *Medicine (Baltimore)*. 2018; 97. (19): e0644. PubMed-ID: 29742704. Doi: 10.1097/MD.00000000000010644
- Qualitätsmonitor 2018. Dormann, Franz; Klauber, Jürgen; Kuhlen, Ralf; Choorapoikayil, Suma; Drepper, Johannes. 2018. MWV Medizinisch Wissenschaftliche Verlagsgesellschaft. Berlin
- Rao A, Bottle A, Bicknell C, Darzi A, Aylin P (2018). Common Sequences of Emergency Readmissions among High-Impact Users following AAA Repair. *Surgery Research and Practice*. 2018; 2018. (10): 1-11. Doi: 10.1155/2018/5468010
- Rao A, Bottle A, Bicknell C, Darzi A, Aylin P (2018). Trajectory Modelling to Assess Trends in Long-Term Readmission Rate among Abdominal Aortic Aneurysm Patients. *Surgery Research and Practice*. 2018; 2018. (10): 1-10. Doi: 10.1155/2018/4321986
- Reif S, Wichert S, Wuppermann A (2018). Is it good to be too light? Birth weight thresholds in hospital reimbursement systems. *J Health Econ*. 2018; 59: 1-25. PubMed-ID: 29627674
- Ripollone JE, Huybrechts KF, Rothman KJ, Ferguson RE, Franklin JM (2018). Implications of the Propensity Score Matching Paradox in Pharmacoepidemiology. *Am. J. Epidemiol*. 2018. PubMed-ID: 29750409. Doi: 10.1093/aje/kwy078
- Schmitz-Rixen T, Jung G, Steffen M, Grundmann RT (2018). Registerdaten sind elementar zu den prospektiv randomisierten Studien. *Gefässchirurgie*. 2018; 134. (9921): 1948. Doi: 10.1007/s00772-018-0411-y
- Schneider U, Schmid A, Linder R, Horenkamp-Sonntag D, Verheyen F (2018). The Choice of Transcatheter Aortic Valve Implementation (TAVI). Do Patient Co-morbidity and Hospital Ownership Type Matter? *Appl Health Econ Health Policy*. 2018. PubMed-ID: 30039347. Doi: 10.1007/s40258-018-0414-6
- Schulte K (2018). Rückgang der Organspenden in Deutschland. Eine bundesweite Sekundärdatenanalyse aller vollstationären Behandlungsfälle. *Deutsches Ärzteblatt*. 2018; 115. (27-28): 463-468

- Schwarzkopf D, Rüdell H, Gründling M, Putensen C, Reinhart K (2018). The German Quality Network Sepsis. Study protocol for the evaluation of a quality collaborative on decreasing sepsis-related mortality in a quasi-experimental difference-in-differences design. *Implement Sci.* 2018; 13. (1): 15. PubMed-ID: 29347952. Doi: 10.1186/s13012-017-0706-5
- Vuagnat A, Yilmaz E, Roussot A, Rodwin V, Gadreau M, Bernard A, Creuzot-Garcher C, Quantin C (2018). Did case-based payment influence surgical readmission rates in France? A retrospective study. *BMJ Open.* 2018; 8 (2): e018164. PubMed-ID: 29391376
- Waldo SW, Gokhale M, O'Donnell CI, Plomondon ME, Valle JA, Armstrong EJ, Schofield R, Fihn SD, Maddox TM (2018). Temporal Trends in Coronary Angiography and Percutaneous Coronary Intervention. Insights From the VA Clinical Assessment, Reporting, and Tracking Program. *JACC Cardiovasc Interv.* 2018; 11. (9): 879-888. PubMed-ID: 29747919. Doi: 10.1016/j.jcin.2018.02.035
- Wolfensberger A, Meier AH, Kuster SP, Mehra T, Meier M-T, Sax H (2018). Should International Classification of Diseases codes be used to survey hospital-acquired pneumonia? *J. Hosp. Infect.* 2018 (). PubMed-ID: 29410280
- Wolff J, Heister T, Normann C, Kaier K (2018). Hospital costs associated with psychiatric comorbidities. A retrospective study. *BMC Health Serv Res.* 2018; 18 (1): 67. PubMed-ID: 29382387
- Wright-Hughes A, Graham E, Cottrell D, Farrin A (2018). Routine hospital data - is it good enough for trials? An example using England's Hospital Episode Statistics in the SHIFT trial of Family Therapy vs. Treatment as Usual in adolescents following self-harm. *Clin Trials.* 2018: 1740774517751381. PubMed-ID: 29498542. Doi: 10.1177/1740774517751381

2017

- Agarwal M, Agrawal S, Garg L, Lavie CJ (2017). Relation Between Obesity and Survival in Patients Hospitalized for Pulmonary Arterial Hypertension (from a Nationwide Inpatient Sample Database 2003 to 2011). *Am. J. Cardiol.* 2017. PubMed-ID: 28601194. DOI 10.1016/j.amjcard.2017.04.051
- Balinskaite V, Bottle A, Shaw LJ, Majeed A, Aylin P (2017). Reorganisation of stroke care and impact on mortality in patients admitted during weekends. A national descriptive study based on administrative data. *BMJ Qual Saf.* 2017: bmjqs-2017-006681
- Blay N, Roche M, Duffield C, Xu X (2017). Intra-hospital transfers and adverse patient outcomes. An analysis of administrative health data. *J Clin Nurs.* 2017. PubMed-ID: 28748563
- Bottle A, Ventura CM, Dharmarajan K, Aylin P, Ieva F, Paganoni AM (2017). Regional variation in hospitalisation and mortality in heart failure. Comparison of England and Lombardy using multistate modelling. *Health Care Manag Sci.* 2017. PubMed-ID: 28755175
- Brown KL, Rogers L, Barron DJ, Tsang V, Anderson D, Tibby S, Witter T, Stickley J, Crowe S, English K, Franklin RC, Pagel C (2017). Incorporating Comorbidity Within Risk Adjustment for UK Pediatric Cardiac Surgery. *Ann. Thorac. Surg.* 2017. PubMed-ID: 28318514. DOI 10.1016/j.athoracsur.2016.12.013
- Brusselaers N, Lagergren J (2017). The Charlson Comorbidity Index in Registry-based Research. *Methods Inf Med.* 2017; 56 (5): 401-406
- Burles K, Innes G, Senior K, Lang E, McRae A (2017). Limitations of pulmonary embolism ICD-10 codes in emergency department administrative data. Let the buyer beware. *BMC Med Res Methodol.* 2017; 17 (1): 89. PubMed-ID: 28595574. DOI 10.1186/s12874-017-0361-1
- Calderwood MS, Kleinman K, Huang SS, Murphy MV, Yokoe DS, Platt R (2017). Surgical Site Infections. Volume–Outcome Relationship and Year-to-Year Stability of Performance Rankings. *Med Care.* 2017; 55 (1): 79-85. PubMed-ID: 27517331. DOI 10.1097/MLR.0000000000000620
- Casey G, van Walraven C (2017). Prognosticating with the Hospitalized Patient 1-year Mortality Risk Score Using Information Abstracted from the Medical Record. *J Hosp Med.* 2017; 12 (4): 224-230. PubMed-ID: 28411290. DOI 10.12788/jhm.2713
- Cools A (2017). Qualitätsindikatoren: Möglichkeiten, Grenzen, Chancen. *das Krankenhaus.* 2017; 109 (3): 208-210
- Dasenbrock HH, Cote DJ, Pompeu Y, Vasudeva VS, Smith TR, Gormley WB (2017). Validation of an International Classification of Disease, Ninth Revision coding algorithm to identify decompressive craniectomy for stroke. *BMC Neurol.* 2017; 17 (1): 121. PubMed-ID: 28651554
- DeCenso B, Duber HC, Flaxman AD, Murphy SM, Hanlon M (2017). Improving Hospital Performance Rankings Using Discrete Patient Diagnoses for Risk Adjustment of

- Outcomes. *Health Serv Res.* 2017. PubMed-ID: 28295278. DOI 10.1111/1475-6773.12683
- Dharmarajan K, Wang Y, Lin Z, Normand S-LT, Ross JS, Horwitz LI, Desai NR, Suter LG, Drye EE, Bernheim SM, Krumholz HM (2017). Association of Changing Hospital Readmission Rates With Mortality Rates After Hospital Discharge. *JAMA.* 2017; 318 (3): 270-278. PubMed-ID: 28719692
- Di Mclsaac, Wijeyesundera DN, Huang A, Bryson GL, van Walraven C (2017). Association of the Hospital Volume of Frail Surgical Patients Cared for with Outcomes after Elective, Major Noncardiac Surgery. A Retrospective Population-based Cohort Study. *Anesthesiology.* 2017. PubMed-ID: 28157134. DOI 10.1097/ALN.0000000000001536
- Djalali S, Markun S, Rosemann T (2017). Routine Data in Health Services Research. An Underused Resource. *Praxis (Bern 1994).* 2017; 106 (7): 365-372. PubMed-ID: 28357901
- Downing NS, Cloninger A, Venkatesh AK, Hsieh A, Drye EE, Coifman RR, Krumholz HM (2017). Describing the performance of U.S. hospitals by applying big data analytics. *PLoS ONE.* 2017; 12 (6): e0179603. PubMed-ID: 28662045
- Eckstein H-H, Tsantilas P, Kühnl A, Haller B, Breitzkreuz T, Zimmermann A, Kallmayer M (2017). Operative und endovaskuläre Therapie extrakranieller Carotisstenosen. Sekundärdatenanalyse der gesetzlichen Qualitätssicherungsdaten von 2009 bis 2014. *Dtsch Arztebl Int.* 2017; 114 (43): 729-736. PubMed-ID: 29143732
- Fonarow GC, Yancy CW (2017). Claims Data to Ascertain Clinical Events. Lost in Translation. *JAMA Cardiol.* 2017. DOI 10.1001/jamacardio.2017.1580
- Gelder R de, Menvielle G, Costa G, Kovacs K, Martikainen P, Strand BH, Mackenbach JP (2017). Long-term trends of inequalities in mortality in 6 European countries. *Int J Public Health.* 2017; 62 (1): 127-141. PubMed-ID: 27942745
- Geraedts M, Drösler SE, Döbler K, Eberlein-Gonska M, Heller G, Kuske S, Manser T, Sens B, Stausberg J, Schrappe M (2017). DNVF-Memorandum III „Methoden für die Versorgungsforschung“, Teil 3. Methoden der Qualitäts- und Patientensicherheitsforschung. *Gesundheitswesen.* 2017; 79 (10): e95-e124. PubMed-ID: 28958111
- Gini R, Schuemie MJ, Pasqua A, Carlini E, Profili F, Cricelli I, Dazzi P, Barletta V, Francesconi P, Lapi F, Donatini A, Dal Co G, Visca M, Bellentani M, Sturkenboom M, Klazinga N (2017). Monitoring compliance with standards of care for chronic diseases using healthcare administrative databases in Italy. Strengths and limitations. *PLoS ONE.* 2017; 12 (12): e0188377. PubMed-ID: 29232365
- Glance LG, Li Y, Dick AW (2017). Impact on hospital ranking of basing readmission measures on a composite endpoint of death or readmission versus readmissions alone. *BMC Health Serv Res.* 2017; 17 (1): 327. PubMed-ID: 28476128. DOI 10.1186/s12913-017-2266-4
- Goodwin JS, Li S, Zhou J, Graham JE, Karmarkar A, Ottenbacher K (2017). Comparison of methods to identify long term care nursing home residence with administrative data.

- BMC Health Serv Res. 2017; 17 (1): 376. PubMed-ID: 28558756. DOI 10.1186/s12913-017-2318-9
- Graham JE, Prvu Bettger J, Fisher SR, Karmarkar AM, Kumar A, Ottenbacher KJ (2017). Duration to Admission and Hospital Transfers Affect Facility Rankings from the Postacute 30-Day Rehospitalization Quality Measure. *Health Serv Res.* 2017; 52 (3): 1024-1039. PubMed-ID: 27349684
- Groebe C, Koch R, Baunacke M, Wirth MP, Huber J (2017). High volume is the key for improving in-hospital outcomes after radical prostatectomy. A total population analysis in Germany from 2006 to 2013. *World J Urol.* 2017; 35 (7): 1045-1053. PubMed-ID: 27933389
- Groth A, Wilke T, Borghs S, Gille P, Joeres L (2017). Real life pharmaceutical treatment patterns for adult patients with focal epilepsy in Germany: a longitudinal and cross-sectional analysis of recently approved anti-epileptic drugs. *GMS German Medical Science.* 2017; 15
- Guertin JR, Bowen JM, Gosse C, Blackhouse G, O'Reilly DJ, Baltaga E, Cox G, Johnson D, Le Blanc B, Loncke J, Pugsley S, Sivakumaran R, Wheatley L, Smith K, Tarride J-E (2017). Preliminary Results of the Adoption and Application of the Integrated Comprehensive Care Bundle Care Program When Treating Patients with Chronic Obstructive Pulmonary Disease. *Can Respir J.* 2017; 2017: 7049483. PubMed-ID: 28848370
- Guimarães PO, Krishnamoorthy A, Kaltenbach LA, Anstrom KJ, Efron MB, Mark DB, McCollam PL, Davidson-Ray L, Peterson ED, Wang TY (2017). Accuracy of Medical Claims for Identifying Cardiovascular and Bleeding Events After Myocardial Infarction. A Secondary Analysis of the TRANSLATE-ACS Study. *JAMA Cardiol.* 2017. DOI 10.1001/jamacardio.2017.1460
- Han K-T, Kim SJ, Ju YJ, Choi JW, Park E-C (2017). Do hospital characteristics influence Cesarean delivery? Analysis of National Health Insurance claim data. *Eur J Public Health.* 2017. PubMed-ID: 28482066. DOI 10.1093/eurpub/ckx061
- Hedegaard HB, Johnson RL, Ballesteros MF (2017). Proposed ICD-10-CM Surveillance Case Definitions for Injury Hospitalizations and Emergency Department Visits. *Natl Health Stat Report.* 2017. (100): 1-8. PubMed-ID: 28135183
- Hitti J, Walker S, Benedetti TJ (2017). Effect of Severity of Illness on Cesarean Delivery Rates in Washington State. *Am. J. Obstet. Gynecol.* 2017. PubMed-ID: 28666693
- Ho C, Jiang J, Eastwood CA, Wong H, Weaver B, Quan H (2017). Validation of two case definitions to identify pressure ulcers using hospital administrative data. *BMJ Open.* 2017; 7 (8): e016438. PubMed-ID: 28851785
- Hofstede SN, van Bodegom-Vos L, Kringos DS, Steyerberg E, Mheen, Perla J Marang-van de (2017). Mortality, readmission and length of stay have different relationships using hospital-level versus patient-level data. An example of the ecological fallacy affecting hospital performance indicators. *BMJ Qual Saf.* 2017: bmjqs-2017-006776
- Holom GH, Hagen TP (2017). Quality differences between private for-profit, private non-profit and public hospitals in Norway. A retrospective national register-based study of acute

- readmission rates following total hip and knee arthroplasties. *BMJ Open*. 2017; 7 (8): e015771. PubMed-ID: 28821517
- Hung LC, Sung SF, Hsieh CY, Hu YH, Lin HJ, Chen YW, Yang YK, Lin SJ (2017). Validation of a novel claims-based stroke severity index in patients with intracerebral hemorrhage. *J Epidemiol*. 2017; 27 (1): 24-29. PubMed-ID: 28135194. DOI 10.1016/j.je.2016.08.003
- Inada-Kim M, Page B, Maqsood I, Vincent C (2017). Defining and measuring suspicion of sepsis. An analysis of routine data. *BMJ Open*. 2017; 7 (6): e014885. PubMed-ID: 28601825. DOI 10.1136/bmjopen-2016-014885
- Krautz C, Denz A, Weber GF, Grutzmann R (2017). Influence of Hospital Volume Effects and Minimum Caseload Requirements on Quality of Care in Pancreatic Surgery in Germany. *Visc Med*. 2017; 33 (2): 131-134. PubMed-ID: 28560228. DOI 10.1159/000456042
- Kröger K, Berg C, Santosa F, Malyar N, Reinecke H (2017). Amputationen der unteren Extremität in Deutschland. Eine Analyse auf der Grundlage von Daten des Statistischen Bundesamtes im Zeitraum 2005 bis 2014. *Dtsch Arztebl Int*. 2017; 114 (8): 130-136
- Kühnl A, Erk A, Trenner M, Salvermoser M, Schmid V, Eckstein H-H (2017). Inzidenz, Therapie und Letalität abdominaler Aortenaneurysmen. Sekundärdatenanalyse der deutschen DRG-Statistik von 2005–2014. *Deutsches Ärzteblatt*. 2017; 114 (22-23): 391-398
- Kumar A, Karmarkar A, Downer B, Vashist A, Adhikari D, Al SS, Ottenbacher K (2017). Current Risk Adjustment and Comorbidity Index Underperforms in Predicting Post-Acute Utilization and Hospital Readmissions after Joint Replacements. Implications for Comprehensive Care for Joint Replacement Model. *Arthritis Care Res (Hoboken)*. 2017. PubMed-ID: 28118530. DOI 10.1002/acr.23195
- La Copeland, La Graham, Richman JS, Rosen AK, Mull HJ, Burns EA, Whittle J, Itani KM, Hawn MT (2017). A study to reduce readmissions after surgery in the Veterans Health Administration. Design and methodology. *BMC Health Serv Res*. 2017; 17 (1): 198. PubMed-ID: 28288681. DOI 10.1186/s12913-017-2134-2
- Lang SJ, Rilk R, Muller AF, Luebke J, Bohringer D, Reinhard T (2017). Measurement of Quality with Routine Data. *Klin Monbl Augenheilkd*. 2017. PubMed-ID: 28599328. DOI 10.1055/s-0043-106307
- Leroy R, Camberlin C, Lefevre M, Van den Heede, Koen, van de Voorde C, Beguin C (2017). Variability in elective day-surgery rates between Belgian hospitals - Analyses of administrative data explained by surgical experts. *Int J Surg*. 2017. PubMed-ID: 28734963
- Liu JB, Berian, JR, Chen S, Cohen ME, Bilimoria KY, Hall BL, Ko CY (2017). Postoperative Complications and Hospital Payment. Implications for Achieving Value. *J. Am. Coll. Surg*. 2017. PubMed-ID: 28137536. DOI 10.1016/j.jamcollsurg.2017.01.041
- Low LL, Liu N, Ong, Marcus Eng Hock, Ng EY, Ho AFW, Thumboo J, Lee KH (2017). Performance of the LACE index to identify elderly patients at high risk for hospital readmission in Singapore. *Medicine (Baltimore)*. 2017; 96 (19): e6728. PubMed-ID: 28489750

- Lujic S, Simpson JM, Zwar N, Hosseinzadeh H, Jorm L (2017). Multimorbidity in Australia. Comparing estimates derived using administrative data sources and survey data. *PLoS ONE*. 2017; 12 (8): e0183817. PubMed-ID: 28850593
- Mahajan SM, Burman P, Newton A, Heidenreich PA (2017). A Validated Risk Model for 30-Day Readmission for Heart Failure. *Stud Health Technol Inform*. 2017; 245: 506-510. PubMed-ID: 29295146
- Makam AN, Nguyen OK, Clark C, Zhang S, Xie B, Weinreich M, Mortensen EM, Halm EA (2017). Predicting 30-Day Pneumonia Readmissions Using Electronic Health Record Data. *J Hosp Med*. 2017; 12 (4): 209-216
- Maneck M, Dotzenrath C, Dralle H, Fahlenbrach C, Paschke R, Steinmuller T, Tusch E, Jeschke E, Gunster C (2017). Komplikationen nach Schilddrüsenoperationen in Deutschland. Eine Routinedatenanalyse von 66.902 AOK-Patienten. *Chirurg*. 2017; 88 (1): 50-57. PubMed-ID: 27510155. DOI 10.1007/s00104-016-0267-1
- McCoy TH, JR, Castro VM, Cagan A, Am Roberson, Perlis RH (2017). Validation of a risk stratification tool for fall-related injury in a state-wide cohort. *BMJ Open*. 2017; 7 (2): e012189. PubMed-ID: 28167743. DOI 10.1136/bmjopen-2016-012189
- McKown AC, Wang L, Wanderer JP, Ehrenfeld J, Rice TW, Bernard GR, Semler MW (2017). Predicting Major Adverse Kidney Events among Critically Ill Adults Using the Electronic Health Record. *J Med Syst*. 2017; 41 (10): 156. PubMed-ID: 28861688
- Melchior H, Kurch-Bek D, Mund M (2017). Prävalenz des Gestationsdiabetes. Eine populationsbasierte Leistungsdatenanalyse des Screenings in der ambulanten Versorgung. *Dtsch Arztebl Int*. 2017; 114 (24): 412-418
- Messina G, Forni S, Rosadini D, Falcone M, Collini F, Nante N (2017). Risk adjusted mortality after hip replacement surgery. A retrospective study. *Ann Ist Super Sanita*. 2017; 53 (1): 40-45. PubMed-ID: 28361804
- Moore BJ, White S, Washington R, Coenen N, Elixhauser A (2017). Identifying Increased Risk of Readmission and In-hospital Mortality Using Hospital Administrative Data. The AHRQ Elixhauser Comorbidity Index. *Med Care*. 2017; 55 (7): 698-705. PubMed-ID: 28498196
- Mytton J, Evison F, Chilton PJ, Lilford RJ (2017). Removal of all ovarian tissue versus conserving ovarian tissue at time of hysterectomy in premenopausal patients with benign disease. Study using routine data and data linkage. *BMJ*. 2017; 356: j372. PubMed-ID: 28167486. DOI 10.1136/bmj.j372
- Narain W (2017). Assessing Estimates of Patient Safety Derived From Coded Data. *J Healthc Qual*. 2017; 39 (4): 230-242. PubMed-ID: 28658091
- Nimptsch U, Mansky T (2017). Hospital volume and mortality for 25 types of inpatient treatment in German hospitals. Observational study using complete national data from 2009 to 2014. *BMJ Open*. 2017; 7 (9): e016184. PubMed-ID: 28882913
- Novak K, Vrdoljak D, Jelaska I, Borovac JA (2017). Sex-specific differences in risk factors for in-hospital mortality and complications in patients with acute coronary syndromes. An

- observational cohort study. *Wien. Klin. Wochenschr.* 2017; 129 (7-8): 233-242. PubMed-ID: 27783152. DOI 10.1007/s00508-016-1105-7
- Obermeyer Z, Cohn B, Wilson M, Jena AB, Cutler DM (2017). Early death after discharge from emergency departments. Analysis of national US insurance claims data. *BMJ.* 2017; 356: j239. PubMed-ID: 28148486. DOI 10.1136/bmj.j239
- O'Neill L, Dexter F, Park S-H, Epstein RH (2017). Discharges with surgical procedures performed less often than once per month per hospital account for two-thirds of hospital costs of inpatient surgery. *Journal of Clinical Anesthesia.* 2017; 41: 99-103
- Ouchi K, Hohmann S, Goto T, Ueda P, Aaronson EL, Pallin DJ, Testa MA, Tulsy JA, Schuur JD, Schonberg MA (2017). Index to Predict In-hospital Mortality in Older Adults after Non-traumatic Emergency Department Intubations. *West J Emerg Med.* 2017; 18 (4): 690-697. PubMed-ID: 28611890
- Pace R, Peters T, Rahme E, Dasgupta K (2017). Validity of Health Administrative Database Definitions for Hypertension. A Systematic Review. *Can J Cardiol.* 2017; 33 (8): 1052-1059. PubMed-ID: 28754391
- Panczak R, Luta X, Maessen M, Stuck AE, Berlin C, Schmidlin K, Reich O, Wyl V von, Goodman DC, Egger M, Zwahlen M, Clough-Gorr KM (2017). Regional Variation of Cost of Care in the Last 12 Months of Life in Switzerland. Small-area Analysis Using Insurance Claims Data. *Med Care.* 2017; 55 (2): 155-163. PubMed-ID: 27579912. DOI 10.1097/MLR.0000000000000634
- Patterson JT, Sing D, Hansen EN, Tay B, Zhang A (2017). The James A. Rand Young Investigator's Award. Administrative Claims vs Surgical Registry: Capturing Outcomes in Total Joint Arthroplasty. *J Arthroplasty.* 2017. PubMed-ID: 28185755. DOI 10.1016/j.arth.2016.08.041
- Rhee C, Dantes R, Epstein L, Murphy DJ, Seymour CW, Iwashyna TJ, Kadri SS, Angus DC, Danner RL, Fiore AE, Jernigan JA, Martin GS, Septimus E, Warren DK, Karcz A, Chan C, Menchaca JT, Wang R, Gruber S, Klompas M (2017). Incidence and Trends of Sepsis in US Hospitals Using Clinical vs Claims Data, 2009-2014. *JAMA.* 2017; 318 (13): 1241-1249
- Shahraz S, Lagu T, Ritter GA, Liu X, Tompkins C (2017). Use of Systematic Methods to Improve Disease Identification in Administrative Data. The Case of Severe Sepsis. *Med Care.* 2017; 55 (3): e16-e24. PubMed-ID: 25122529. DOI 10.1097/MLR.0000000000000156
- Shehata N, Chassé M, Colas JA, Murphy M, Forster AJ, Malinowski AK, Ducharme R, Fergusson DA, Tinmouth A, Wilson K (2017). Risks and trends of red blood cell transfusion in obstetric patients: a retrospective study of 45,213 deliveries using administrative data. *Transfusion.* 2017. PubMed-ID: 28643386
- Southern DA, Burnand B, Droesler SE, Flemons W, Forster AJ, Gurevich Y, Harrison J, Quan H, Pincus HA, Romano PS, Sundararajan V, Kostanjsek N, Ghali WA (2017). Deriving ICD-10 Codes for Patient Safety Indicators for Large-scale Surveillance Using Administrative Hospital Data. *Med Care.* 2017; 55 (3): 252-260. PubMed-ID: 27635599. DOI 10.1097/MLR.0000000000000649

- Stallmann C, Swart E, Robra B-P, March S (2017). Linking primary study data with administrative and claims data in a German cohort study on work, age, health and work participation. Is there a consent bias? *Public Health*. 2017; 150: 9-16. PubMed-ID: 28605640
- Stanley J, Sarfati D (2017). The new Measuring Multimorbidity index predicted mortality better than Charlson and Elixhauser indices amongst the general population. *J Clin Epidemiol*. 2017. PubMed-ID: 28844785
- Stavem K, Hoel H, Skjaker SA, Haagensen R (2017). Charlson comorbidity index derived from chart review or administrative data. Agreement and prediction of mortality in intensive care patients. *Clin Epidemiol*. 2017; 9: 311-320. PubMed-ID: 28652813
- Stylianou N, Fackrell R, Vasilakis C (2017). Are medical outliers associated with worse patient outcomes? A retrospective study within a regional NHS hospital using routine data. *BMJ Open*. 2017; 7 (5): e015676. PubMed-ID: 28490563. DOI 10.1136/bmjopen-2016-015676
- Tamang S, Milstein A, Sørensen HT, Pedersen L, Mackey L, Betterton J-R, Janson L, Shah N (2017). Predicting patient 'cost blooms' in Denmark. A longitudinal population-based study. *BMJ Open*. 2017; 7 (1): e011580. PubMed-ID: 28077408
- van Walraven C (2017). Bootstrap imputation with a disease probability model minimized bias from misclassification due to administrative database codes. *J Clin Epidemiol*. 2017. PubMed-ID: 28167144. DOI 10.1016/j.jclinepi.2017.01.007
- van Walraven C, Forster AJ (2017). The HOMR-Now! Model Accurately Predicts 1-Year Death Risk for Hospitalized Patients on Admission. *Am. J. Med*. 2017; 130 (8): 991.e9-991.e16. PubMed-ID: 28366426
- Velez-Serrano JF, Velez-Serrano D, Hernandez-Barrera V, Jimenez-Garcia R, Lopez de Andres A, Garrido PC, Alvaro-Meca A (2017). Prediction of in-hospital mortality after pancreatic resection in pancreatic cancer patients. A boosting approach via a population-based study using health administrative data. *PLoS ONE*. 2017; 12 (6): e0178757. PubMed-ID: 28591154. DOI 10.1371/journal.pone.0178757
- Visscher SL, Naessens JM, Yawn BP, Reinalda MS, Anderson SS, Borah BJ (2017). Developing a standardized healthcare cost data warehouse. *BMC Health Serv Res*. 2017; 17 (1): 396. PubMed-ID: 28606088
- Weng SF, Reys J, Kai J, Garibaldi JM, Qureshi N (2017). Can machine-learning improve cardiovascular risk prediction using routine clinical data? *PLoS ONE*. 2017; 12 (4): e0174944. PubMed-ID: 28376093
- Wilke M, Walger P (2017). Die Stunde der Datenanalyse. Datengestütztes Infektionsmanagement unterstützt die Optimierung der Antibiotikatherapie. *KU Gesundheitsmanagement*. 2017; 86 (11): 37-39
- Worthington JM, Gattellari M, Goumas C, Jalaludin B (2017). Differentiating Incident from Recurrent Stroke Using Administrative Data: The Impact of Varying Lengths of Look-Back Periods on the Risk of Misclassification. *Neuroepidemiology*. 2017; 48 (3-4): 111-118. PubMed-ID: 28637036

Wunsch H, Kramer A, Gershengorn HB (2017). Validation of Intensive Care and Mechanical Ventilation Codes in Medicare Data. *Crit. Care Med.* 2017. PubMed-ID: 28403118. DOI 10.1097/CCM.0000000000002316

Yamana H, Moriwaki M, Horiguchi H, Kodan M, Fushimi K, Yasunaga H (2017). Validity of diagnoses, procedures, and laboratory data in Japanese administrative data. *J Epidemiol.* 2017. PubMed-ID: 28142051. DOI 10.1016/j.je.2016.09.009

2016

- Abholz H-H (2016). Diskussion zu dem Beitrag: Fallzahlen und Sterblichkeitsraten von Sepsis-Patienten im Krankenhaus. Analyse der deutschlandweiten fallpauschalenbezogenen Krankenhausstatistik von 2007 bis 2013. Deutsches Ärzteblatt. 2016; 113 (39): 660
- Abraha I, Giovannini G, Serraino D, Fusco M, Montedori A (2016). Validity of breast, lung and colorectal cancer diagnoses in administrative databases. A systematic review protocol. BMJ Open. 2016; 6 (3): e010409. PubMed-ID: 26993624. DOI 10.1136/bmjopen-2015-010409
- Aiken LH, Sloane D, Griffiths P, Rafferty AM, Bruyneel L, McHugh M, Maier CB, Moreno-Casbas T, Ball JE, Ausserhofer D, Sermeus W (2016). Nursing skill mix in European hospitals. Cross-sectional study of the association with mortality, patient ratings, and quality of care. BMJ Qual Saf. 2016: bmjqs-2016-005567. DOI 10.1136/bmjqs-2016-005567
- Alexander H, Bartlett A, Poole G (2016). Reporting risk-adjusted outcomes for surgical procedures in New Zealand. N. Z. Med. J. 2016; 129 (1430): 96-97. PubMed-ID: 26914427
- Assareh H, Achat HM, Guevarra VM, Stubbs JM (2016). Effect of change in coding rules on recording diabetes in hospital administrative datasets. Int J Med Inform. 2016; 94: 182-190. PubMed-ID: 27573326. DOI 10.1016/j.ijmedinf.2016.07.014
- Assareh H, Achat HM, Stubbs JM, Guevarra VM, Hill K (2016). Incidence and Variation of Discrepancies in Recording Chronic Conditions in Australian Hospital Administrative Data. PLoS ONE. 2016; 11 (1): e0147087. PubMed-ID: 26808428. DOI 10.1371/journal.pone.0147087
- Backman C, Vanderloo SE, Miller TB, Freeman L, Forster AJ (2016). Comparing physical assessment with administrative data for detecting pressure ulcers in a large Canadian academic health sciences centre. BMJ Open. 2016; 6 (10): e012490. PubMed-ID: 27707831. DOI 10.1136/bmjopen-2016-012490
- Balinskaite V, Bottle A, Sodhi V, Rivers A, Bennett PR, Brett SJ, Aylin P (2016). The Risk of Adverse Pregnancy Outcomes Following Nonobstetric Surgery During Pregnancy: Estimates From a Retrospective Cohort Study of 6.5 Million Pregnancies. Ann. Surg. 2016. (September). PubMed-ID: 27617856. DOI 10.1097/SLA.0000000000001976
- Becker A (2016). Alles im Blick. Ein Monitoring- und Frühwarnsystem zur Überwachung klinischer Versorgungsprozesse. KU Gesundheitsmanagement. 2016; 85 (2): 20-22
- Becker A, Stausberg J, Fischer B, Carstanjen D, Weyermann M (2016). Risikoadjustierung von Qualitätsindikatoren. Eine Positionsbestimmung der DKG-Expertengruppe „Qualitätsmessung und Risikoadjustierung“. das Krankenhaus. 2016; 108 (11): 954-963
- Behrendt CA, Heidemann F, Riess HC, Stoberock K, Debus SE (2016). Registry and health insurance claims data in vascular research and quality improvement. Vasa. 2016: 1-5. PubMed-ID: 27871211. DOI 10.1024/0301-1526/a000589

- Behrendt S, Kulas H, Marschall U, Steffens M, Schiffhorst G, Bless HH (2016). Which Back Pain Patients Benefit From Multidisciplinary Pain Management? A Comparative Cost Analysis Using Claims Data of Statutory Health Insurance. *Gesundheitswesen*. 2016. PubMed-ID: 27441823. DOI 10.1055/s-0042-110401
- Bein T (2016). Die dunkle Seite der Adipositas. *Anaesthesist*. 2016. PubMed-ID: 27447937. DOI 10.1007/s00101-016-0204-1
- Benchimol EI, Smeeth L, Guttman A, Harron K, Hemkens LG, Moher D, Petersen I, Sorensen HT, Elm E von, Langan SM (2016). Das RECORD-Statement zum Berichten von Beobachtungsstudien, die routinemässig gesammelte Gesundheitsdaten verwenden. *Z Evid Fortbild Qual Gesundhwes*. 2016; 115-116: 33-48. PubMed-ID: 27837958. DOI 10.1016/j.zefq.2016.07.010
- Biehl M, Takahashi PY, Cha SS, Chaudhry R, Gajic O, Thorsteinsdottir B (2016). Prediction of critical illness in elderly outpatients using elder risk assessment: a population-based study. *Clin Interv Aging*. 2016; 11: 829-834. PubMed-ID: 27382266. DOI 10.2147/CIA.S99419
- Biermann A, Geissler A (2016). Cases and duration of mechanical ventilation in German hospitals. An analysis of DRG incentives and developments in respiratory medicine. *Anaesthesist*. 2016. PubMed-ID: 27492151. DOI 10.1007/s00101-016-0208-x
- Bodmann KF, Schenker M, Heinlein W, Wilke MH (2016). Procalcitonin as a tool for the assessment of successful therapy of severe sepsis. An analysis using clinical routine data. *Med Klin Intensivmed Notfmed*. 2016. PubMed-ID: 27376540. DOI 10.1007/s00063-016-0183-7
- Bonetti M, Cirillo P, Musile TP, Trincherio E (2016). An Analysis of the Number of Medical Malpractice Claims and Their Amounts. *PLoS ONE*. 2016; 11 (4): e0153362. PubMed-ID: 27077661. DOI 10.1371/journal.pone.0153362
- Bottle A, Goudie R, Bell D, Aylin P, Cowie MR (2016). Use of hospital services by age and comorbidity after an index heart failure admission in England: an observational study. *BMJ Open*. 2016; 6 (6): e010669. PubMed-ID: 27288372. DOI 10.1136/bmjopen-2015-010669
- Bouza C, Lopez-Cuadrado T, Amate-Blanco JM (2016). Use of explicit ICD9-CM codes to identify adult severe sepsis. Impacts on epidemiological estimates. *Crit Care*. 2016; 20 (1): 313. PubMed-ID: 27716355. DOI 10.1186/s13054-016-1497-9
- Bucholz EM, Butala NM, Ma S, Normand S-LT, Krumholz HM (2016). Life Expectancy after Myocardial Infarction, According to Hospital Performance. *New England Journal of Medicine*. 2016; 375 (14): 1332-1342. DOI 10.1056/NEJMoa1513223
- Bucholz EM, Butala NM, Normand S-LT, Wang Y, Krumholz HM (2016). Association of Guideline-Based Admission Treatments and Life Expectancy After Myocardial Infarction in Elderly Medicare Beneficiaries. *J. Am. Coll. Cardiol*. 2016; 67 (20): 2378-2391. PubMed-ID: 27199062. DOI 10.1016/j.jacc.2016.03.507

- Carrier JD, Roberge P, Courteau J, Vanasse A (2016). Predicting chronic benzodiazepine use in adults with depressive disorder: Retrospective cohort study using administrative data in Quebec. *Can Fam Physician*. 2016; 62 (8): e473-83. PubMed-ID: 27521413
- Chen Q, Rosen AK, Borzecki A, Shwartz M (2016). Using Harm-Based Weights for the AHRQ Patient Safety for Selected Indicators Composite (PSI-90). Does It Affect Assessment of Hospital Performance and Financial Penalties in Veterans Health Administration Hospitals? *Health Serv Res*. 2016; 51 (6): 2140-2157. PubMed-ID: 27891603. DOI 10.1111/1475-6773.12596
- Choi HH, Han KT, Nam CM, Moon KT, Kim W, Park EC (2016). Association between human resources and risk of hospitalisation in end-stage renal disease outpatients receiving haemodialysis: a longitudinal cohort study using claim data during 2013-2014. *BMJ Open*. 2016; 6 (8): e011319. PubMed-ID: 27534988. DOI 10.1136/bmjopen-2016-011319
- Clement RC, Derman PB, Kheir MM, Soo AE, Flynn DN, Levin LS, Fleisher L (2016). Risk Adjustment for Medicare Total Knee Arthroplasty Bundled Payments. *Orthopedics*. 2016; 39 (5): e911-6. PubMed-ID: 27359282. DOI 10.3928/01477447-20160623-04
- Connelly R, Playford CJ, Gayle V, Dibben C (2016). The role of administrative data in the big data revolution in social science research. *Soc Sci Res*. 2016; 59: 1-12. PubMed-ID: 27480367. DOI 10.1016/j.ssresearch.2016.04.015
- Davis KA, Sudlow CL, Hotopf M (2016). Can mental health diagnoses in administrative data be used for research? A systematic review of the accuracy of routinely collected diagnoses. *BMC Psychiatry*. 2016; 16 (1): 263. PubMed-ID: 27455845. DOI 10.1186/s12888-016-0963-x
- Desai NR, Ross JS, Kwon JY, Herrin J, Dharmarajan K, Bernheim SM, Krumholz HM, Horwitz LI (2016). Association Between Hospital Penalty Status Under the Hospital Readmission Reduction Program and Readmission Rates for Target and Nontarget Conditions. *JAMA*. 2016; 316 (24): 2647-2656. DOI 10.1001/jama.2016.18533
- Emmert M, Taheri-Zadeh F, Kolb B, Sander U (2016). Public reporting of hospital quality shows inconsistent ranking results. *Health Policy*. 2016. PubMed-ID: 27890391. DOI 10.1016/j.healthpol.2016.11.004
- Endres HG, Kaufmann-Kolle P, Steeb V, Bauer E, Bottner C, Thurmann P (2016). Association between Potentially Inappropriate Medication (PIM) Use and Risk of Hospitalization in Older Adults: An Observational Study Based on Routine Data Comparing PIM Use with Use of PIM Alternatives. *PLoS ONE*. 2016; 11 (2): e0146811. PubMed-ID: 26840396. DOI 10.1371/journal.pone.0146811
- Englisch H, Fischer B (2016). Worüber sagen AOK-Lebensbäume mehr aus: über Qualität oder über Fallzahlen? AOK trees-of-life rating: is it more about quality or about volume of cases? *Gesundh ökon Qual manag*. 2016. DOI 10.1055/s-0035-1554015
- Erdogan B (2016). Aufbruch in ein neues Zeitalter der Qualitätssicherung? *Rheinisches Ärzteblatt*. 2016; 70 (1): 18-19

- Fathima S, Simmonds K, Invik J, Scott AN, Drews S (2016). Use of laboratory and administrative data to understand the potential impact of human parainfluenza virus 4 on cases of bronchiolitis, croup, and pneumonia in Alberta, Canada. *BMC Infect. Dis.* 2016; 16 (1): 402. PubMed-ID: 27514690. DOI 10.1186/s12879-016-1748-z
- Fleischmann C, Thomas-Rueddel DO, Hartmann M, Hartog CS, Welte T, Heublin S, Dennler U, Reinhart K (2016). Fallzahlen und Sterblichkeitsraten von Sepsis-Patienten im Krankenhaus. Analyse der deutschlandweiten fallpauschalenbezogenen Krankenhausstatistik von 2007 bis 2013. *Deutsches Ärzteblatt.* 2016; 113 (10): 159-166
- Frechette E, Guidolin K, Seyam A, Choi YH, Jones S, McClure JA, Winick-Ng J, Welk B, Malthaner RA (2016). Identifying Primary Spontaneous Pneumothorax from Administrative Databases: A Validation Study. *Can Respir J.* 2016; 2016: 1690482. PubMed-ID: 27445518. DOI 10.1155/2016/1690482
- Freytag A, Biermann J, Ochs A, Lux G, Lehmann T, Ziegler J, Schulz S, Wensing M, Wasem J, Gensichen J (2016). Effekte hausarztzentrierter Versorgung. Eine Fallkontrollstudie mit Routinedaten. *Deutsches Ärzteblatt.* 2016; 113 (47): 791-798
- Fritze T, Teipel S, Ovari A, Kilimann I, Witt G, Doblhammer G (2016). Hearing Impairment Affects Dementia Incidence. An Analysis Based on Longitudinal Health Claims Data in Germany. *PLoS ONE.* 2016; 11 (7): e0156876. PubMed-ID: 27391486. DOI 10.1371/journal.pone.0156876
- Fry DE, Pine M, Nedza SM, Locke DG, Am Reband, Pine G (2016). Risk-adjusted outcomes in Medicare inpatient nephrectomy patients. *Medicine (Baltimore).* 2016; 95 (36): e4784. PubMed-ID: 27603382. DOI 10.1097/MD.0000000000004784
- Garcia P, Domnick C, Lodde G, Raschke MJ (2016). Operative Versorgung in Orthopädie und Unfallchirurgie. Wird in Deutschland immer mehr operiert? *Unfallchirurg.* 2016. PubMed-ID: 27837209. DOI 10.1007/s00113-016-0275-0
- Glance LG, Kellermann AL, Osler TM, Li Y, Li W, Dick AW (2016). Impact of Risk Adjustment for Socioeconomic Status on Risk-adjusted Surgical Readmission Rates. *Ann. Surg.* 2016; 263 (4): 698-704. PubMed-ID: 26655922. DOI 10.1097/SLA.0000000000001363
- Glebova NO, Bronsert M, Hicks CW, Malas MB, Hammermeister KE, Black J3, Nehler, Henderson WG (2016). Contributions of planned readmissions and patient comorbidities to high readmission rates in vascular surgery patients. *J. Vasc. Surg.* 2016; 63 (3): 746-55.e2. PubMed-ID: 26916584. DOI 10.1016/j.jvs.2015.09.032
- Hall R, Mondor L, Porter J, Fang J, Kapral MK (2016). Accuracy of Administrative Data for the Coding of Acute Stroke and TIAs. *Can J Neurol Sci.* 2016: 1-9. PubMed-ID: 27426016. DOI 10.1017/cjn.2016.278
- Hanchate AD, Stolzmann KL, Rosen AK, Fink AS, Shwartz M, Ash AS, Abdulkarim H, Pugh MJV, Shokeen P, Borzecki A (2016). Does adding clinical data to administrative data improve agreement among hospital quality measures? *Healthc (Amst).* 2016. PubMed-ID: 27932261. DOI 10.1016/j.hjdsi.2016.10.001
- Harris AD, Pineles L, Anderson D, Woeltje KF, Trick WE, Kaye KS, Yokoe DS, Nyquist AC, Calfee DP, Leekha S (2016). Which Comorbid Conditions Should We Be Analyzing as Risk

- Factors for Healthcare-Associated Infections? *Infect Control Hosp Epidemiol.* 2016: 1-6. PubMed-ID: 28031061. DOI 10.1017/ice.2016.314
- Hartmann J, Weidmann C, Biehle R (2016). Validation of SHI Claims Data Exemplified by Gender-specific Diagnoses. *Gesundheitswesen.* 2016; 78 (10): e53-e58. PubMed-ID: 26551850. DOI 10.1055/s-0035-1565072
- Hsieh CY, Lin HJ, Chen CH, Li CY, Chiu MJ, Sung SF (2016). "Weekend effect" on stroke mortality revisited. Application of a claims-based stroke severity index in a population-based cohort study. *Medicine (Baltimore).* 2016; 95 (25): e4046. PubMed-ID: 27336904. DOI 10.1097/MD.0000000000004046
- Jackson SS, Leekha S, Pineles L, Magder LS, Thom KA, Wang Y, Harris AD (2016). Improving Risk Adjustment Above Current Centers for Disease Control and Prevention Methodology Using Electronically Available Comorbid Conditions. *Infect Control Hosp Epidemiol.* 2016: 1-6. PubMed-ID: 27418295. DOI 10.1017/ice.2016.140
- Jacobs JP, Jacobs ML (2016). Transparency and Public Reporting of Pediatric and Congenital Heart Surgery Outcomes in North America. *World J Pediatr Congenit Heart Surg.* 2016; 7 (1): 49-53. PubMed-ID: 26714994. DOI 10.1177/2150135115619161
- Jafarzadeh, SR, Thomas BS, Gill J, Fraser VJ, Marschall J, Warren DK (2016). Sepsis surveillance from administrative data in the absence of a perfect verification. *Ann Epidemiol.* 2016. PubMed-ID: 27600804. DOI 10.1016/j.annepidem.2016.08.002
- Jeschke E, Gehrke T, Gunster C, Hassenpflug J, Malzahn J, Niethard FU, Schrader P, Zacher J, Halder A (2016). Five-Year Survival of 20,946 Unicondylar Knee Replacements and Patient Risk Factors for Failure. An Analysis of German Insurance Data. *J Bone Joint Surg Am.* 2016; 98 (20): 1691-1698. PubMed-ID: 27869619. DOI 10.2106/JBJS.15.01060
- Jonas RA (2016). The Importance of Complete and Accurate Coding of Risk Factors in the Modern Era of Transparency and Public Reporting of Cardiac Surgical Outcomes. *World J Pediatr Congenit Heart Surg.* 2016; 7 (1): 7-8. PubMed-ID: 26714987. DOI 10.1177/2150135115619174
- Kim SJ, Han KT, Lee HJ, Kwon JA, Park EC (2016). Positive effects of medical staffing on readmission within 30 days after discharge: a retrospective analysis of obstetrics and gynecology data. *Eur J Public Health.* 2016. PubMed-ID: 27411559. DOI 10.1093/eurpub/ckw102
- Klompas M, Rhee C (2016). Sepsis and the theory of relativity. Measuring a moving target with a moving measuring stick. *Crit Care.* 2016; 20 (1): 396. PubMed-ID: 27923393. DOI 10.1186/s13054-016-1559-z
- Krahwinkel W, Schuler E, Liebetrau M, Meier-Hellmann A, Zacher J, Kühlen R (2016). The effect of peer review on mortality rates. *Int J Qual Health Care.* 2016; 28 (5): 594-600. PubMed-ID: 27424326. DOI 10.1093/intqhc/mzw072
- Kreft D, Doblhammer G (2016). Expansion or compression of long-term care in Germany between 2001 and 2009? A small-area decomposition study based on administrative health data. *Popul Health Metr.* 2016; 14: 24. PubMed-ID: 27418881. DOI 10.1186/s12963-016-0093-1

- Lefering R, Mahlke L, Franz D (2016). Der Kostenschätzer im TraumaRegister DGU(R). Unfallchirurg. 2016. PubMed-ID: 27785521. DOI 10.1007/s00113-016-0266-1
- Lefevre JH, Reboul-Marty J, Vaugrigneuse S de, Zeitoun JD (2016). Readmissions After Surgery: A French Nationwide Cross-Sectional Study of 1,686,602 Procedures Performed in 2010. World J Surg. 2016. PubMed-ID: 27718005. DOI 10.1007/s00268-016-3740-6
- Lenzi J, Avaldi VM, Hernandez-Boussard T, Descovich C, Castaldini I, Urbinati S, Di Pasquale G, Rucci P, Fantini MP (2016). Risk-adjustment models for heart failure patients' 30-day mortality and readmission rates: the incremental value of clinical data abstracted from medical charts beyond hospital discharge record. BMC Health Serv Res. 2016; 16: 473. PubMed-ID: 27600617. DOI 10.1186/s12913-016-1731-9
- Lenzi J, Avaldi VM, Rucci P, Pieri G, Fantini MP (2016). Burden of multimorbidity in relation to age, gender and immigrant status. A cross-sectional study based on administrative data. BMJ Open. 2016; 6 (12): e012812. PubMed-ID: 28003289. DOI 10.1136/bmjopen-2016-012812
- Lopez-de-Andres A, Hernandez-Barrera V, Lopez R, Martin-Junco P, Jimenez-Trujillo I, Alvaro-Meca A, Salinero-Fort MA, Jimenez-Garcia R (2016). Predictors of in-hospital mortality following major lower extremity amputations in type 2 diabetic patients using artificial neural networks. BMC Med Res Methodol. 2016; 16 (1): 160. PubMed-ID: 27876006. DOI 10.1186/s12874-016-0265-5
- Magalhaes T, Lopes S, Gomes J, Seixo F (2016). The Predictive Factors on Extended Hospital Length of Stay in Patients with AMI: Laboratory and Administrative Data. J Med Syst. 2016; 40 (1): 2. PubMed-ID: 26558393. DOI 10.1007/s10916-015-0363-7
- Main EK, Abreo A, McNulty J, Gilbert W, McNally C, Poeltler D, Lanner-Cusin K, Fenton D, Gipps T, Melsop K, Greene N, Gould JB, Kilpatrick S (2016). Measuring severe maternal morbidity. Validation of potential measures. Am. J. Obstet. Gynecol. 2016; 214 (5): 643.e1-643.e10. PubMed-ID: 26582168. DOI 10.1016/j.ajog.2015.11.004
- Mazzali C, Paganoni AM, Ieva F, Masella C, Maistrello M, Agostoni O, Scalvini S, Frigerio M (2016). Methodological issues on the use of administrative data in healthcare research: the case of heart failure hospitalizations in Lombardy region, 2000 to 2012. BMC Health Serv Res. 2016; 16 (1): 234. PubMed-ID: 27391599. DOI 10.1186/s12913-016-1489-0
- Munter L de, Polinder S, Lansink KWW, Cnossen MC, Steyerberg EW, Jongh MAC de (2016). Mortality prediction models in the general trauma population. A systematic review. Injury. 2016. PubMed-ID: 28011072. DOI 10.1016/j.injury.2016.12.009
- Nickel KB, Wallace AE, Warren DK, Ball KE, Mines D, Fraser VJ, Olsen MA (2016). Modification of claims-based measures improves identification of comorbidities in non-elderly women undergoing mastectomy for breast cancer: a retrospective cohort study. BMC Health Serv Res. 2016; 16 (a): 388. PubMed-ID: 27527888. DOI 10.1186/s12913-016-1636-7

- Noone A-M, Lund JL, Mariotto A, Cronin K, McNeel T, Deapen D, Warren JL (2016). Comparison of SEER Treatment Data With Medicare Claims. *Med Care*. 2016; 54 (9): e55-64. PubMed-ID: 24638121. DOI 10.1097/MLR.0000000000000073
- Nouraei SAR, Virk JS, Middleton SE, Aylin P, Mace A, Vaz F, Kaddour H, Darzi A, Tolley NS (2016). A national analysis of trends, outcomes and volume-outcome relationships in thyroid surgery. *Clin Otolaryngol*. 2016. PubMed-ID: 27542561. DOI 10.1111/coa.12730
- Ohlmeier C, Czwikla J, Enders D, Mikolajczyk R, Blindt R, Horenkamp-Sonntag D, Linder R, Garbe E (2016). Percutaneous coronary interventions. Use between 2004 and 2012 in Germany. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2016; 59 (6): 783-788. PubMed-ID: 27188620. DOI 10.1007/s00103-016-2352-5
- Olsen MA, Young-Xu Y, Stwalley D, Kelly CP, Gerding DN, Saeed MJ, Mahe C, Dubberke ER (2016). The burden of clostridium difficile infection. Estimates of the incidence of CDI from U.S. Administrative databases. *BMC Infect. Dis*. 2016; 16: 177. PubMed-ID: 27102582. DOI 10.1186/s12879-016-1501-7
- Oza A, Donohue F, Johnson H, Cunney R (2016). Risk-adjusted antibiotic consumption in 34 public acute hospitals in Ireland, 2006 to 2014. *Euro Surveill*. 2016; 21 (32). PubMed-ID: 27541730. DOI 10.2807/1560-7917.ES.2016.21.32.30312
- Penner A (2016). (Un)taugliche Werkzeuge für hehre Ziele. Ergebnisqualität im Krankenhausstrukturgesetz. *KU Gesundheitsmanagement*. 2016; 85 (2): 23-25
- Przylog A, Stroka MA, Engel S, Linder R (2016). Bieten Pflegeheime mit besseren Pflegenoten auch eine bessere Qualität? Empirische Analyse auf Basis von GKV-Routinedaten. *Z Gerontol Geriatr*. 2016; 49 (4): 308-316. PubMed-ID: 26582462. DOI 10.1007/s00391-015-0983-z
- Qu Z, Zhao LP, Ma X, Zhan S (2016). Building a Patient-Specific Risk Score with a Large Database of Discharge Summary Reports. *Med Sci Monit*. 2016; 22: 2097-2104. PubMed-ID: 27318825
- Richter A, Meissner Y, Strangfeld A, Zink A (2016). Primary and secondary patient data in contrast. The use of observational studies like RABBIT. *Clin. Exp. Rheumatol*. 2016; 34 (5 Suppl 101): S79-S86. PubMed-ID: 27762200
- Romanelli AM, Raciti M, Protti MA, Prediletto R, Fornai E, Faustini A (2016). How Reliable Are Current Data for Assessing the Actual Prevalence of Chronic Obstructive Pulmonary Disease? *PLoS ONE*. 2016; 11 (2): e0149302. PubMed-ID: 26901166. DOI 10.1371/journal.pone.0149302
- Roussot A, Cottenet J, Gadreau M, Giroud M, Bejot Y, Quantin C (2016). The use of national administrative data to describe the spatial distribution of in-hospital mortality following stroke in France, 2008-2011. *Int J Health Geogr*. 2016; 15: 2. PubMed-ID: 26754188. DOI 10.1186/s12942-015-0028-2
- Saunders CL, Elliott MN, Lyratzopoulos G, Abel GA (2016). Do Differential Response Rates to Patient Surveys Between Organizations Lead to Unfair Performance Comparisons?: Evidence From the English Cancer Patient Experience Survey. *Med Care*. 2016. PubMed-ID: 26595223

- Schulman KL, Lamerato LE, Dalal MR, Sung J, Jhaveri M, Koren A, Mallya UG, Foody JM (2016). Development and Validation of Algorithms to Identify Statin Intolerance in a US Administrative Database. *Value Health*. 2016; 19 (6): 852-860. PubMed-ID: 27712714. DOI 10.1016/j.jval.2016.03.1858
- Shrestha S, Dave AJ, Losina E, Katz JN (2016). Diagnostic accuracy of administrative data algorithms in the diagnosis of osteoarthritis: a systematic review. *BMC Med Inform Decis Mak*. 2016; 16 (1): 82. PubMed-ID: 27387323. DOI 10.1186/s12911-016-0319-y
- Sigakis MJ, Leffert LR, Mirzakhani H, Sharawi N, Rajala B, Callaghan WM, Kuklina EV, Creanga AA, Mhyre JM, Bateman BT (2016). The Validity of Discharge Billing Codes Reflecting Severe Maternal Morbidity. *Anesth. Analg*. 2016. PubMed-ID: 27387839. DOI 10.1213/ANE.0000000000001436
- Smith MW, Owens PL, Andrews RM, Steiner CA, Coffey RM, Skinner HG, Miyamura J, Popescu I (2016). Differences in severity at admission for heart failure between rural and urban patients. The value of adding laboratory results to administrative data. *BMC Health Serv Res*. 2016; 16: 133. PubMed-ID: 27089888. DOI 10.1186/s12913-016-1380-z
- Sokoreli I, de Vries, J J G, Riistama JM, Pauws SC, Steyerberg EW, Tesanovic A, Geleijnse G, Goode KM, Crundall-Goode A, Kazmi S, Cleland JG, Clark AL (2016). Depression as an independent prognostic factor for all-cause mortality after a hospital admission for worsening heart failure. *Int. J. Cardiol*. 2016; 220: 202-207. PubMed-ID: 27389442. DOI 10.1016/j.ijcard.2016.06.068
- Stausberg J, Jungen T, Bartels C, Scheu C (2016). Robustness of Hospital Benchmarking with the Hospital Standardized Mortality Ratio (HSMR). An Analysis of Secondary Data from 37 German Hospitals. *Gesundheitswesen*. 2016; 78 (10): 637-644. PubMed-ID: 25951118. DOI 10.1055/s-0035-1548818
- Sung SF, Chen SC, Hsieh CY, Li CY, Lai EC, Hu YH (2016). A comparison of stroke severity proxy measures for claims data research. A population-based cohort study. *Pharmacoepidemiol Drug Saf*. 2016; 25 (4): 438-443. PubMed-ID: 26696591. DOI 10.1002/pds.3944
- Sung S-F, Hsieh C-Y, Lin H-J, Chen Y-W, Chen C-H, Yang Y-HK, Hu Y-H (2016). Validity of a stroke severity index for administrative claims data research. A retrospective cohort study. *BMC Health Serv Res*. 2016; 16 (1): 509. DOI 10.1186/s12913-016-1769-8
- Tew M, Dalziel KM, Petrie DJ, Clarke PM (2016). Growth of linked hospital data use in Australia: a systematic review. *Aust Health Rev*. 2016. PubMed-ID: 27444270. DOI 10.1071/AH16034
- Toua RE, Kock JE de, Welzel T (2016). Predicting mortality rates: Comparison of an administrative predictive model (hospital standardized mortality ratio) with a physiological predictive model (Acute Physiology and Chronic Health Evaluation IV)--A cross-sectional study. *J Crit Care*. 2016; 31 (1): 7-12. PubMed-ID: 26518478. DOI 10.1016/j.jcrc.2015.09.023
- Truong VT, Moisan J, Kroger E, Langlois S, Gregoire J-P (2016). Persistence and compliance with newly initiated antihypertensive drug treatment in patients with chronic kidney

- disease. Patient Prefer Adherence. 2016; 10: 1121-1129. PubMed-ID: 27382260. DOI 10.2147/PPA.S108757
- Wang Y, Eldridge N, Metersky ML, Sonnenfeld N, Fine JM, Pandolfi MM, Eckenrode S, Bakullari A, Galusha DH, Jaser L, Verzier NR, Nuti SV, Hunt D, Normand S-LT, Krumholz HM (2016). Association Between Hospital Performance on Patient Safety and 30-Day Mortality and Unplanned Readmission for Medicare Fee-for-Service Patients With Acute Myocardial Infarction. *J Am Heart Assoc.* 2016; 5 (7). PubMed-ID: 27405808. DOI 10.1161/JAHA.116.003731
- Wasfy JH, Yeh RW (2016). Future of the PCI Readmission Metric. *Circ Cardiovasc Qual Outcomes.* 2016; 9 (2): 186-189. PubMed-ID: 26812931. DOI 10.1161/CIRCOUTCOMES.115.002472
- Weig T, Irlbeck T, Frey L, Paprottka P, Irlbeck M (2016). Jenseits des BMI. Alternative Methoden zur Erfassung von Körperfett und Muskelmasse in der Intensivmedizin und deren klinischer Stellenwert. *Anaesthesist.* 2016. PubMed-ID: 27411524. DOI 10.1007/s00101-016-0205-0
- Wit HAJM de, Winkens B, Mestres Gonzalvo C, Hurkens KPGM, Mulder WJ, Janknegt R, Verhey FR, van der Kuy P-HM, Schols JMGA (2016). The development of an automated ward independent delirium risk prediction model. *Int J Clin Pharm.* 2016; 38 (4): 915-923. PubMed-ID: 27177868. DOI 10.1007/s11096-016-0312-7
- Wyszynski DF, Carman WJ, Cantor AB, Graham JM, JR, Kunz LH, Slavotinek AM, Kirby RS, Seeger J (2016). Pregnancy and Birth Outcomes among Women with Idiopathic Thrombocytopenic Purpura. *J Pregnancy.* 2016; 2016: 8297407. PubMed-ID: 27092275. DOI 10.1155/2016/8297407
- Yaghi S, Pilot M, Song C, Blum CA, Yakhkind A, Silver B, Furie KL, Elkind MS, Sherzai D, Sherzai AZ (2016). Ischemic Stroke Risk After Acute Coronary Syndrome. *J Am Heart Assoc.* 2016; 5 (7). PubMed-ID: 27413043. DOI 10.1161/JAHA.115.002590
- Yen TW, Li J, Sparapani RA, Laud PW, Nattinger AB (2016). The interplay between hospital and surgeon factors and the use of sentinel lymph node biopsy for breast cancer. *Medicine (Baltimore).* 2016; 95 (31): e4392. PubMed-ID: 27495053. DOI 10.1097/MD.0000000000004392
- Youngson E, Welsh RC, Kaul P, McAlister F, Quan H, Bakal J (2016). Defining and validating comorbidities and procedures in ICD-10 health data in ST-elevation myocardial infarction patients. *Medicine (Baltimore).* 2016; 95 (32): e4554. PubMed-ID: 27512881. DOI 10.1097/MD.0000000000004554

2015

- Akin I, Schneider H, Nienaber CA, Jung W, Lubke M, Rillig A, Ansari U, Wunderlich N, Birkemeyer R (2015). Lack of "obesity paradox" in patients presenting with ST-segment elevation myocardial infarction including cardiogenic shock: a multicenter German network registry analysis. *BMC Cardiovasc Disord.* 2015; 15: 67. PubMed-ID: 26162888. DOI 10.1186/s12872-015-0065-6
- Al-Damluji MS, Dharmarajan K, Zhang W, Geary LL, Stilp E, Dardik A, Mena-Hurtado C, Curtis JP (2015). Readmissions after carotid artery revascularization in the medicare population. *J. Am. Coll. Cardiol.* 2015; 65 (14): 1398-1408. PubMed-ID: 25857904. DOI 10.1016/j.jacc.2015.01.048
- Alexandrescu R, Bottle A, Hua Jen M, Jarman B, Aylin P (2015). The US hospital standardised mortality ratio: Retrospective database study of Massachusetts hospitals. *JRSM Open.* 2015; 6 (1): 2054270414559083. PubMed-ID: 25852951. DOI 10.1177/2054270414559083
- Alonso-Morán E, Nuño-Solinis R, Onder G, Tonnara G (2015). Multimorbidity in risk stratification tools to predict negative outcomes in adult population. *Eur J Intern Med.* 2015; 26 (3): 182-189. PubMed-ID: 25753935. DOI 10.1016/j.ejim.2015.02.010
- Am Borzecki, Chen Q, Restuccia J, Mull HJ, Shwartz M, Gupta K, Hanchate A, Strymish J, Rosen A (2015). Do pneumonia readmissions flagged as potentially preventable by the 3M PPR software have more process of care problems? A cross-sectional observational study. *BMJ Qual Saf.* 2015; 24 (12): 753-763. PubMed-ID: 26283672. DOI 10.1136/bmjqs-2014-003911
- Amoakoh-Coleman M, Kayode GA, Brown-Davies C, Agyepong IA, Grobbee DE, Klipstein-Grobusch K, Ansa EK (2015). Completeness and accuracy of data transfer of routine maternal health services data in the greater Accra region. *BMC Res Notes.* 2015; 8: 114. PubMed-ID: 25889945. DOI 10.1186/s13104-015-1058-3
- Anderson BR, Ciarleglio AJ, Cohen DJ, Lai WW, Neidell M, Hall M, Glied SA, Bacha EA (2015). The Norwood operation: Relative effects of surgeon and institutional volumes on outcomes and resource utilization. *Cardiol Young.* 2015: 1-10. PubMed-ID: 26169083. DOI 10.1017/S1047951115001031
- Ang D, McKenney M, Norwood S, Kurek S, Kimbrell B, Liu H, Ziglar M, Hurst J (2015). Benchmarking statewide trauma mortality using Agency for Healthcare Research and Quality's patient safety indicators. *J Surg Res.* 2015. PubMed-ID: 26115808. DOI 10.1016/j.jss.2015.05.053
- Arim RG, Kohen DE, Brehaut JC, Guevremont A, Garner RE, Miller AR, McGrail K, Brownell M, Lach LM, Rosenbaum PL (2015). Developing a non-categorical measure of child health using administrative data. *Health Rep.* 2015; 26 (2): 9-16. PubMed-ID: 25692939
- Ariyaratnam R, Palmqvist CL, Hider P, Laing GL, Stupart D, Wilson L, Clarke DL, Hagander L, Watters DA, Gruen RL (2015). Toward a standard approach to measurement and reporting of perioperative mortality rate as a global indicator for surgery. *Surgery.* 2015; 158 (1): 17-26. PubMed-ID: 25958067. DOI 10.1016/j.surg.2015.03.024

- Asplund K, Sukhova M, Wester P, Stegmayr B (2015). Diagnostic procedures, treatments, and outcomes in stroke patients admitted to different types of hospitals. *Stroke*. 2015; 46 (3): 806-812. PubMed-ID: 25657174. DOI 10.1161/STROKEAHA.114.007212
- Augurzky B, Kreienberg R, Mennicken R (2015). Zukunft der stationären Versorgung in Gynäkologie und Geburtshilfe. *Gynäkologe*. 2015. DOI 10.1007/s00129-015-3722-z. Published online 04 July 2015
- Austin JM, Jha AK, Romano PS, Singer SJ, Vogus TJ, Wachter RM, Pronovost PJ (2015). National hospital ratings systems share few common scores and may generate confusion instead of clarity. *Health Aff (Millwood)*. 2015; 34 (3): 423-430. PubMed-ID: 25732492. DOI 10.1377/hlthaff.2014.0201
- Bailey SC, Fang G, Annis IE, O'Connor R, Paasche-Orlow MK, Wolf MS (2015). Health literacy and 30-day hospital readmission after acute myocardial infarction. *BMJ Open*. 2015; 5 (6): e006975. PubMed-ID: 26068508. DOI 10.1136/bmjopen-2014-006975
- Bali V, Yermilov I, Coutts K, Legorreta AP (2015). Novel screening metric for the identification of at-risk peripheral artery disease patients using administrative claims data. *Vasc Med*. 2015. PubMed-ID: 26608733. DOI 10.1177/1358863X15616687
- Bartels CM, Singh JA, Parperis K, Huber K, Rosenthal AK (2015). Validation of administrative codes for calcium pyrophosphate deposition: a veterans administration study. *J Clin Rheumatol*. 2015; 21 (4): 189-192. PubMed-ID: 26010181. DOI 10.1097/RHU.0000000000000251
- Bekelis K, McGirt MJ, Parker SL, Holland CM, Davies J, Devin CJ, Atkins T, Knightly J, Groman R, Zyung I, Asher AL (2015). The present and future of quality measures and public reporting in neurosurgery. *Neurosurg Focus*. 2015; 39 (6): E3. PubMed-ID: 26621417. DOI 10.3171/2015.8.FOCUS15354
- Bello GA, Dumancas GG, Gennings C (2015). Development and Validation of a Clinical Risk-Assessment Tool Predictive of All-Cause Mortality. *Bioinform Biol Insights*. 2015; 9 (Suppl 3): 1-10. PubMed-ID: 26380550. DOI 10.4137/BBI.S30172
- Benchimol EI, Smeeth L, Guttman A, Harron K, Moher D, Petersen I, Sorensen HT, Elm E von, Langan SM (2015). The REporting of studies Conducted using Observational Routinely-collected health Data (RECORD) statement. *PLoS Med*. 2015; 12 (10): e1001885. PubMed-ID: 26440803. DOI 10.1371/journal.pmed.1001885
- Bender M, Smith TC (2015). Using administrative mental health indicators in heart failure outcomes research; a comparison of clinical records and ICD-9 coding. *J Card Fail*. 2015. PubMed-ID: 26277906. DOI 10.1016/j.cardfail.2015.08.002
- Bestehorn K, Bauer T, Fleck E, Bestehorn M, Pauletzki J, Hamm C (2015). Coronary procedures in German hospitals: a detailed analysis for specific patient clusters. *Clin Res Cardiol*. 2015. PubMed-ID: 25627934. DOI 10.1007/s00392-015-0818-3. Published online 28.01.2015
- Bettencourt-Silva JH, Clark J, Cooper CS, Mills R, Rayward-Smith VJ, La Iglesia B de (2015). Building Data-Driven Pathways From Routinely Collected Hospital Data: A Case Study on

- Prostate Cancer. *JMIR Med Inform.* 2015; 3 (3): e26. PubMed-ID: 26162314. DOI 10.2196/medinform.4221
- Bezin J, Girodet P-O, Rambelomanana S, Touya M, Ferreira P, Gilleron V, Robinson P, Moore N, Pariente A (2015). Choice of ICD-10 codes for the identification of acute coronary syndrome in the French hospitalisation database. *Fundam Clin Pharmacol.* 2015. PubMed-ID: 26301735. DOI 10.1111/fcp.12143
- Bitzer EM (2015). Linking Claims Data and Beneficiary Survey Information to Report on the Quality of Health Care: Potential, Pitfalls, and Perspectives. *Gesundheitswesen.* 2015. PubMed-ID: 25622208. DOI 10.1055/s-0034-1395650
- Blunt I, Bardsley M, Grove A, Clarke A (2015). Classifying emergency 30-day readmissions in England using routine hospital data 2004-2010: what is the scope for reduction? *Emerg Med J.* 2015; 32 (1): 44-50. PubMed-ID: 24668396. DOI 10.1136/emered-2013-202531
- Boehme MWJ, Buechele G, Frankenhauser-Mannuss J, Mueller J, Lump D, Boehm BO, Rothenbacher D (2015). Prevalence, incidence and concomitant co-morbidities of type 2 diabetes mellitus in South Western Germany - a retrospective cohort and case control study in claims data of a large statutory health insurance. *BMC Public Health.* 2015; 15: 855. PubMed-ID: 26334523. DOI 10.1186/s12889-015-2188-1
- Boel J, Sogaard M, Andreasen V, Jarlov JO, Arpi M (2015). Evaluating antibiotic stewardship programs in patients with bacteremia using administrative data: a cohort study. *Eur J Clin Microbiol Infect Dis.* 2015. PubMed-ID: 25894986. DOI 10.1007/s10096-015-2378-x
- Borzecki AM, Chen Q, Restuccia J, Mull HJ, Shwartz M, Gupta K, Hanchate A, Strymish J, Rosen A (2015). Do pneumonia readmissions flagged as potentially preventable by the 3M PPR software have more process of care problems? A cross-sectional observational study. *BMJ Qual Saf.* 2015. PubMed-ID: 26283672. DOI 10.1136/bmjqs-2014-003911
- Boscardin CK, Gonzales R, Bradley KL, Raven MC (2015). Predicting cost of care using self-reported health status data. *BMC Health Serv Res.* 2015; 15: 406. PubMed-ID: 26399319. DOI 10.1186/s12913-015-1063-1
- Boudreaux-Kelly M, Wilson M, Bokhari M (2015). Statistical methods of risk-adjusted statistical process control charts to assess surgical performance in consecutive colorectal operations at a single institution. *JAMA Surg.* 2015; 150 (3): 271-272. PubMed-ID: 25606809. DOI 10.1001/jamasurg.2014.1773
- Bouras G, Burns EM, Howell A-M, Bottle A, Athanasiou T, Darzi A (2015). Risk of Post-Discharge Venous Thromboembolism and Associated Mortality in General Surgery: A Population-Based Cohort Study Using Linked Hospital and Primary Care Data in England. *PLoS ONE.* 2015; 10 (12): e0145759. PubMed-ID: 26713434. DOI 10.1371/journal.pone.0145759
- Brandt BN, Gartner AB, Moncure M, Cannon CM, Carlton E, Cleek C, Wittkopp C, Simpson SQ (2015). Identifying severe sepsis via electronic surveillance. *Am J Med Qual.* 2015; 30 (6): 559-565. PubMed-ID: 24970280. DOI 10.1177/1062860614541291

- Brennan JM, Al-Hejily W, Dai D, Shaw RE, Trilesskaya M, Rao SV, Brilakis ES, Anstrom KJ, Messenger JC, Peterson ED, Douglas PS, Sketch, Michael H Jr (2015). Three-Year Outcomes Associated With Embolic Protection in Saphenous Vein Graft Intervention: Results in 49 325 Senior Patients in the Medicare-Linked National Cardiovascular Data Registry CathPCI Registry. *Circ Cardiovasc Interv.* 2015; 8 (3). PubMed-ID: 25714391. DOI 10.1161/CIRCINTERVENTIONS.114.001403
- Broberg C, McLarry J, Mitchell J, Winter C, Doberne J, Woods P, Burchill L, Weiss J (2015). Accuracy of administrative data for detection and categorization of adult congenital heart disease patients from an electronic medical record. *Pediatr Cardiol.* 2015; 36 (4): 719-725. PubMed-ID: 25428778. DOI 10.1007/s00246-014-1068-2
- Brouwer ES, Policastri A, Moga DC (2015). Using administrative data for your research project: 10 considerations before you begin. *Am J Health Syst Pharm.* 2015; 72 (3): 184-187. PubMed-ID: 25596600. DOI 10.2146/ajhp140348
- Brown JR, MacKenzie TA, Maddox TM, Fly J, Tsai TT, Plomondon ME, Nielson CD, Siew ED, Resnic FS, Baker CR, Rumsfeld JS, Matheny ME (2015). Acute Kidney Injury Risk Prediction in Patients Undergoing Coronary Angiography in a National Veterans Health Administration Cohort With External Validation. *J Am Heart Assoc.* 2015; 4 (12). PubMed-ID: 26656858. DOI 10.1161/JAHA.115.002136
- Burgun A, Oksen DV, Kuchinke W, Prokosch H-U, Ganslandt T, Buchan I, van Staa T, Cunningham J, Gjerstorff ML, Dufour J-C, Gibrat J-F, Nikolski M, Verger P, Cambon-Thomsen A, Masella C, Lettieri E, Bertele P, Salokannel M, Thiebaut R, Persoz C, Chene G, Ohmann C (2015). Proposal for a European Public Health Research Infrastructure for Sharing of health and Medical administrative data (PHRIMA). *Stud Health Technol Inform.* 2015; 216: 1005. PubMed-ID: 26262306
- Cadarette SM, Wong L (2015). An Introduction to Health Care Administrative Data. *Can J Hosp Pharm.* 2015; 68 (3): 232-237. PubMed-ID: 26157185
- Cardona-Morrell M, Hillman K (2015). Development of a tool for defining and identifying the dying patient in hospital: Criteria for Screening and Triaging to Appropriate alternative care (CriSTAL). *BMJ Support Palliat Care.* 2015; 5 (1): 78-90. PubMed-ID: 25613983. DOI 10.1136/bmjspcare-2014-000770
- Carrara G, Scire CA, Zambon A, Cimmino MA, Cerra C, Caprioli M, Cagnotto G, Nicotra F, Arfe A, Migliazza S, Corrao G, Minisola G, Montecucco C (2015). A validation study of a new classification algorithm to identify rheumatoid arthritis using administrative health databases: case-control and cohort diagnostic accuracy studies. Results from the REcord linkage On Rheumatic Diseases study of the Italian Society for Rheumatology. *BMJ Open.* 2015; 5 (1): e006029. PubMed-ID: 25631308. DOI 10.1136/bmjopen-2014-006029
- Chang DC, Evans C, Parker J (2015). Conceptualizing administrative databases as screening tools for health system quality: rethinking the issue of data accuracy. *JAMA Surg.* 2015; 150 (1): 5-6. PubMed-ID: 25409092. DOI 10.1001/jamasurg.2014.1352
- Cho KH, Park E-C, Nam CM, Choi Y, Shin J, Lee SG (2015). Effect of Weekend Admission on In-Hospital Mortality in Patients with Ischemic Stroke: An Analysis of Korean Nationwide

- Claims Data from 2002 to 2013. *J Stroke Cerebrovasc Dis.* 2015. PubMed-ID: 26654666. DOI 10.1016/j.jstrokecerebrovasdis.2015.10.014
- Chowdhury TT, Hemmelgarn B (2015). Evidence-based decision-making 6: utilization of administrative databases for health services research. *Methods Mol Biol.* 2015; 1281: 469-484. PubMed-ID: 25694328. DOI 10.1007/978-1-4939-2428-8_28
- Coleman CI, Kohn CG, Crivera C, Schein JR, Peacock WF (2015). Validation of the multivariable In-hospital Mortality for Pulmonary embolism using Claims data (IMPACT) prediction rule within an all-payer inpatient administrative claims database. *BMJ Open.* 2015; 5 (10): e009251. PubMed-ID: 26510731. DOI 10.1136/bmjopen-2015-009251
- Cook JA, Collins GS (2015). The rise of big clinical databases. *Br J Surg.* 2015; 102 (2): e93-e101. PubMed-ID: 25627139. DOI 10.1002/bjs.9723
- Cooksey R, Husain MJ, Brophy S, Davies H, Rahman MA, Atkinson MD, Phillips CJ, Siebert S (2015). The Cost of Ankylosing Spondylitis in the UK Using Linked Routine and Patient-Reported Survey Data. *PLoS ONE.* 2015; 10 (7): e0126105. PubMed-ID: 26185984. DOI 10.1371/journal.pone.0126105
- Cookson R, Gutacker N, Garcia-Armesto S, Angulo-Pueyo E, Christiansen T, Bloor K, Bernal-Delgado E (2015). Socioeconomic inequality in hip replacement in four European countries from 2002 to 2009--area-level analysis of hospital data. *Eur J Public Health.* 2015; 25 Suppl 1: 21-27. PubMed-ID: 25690126. DOI 10.1093/eurpub/cku220
- Cowling TE, Harris M, Watt H, Soljak M, Richards E, Gunning E, Bottle A, Macinko J, Majeed A (2015). Access to primary care and the route of emergency admission to hospital: retrospective analysis of national hospital administrative data. *BMJ Qual Saf.* 2015. PubMed-ID: 26306608. DOI 10.1136/bmjqs-2015-004338
- Cram P, Ravi B, Vaughan-Sarrazin MS, Lu X, Li Y, Hawker G (2015). What Drives Variation in Episode-of-care Payments for Primary TKA? An Analysis of Medicare Administrative Data. *Clin. Orthop. Relat. Res.* 2015. PubMed-ID: 26239239
- Davies H, Gilbert R, Johnson K, Petersen I, Nazareth I, O'Donnell M, Guttmann A, Gonzalez-Izquierdo A (2015). Neonatal drug withdrawal syndrome: cross-country comparison using hospital administrative data in England, the USA, Western Australia and Ontario, Canada. *Arch. Dis. Child. Fetal Neonatal Ed.* 2015. PubMed-ID: 26290479. DOI 10.1136/archdischild-2015-308948
- Debus ES, Torsello G, Behrendt C-A, Petersen J, Grundmann RT (2015). Perioperative Letalität bei der Versorgung abdomineller Aortenaneurysmen in Deutschland. Ein Vergleich von Routinedaten der DAK-Gesundheit mit Registerdaten der DGG. *Chirurg.* 2015; 86 (11): 1041-1050. PubMed-ID: 26394855. DOI 10.1007/s00104-015-0087-8
- Deeny SR, Steventon A (2015). Making sense of the shadows: priorities for creating a learning healthcare system based on routinely collected data. *BMJ Qual Saf.* 2015. PubMed-ID: 26065466. DOI 10.1136/bmjqs-2015-004278
- Dharmarajan K, Hsieh AF, Kulkarni VT, Lin Z, Ross JS, Horwitz LI, Kim N, Suter LG, Lin H, Normand S-LT, Krumholz HM (2015). Trajectories of risk after hospitalization for heart

- failure, acute myocardial infarction, or pneumonia. Retrospective cohort study. *BMJ*. 2015; 350: h411. DOI 10.1136/bmj.h411
- Dobbins TA, Badgery-Parker T, Currow DC, Young JM (2015). Assessing measures of comorbidity and functional status for risk adjustment to compare hospital performance for colorectal cancer surgery: a retrospective data-linkage study. *BMC Med Inform Decis Mak*. 2015; 15 (1): 55. PubMed-ID: 26174550. DOI 10.1186/s12911-015-0175-1
- Dobbins TA, Creighton N, Currow DC, Young JM (2015). Look back for the Charlson Index did not improve risk adjustment of cancer surgical outcomes. *J Clin Epidemiol*. 2015; 68 (4): 379-386. PubMed-ID: 25582754. DOI 10.1016/j.jclinepi.2014.12.002
- Donath C, Dorscht L, Graessel E, Sittl R, Schoen C (2015). Searching for success: Development of a combined patient-reported-outcome ("PRO") criterion for operationalizing success in multi-modal pain therapy. *BMC Health Serv Res*. 2015; 15: 272. PubMed-ID: 26184646. DOI 10.1186/s12913-015-0939-4
- Drozd EM, Inocencio TJ, Braithwaite S, Jagun D, Shah H, Quon NC, Broderick KC, Kuti JL (2015). Mortality, Hospital Costs, Payments, and Readmissions Associated With Clostridium difficile Infection Among Medicare Beneficiaries. *Infect Dis Clin Pract (Baltim Md)*. 2015; 23 (6): 318-323. PubMed-ID: 27885315. DOI 10.1097/IPC.0000000000000299
- Eapen ZJ, McCoy LA, Fonarow GC, Yancy CW, Miranda ML, Peterson ED, Califf RM, Hernandez AF (2015). Utility of socioeconomic status in predicting 30-day outcomes after heart failure hospitalization. *Circ Heart Fail*. 2015; 8 (3): 473-480. PubMed-ID: 25747700. DOI 10.1161/CIRCHEARTFAILURE.114.001879
- Ehrenstein V, Gammelager H, Schiødt M, Norholt SE, Neumann-Jensen B, Folkmar TB, Pedersen L, Svaerke C, Sørensen HT, Ma H, Acquavella J (2015). Evaluation of an ICD-10 algorithm to detect osteonecrosis of the jaw among cancer patients in the Danish National Registry of Patients. *Pharmacoepidemiol Drug Saf*. 2015. PubMed-ID: 25974710. DOI 10.1002/pds.3786
- Ehrenstein V, Hernandez RK, Maegbaek ML, Kahlert J, Nguyen-Nielsen M, Norgaard M, Liede A (2015). Validation of algorithms to detect distant metastases in men with prostate cancer using routine registry data in Denmark. *Clin Epidemiol*. 2015; 7: 259-265. PubMed-ID: 25914556. DOI 10.2147/CLEP.S74991
- Elsner C, Wriedt C, Häckl D (2015). Systematische Erfassung von gesundheitsökonomischen Effekten durch regulatorische Einflüsse: Aufbau einer grundsätzlichen Methodik sowie Fallstudie zur Pankreaschirurgie. *GMS Medizinische Informatik, Biometrie und Epidemiologie*. 2015. (3. September). DOI 10.3205/mibe000161
- Englum BR, Saha-Chaudhuri P, Shahian DM, O'Brien SM, Brennan JM, Edwards FH, Peterson ED (2015). The impact of high-risk cases on hospitals' risk-adjusted coronary artery bypass grafting mortality rankings. *Ann Thorac Surg*. 2015; 99 (3): 856-862. PubMed-ID: 25583462. DOI 10.1016/j.athoracsur.2014.09.048
- Eslami MH, Rybin D, Doros G, Kalish JA, Farber A (2015). Comparison of a Vascular Study Group of New England risk prediction model with established risk prediction models of

- in-hospital mortality after elective abdominal aortic aneurysm repair. *J. Vasc. Surg.* 2015. PubMed-ID: 26187291. DOI 10.1016/j.jvs.2015.06.051
- Etzioni DA (2015). Potential problems with the public reporting of risk-adjusted surgical outcomes. *Dis Colon Rectum.* 2015; 58 (5): 540-542. PubMed-ID: 25850842. DOI 10.1097/DCR.0000000000000368
- Eyding J, Kitzrow M, Krogias C, Reimann G, Weber R, Weimar C, Bartig D (2015). Treatment reality of internal carotid artery stenosis in Germany. Requirement and reality in international comparison and in light of the current S3 guidelines. *Nervenarzt.* 2015. PubMed-ID: 26341691. DOI 10.1007/s00115-015-4419-1
- Fischer C, Lingsma HF, van Leersum N, Tollenaar, R A E M, Wouters MW, Steyerberg EW (2015). Comparing colon cancer outcomes: The impact of low hospital case volume and case-mix adjustment. *Eur J Surg Oncol.* 2015; 41 (8): 1045-1053. PubMed-ID: 26067372. DOI 10.1016/j.ejso.2015.04.009
- Fraze RC, Matejicka, Anthony V 2nd, Abernathy SW, Davis M, Isbell TS, Regner JL, Smith RW, Jupiter DC, Papaconstantinou HT (2015). Concurrent Chart Review Provides More Accurate Documentation and Increased Calculated Case Mix Index, Severity of Illness, and Risk of Mortality. *J. Am. Coll. Surg.* 2015. PubMed-ID: 25724608. DOI 10.1016/j.jamcollsurg.2014.12.036
- French JK, Burgess S, Chew DP (2015). Re-infarction after primary percutaneous coronary intervention. *Curr Opin Cardiol.* 2015; 30 (4): 354-358. PubMed-ID: 26049380. DOI 10.1097/HCO.0000000000000193
- Friedrich F, Litvan Z, Freidl M (2015). Somatische Komorbidität im stationär psychiatrischen Bereich - eine Analyse administrativer Daten. *Neuropsychiatr.* 2015. PubMed-ID: 25676286. DOI 10.1007/s40211-015-0135-0
- Frolova N, Bakal JA, McAlister FA, Rowe BH, Quan H, Kaul P, Ezekowitz JA (2015). Assessing the use of international classification of diseases-10th revision codes from the emergency department for the identification of acute heart failure. *JACC Heart Fail.* 2015; 3 (5): 386-391. PubMed-ID: 25951759. DOI 10.1016/j.jchf.2014.11.010
- Fry DE, Pine M, Locke D, Reband A, Torres Z, Pine G (2015). Medicare inpatient and 90-day postdischarge adverse outcomes in carotid artery surgery. *Surgery.* 2015; 158 (4): 1056-62; discussion 1062-4. PubMed-ID: 26162940. DOI 10.1016/j.surg.2015.06.005
- Fuller RL, Atkinson G, Hughes JS (2015). Indications of biased risk adjustment in the hospital readmission reduction program. *J Ambul Care Manage.* 2015; 38 (1): 39-47. PubMed-ID: 25469577. DOI 10.1097/JAC.0000000000000061
- Garland A, Gershengorn HB, Marrie RA, Reider N, Wilcox ME (2015). A Practical, Global Perspective on Using Administrative Data to Conduct ICU Research. *Ann Am Thorac Soc.* 2015. (9): 1373-1386. PubMed-ID: 26148250. DOI 10.1513/AnnalsATS.201503-136FR
- Geubbels N, Brauw LM de, Acherman YIZ, van de Laar, Arnold W J M, Bruin SC (2015). Risk Stratification Models: How Well do They Predict Adverse Outcomes in a Large Dutch Bariatric Cohort? *Obes Surg.* 2015. PubMed-ID: 25937046. DOI 10.1007/s11695-015-1699-2

- Gilbertson DT, Bradbury BD, Wetmore JB, Weinhandl ED, Monda KL, Liu J, Brookhart MA, Gustafson SK, Roberts T, Collins AJ, Rothman KJ (2015). Controlling confounding of treatment effects in administrative data in the presence of time-varying baseline confounders. *Pharmacoepidemiol Drug Saf.* 2015. PubMed-ID: 26608680. DOI 10.1002/pds.3922
- Glazier RH, Hutchison B, Kopp A, Dobell G (2015). Primary Care Practice Reports: Administrative Data Profiles for Identifying and Prioritizing Areas for Quality Improvement. *Healthc Q.* 2015; 18 (1): 7-10. PubMed-ID: 26168383
- Goldman LE, Chu PW, Bacchetti P, Kruger J, Bindman A (2015). Effect of Present-on-Admission (POA) Reporting Accuracy on Hospital Performance Assessments Using Risk-Adjusted Mortality. *Health Serv Res.* 2015; 50 (3): 922-938. PubMed-ID: 25285372. DOI 10.1111/1475-6773.12239
- Goretzki PE, Bohnert N, Krämer N, Lammers BJ (2015). Ein objektiver Vergleich? Probleme der Qualitätsmessung. *KU Gesundheitsmanagement.* 2015; 84 (11): 61-64
- Greco C, Rosato S, D'Errigo P, Mureddu GF, Lacorte E, Seccareccia F (2015). Trends in mortality and heart failure after acute myocardial infarction in Italy from 2001 to 2011. *Int. J. Cardiol.* 2015; 184C: 115-121. PubMed-ID: 25700282. DOI 10.1016/j.ijcard.2015.01.073
- Greene ME, Rolfson O, Gordon M, Garellick G, Nemes S (2015). Standard Comorbidity Measures Do Not Predict Patient-reported Outcomes 1 Year After Total Hip Arthroplasty. *Clin. Orthop. Relat. Res.* 2015. PubMed-ID: 25700999. DOI 10.1007/s11999-015-4195-z
- Gresham E, Forder P, Chojenta CL, Byles JE, Loxton DJ, Hure AJ (2015). Agreement between self-reported perinatal outcomes and administrative data in New South Wales, Australia. *BMC Pregnancy Childbirth.* 2015; 15: 161. PubMed-ID: 26238999. DOI 10.1186/s12884-015-0597-x
- Grossimlinghaus I, Falkai P, Gaebel W, Hasan A, Janner M, Janssen B, Reich-Erkelenz D, Gruber L, Bottcher V, Wobrock T, Zielasek J (2015). Assessment of quality indicators with routine data. Presentation of a feasibility test in ten specialist clinics for psychiatry and psychotherapy. *Nervenarzt.* 2015. PubMed-ID: 26122639. DOI 10.1007/s00115-015-4357-y
- Grube RF, Heinlein W, Scheffer H, Rathmayer M, Schepp W, Lohse AW, Stallmach A, Wilke MH, Lerch MM (2015). Economic burden of *Clostridium difficile* enterocolitis in German hospitals based on routine DRG data. *Z Gastroenterol.* 2015; 53 (5): 391-397. PubMed-ID: 25965986. DOI 10.1055/s-0034-1398803
- Guenther K, Vach W, Kachel W, Bruder I, Hentschel R (2015). Auditing Neonatal Intensive Care: Is PREM a Good Alternative to CRIB for Mortality Risk Adjustment in Premature Infants? *Neonatology.* 2015; 108 (3): 172-178. PubMed-ID: 26278218. DOI 10.1159/000433414
- Gutacker N, Bloor K, Cookson R (2015). Comparing the performance of the Charlson/Deyo and Elixhauser comorbidity measures across five European countries and three conditions.

- Eur J Public Health. 2015; 25 Suppl 1: 15-20. PubMed-ID: 25690125. DOI 10.1093/eurpub/cku221
- Gutacker N, Bloor K, Cookson R, Garcia-Armesto S, Bernal-Delgado E (2015). Comparing hospital performance within and across countries: an illustrative study of coronary artery bypass graft surgery in England and Spain. Eur J Public Health. 2015; 25 Suppl 1: 28-34. PubMed-ID: 25690127. DOI 10.1093/eurpub/cku228
- Gutacker N, Street A, Gomes M, Bojke C (2015). Should English healthcare providers be penalised for failing to collect patient-reported outcome measures? A retrospective analysis. J R Soc Med. 2015. PubMed-ID: 25827906. DOI 10.1177/0141076815576700
- Haas J, Braun S, Wutzler P (2015). Burden of influenza in Germany: a retrospective claims database analysis for the influenza season 2012/2013. Eur J Health Econ. 2015. PubMed-ID: 26143025. DOI 10.1007/s10198-015-0708-7
- Hackl WO, Rauchegger F, Ammenwerth E (2015). A Nursing Intelligence System to Support Secondary Use of Nursing Routine Data. Appl Clin Inform. 2015; 6 (2): 418-428. PubMed-ID: 26171085. DOI 10.4338/ACI-2015-04-RA-0037
- Hagen TP, Hakkinen U, Belicza E, Fatore G, Goude F (2015). Acute Myocardial Infarction, Use of Percutaneous Coronary Intervention, and Mortality: A Comparative Effectiveness Analysis Covering Seven European Countries. Health Econ. 2015; 24 Suppl 2: 88-101. PubMed-ID: 26633870. DOI 10.1002/hec.3263
- Hagger-Johnson G, Harron K, Fleming T, Gilbert R, Goldstein H, Landy R, Parslow RC (2015). Data linkage errors in hospital administrative data when applying a pseudonymisation algorithm to paediatric intensive care records. BMJ Open. 2015; 5 (8): e008118. PubMed-ID: 26297363. DOI 10.1136/bmjopen-2015-008118
- Hall RE, Fang J, Hodwitz K, Saposnik G, Bayley MT (2015). Does the Volume of Ischemic Stroke Admissions Relate to Clinical Outcomes in the Ontario Stroke System? Circ Cardiovasc Qual Outcomes. 2015; 8 (6 Suppl 3): S141-7. PubMed-ID: 26515202. DOI 10.1161/CIRCOUTCOMES.115.002079
- Halvorsen T, Martinussen PE (2015). Benzodiazepine use in COPD: empirical evidence from Norway. Int J Chron Obstruct Pulmon Dis. 2015; 10: 1695-1702. PubMed-ID: 26356249. DOI 10.2147/COPD.S83107
- Hamad R, Modrek S, Kubo J, Goldstein BA, Cullen MR (2015). Using "big data" to capture overall health status: properties and predictive value of a claims-based health risk score. PLoS One. 2015; 10 (5): e0126054. PubMed-ID: 25951622. DOI 10.1371/journal.pone.0126054
- Han SS, Baek SH, Ahn SY, Chin HJ, Na KY, Chae D-W, Kim S (2015). Anemia Is a Risk Factor for Acute Kidney Injury and Long-Term Mortality in Critically Ill Patients. Tohoku J Exp Med. 2015; 237 (4): 287-295. PubMed-ID: 26607258. DOI 10.1620/tjem.237.287
- Hanisch E, Weigel TF, Buia A, Bruch H-P (2015). Die Validität von Routinedaten zur Qualitätssicherung. Eine qualitative systematische Übersichtsarbeit. Chirurg. 2015. PubMed-ID: 25971608. DOI 10.1007/s00104-015-0012-1

- Hansen K, Schussel K, Kieble M, Werning J, Schulz M, Friis R, Pohlau D, Schmitz N, Kugler J (2015). Adherence to Disease Modifying Drugs among Patients with Multiple Sclerosis in Germany: A Retrospective Cohort Study. *PLoS ONE*. 2015; 10 (7): e0133279. PubMed-ID: 26214805. DOI 10.1371/journal.pone.0133279
- Harjola V-P, Lassus J, Sionis A, Køber L, Tarvasmäki T, Spinar J, Parissis J, Banaszewski M, Silva-Cardoso J, Carubelli V, Di Somma S, Tolppanen H, Zeymer U, Thiele H, Nieminen MS, Mebazaa A (2015). Clinical picture and risk prediction of short-term mortality in cardiogenic shock. *Eur. J. Heart Fail.* 2015. PubMed-ID: 25820680. DOI 10.1002/ejhf.260
- Harron K, Gilbert R, Goldstein H, Guttmann A, Cromwell D, Marlow N, van der Meulen, Jan (2015). Linkage of population-level administrative hospital data to assess maternal factors affecting infant and child health. *The Lancet*. 2015; 386: S11. DOI 10.1016/S0140-6736(15)00849-1
- Harron K, Parslow R, Mok Q, Tibby SM, Wade A, Muller-Pebody B, Gilbert R (2015). Monitoring quality of care through linkage of administrative data: national trends in bloodstream infection in U.K. PICUs 2003-2012. *Crit Care Med*. 2015; 43 (5): 1070-1078. PubMed-ID: 25746506. DOI 10.1097/CCM.0000000000000941
- Hartensuer R, Nikolov B, Franz D, Weimann A, Raschke M, Juhra C (2015). Vergleich von ICD-10 und AIS mit der Entwicklung einer Methode zur automatisierten Umwandlung. *Z Orthop Unfall*. 2015. PubMed-ID: 26468924. DOI 10.1055/s-0035-1546217
- Hartmann J, Weidmann C, Biehle R (2015). Validation of SHI Claims Data Exemplified by Gender-specific Diagnoses. *Gesundheitswesen*. 2015. PubMed-ID: 26551850. DOI 10.1055/s-0035-1565072
- Hassani S, Lindman AS, Kristoffersen DT, Tomic O, Helgeland J (2015). 30-Day Survival Probabilities as a Quality Indicator for Norwegian Hospitals: Data Management and Analysis. *PLoS ONE*. 2015; 10 (9): e0136547. PubMed-ID: 26352600. DOI 10.1371/journal.pone.0136547
- Hassett MJ, Uno H, Cronin AM, Carroll NM, Hornbrook MC, Ritzwoller D (2015). Detecting Lung and Colorectal Cancer Recurrence Using Structured Clinical/Administrative Data to Enable Outcomes Research and Population Health Management. *Med Care*. 2015. PubMed-ID: 26225443. DOI 10.1097/MLR.0000000000000404
- Hermon A, Pain T, Beckett P, Jerrett H, Llewellyn N, Lawrence P, Szakmany T (2015). Improving compliance with central venous catheter care bundles using electronic records. *Nurs Crit Care*. 2015. PubMed-ID: 25968111. DOI 10.1111/nicc.12186
- Herrin J, St Andre J, Kenward K, Joshi MS, Audet A-MJ, Hines SC (2015). Community factors and hospital readmission rates. *Health Serv Res*. 2015; 50 (1): 20-39. PubMed-ID: 24712374. DOI 10.1111/1475-6773.12177
- Hess LM, Michael D, Mytelka DS, Beyrer J, Liepa AM, Nicol S (2015). Chemotherapy treatment patterns, costs, and outcomes of patients with gastric cancer in the United States: a retrospective analysis of electronic medical record (EMR) and administrative claims data. *Gastric Cancer*. 2015. PubMed-ID: 25792290. DOI 10.1007/s10120-015-0486-z

- Hicks CW, Black JH, Arhuidese I, Asanova L, Qazi U, Perler BA, Freischlag JA, Malas MB (2015). Mortality variability after endovascular versus open abdominal aortic aneurysm repair in a large tertiary vascular center using a Medicare-derived risk prediction model. *J. Vasc. Surg.* 2015; 61 (2): 291-297. PubMed-ID: 25154686. DOI 10.1016/j.jvs.2014.04.078
- Hippisley-Cox J, Coupland C (2015). Development and validation of risk prediction equations to estimate future risk of heart failure in patients with diabetes: a prospective cohort study. *BMJ Open.* 2015; 5 (9): e008503. PubMed-ID: 26353872. DOI 10.1136/bmjopen-2015-008503
- Horvitz-Lennon M, Braun D, Normand S-L (2015). Challenges in the Use of Administrative Data for Heart Failure Services Research. *J Card Fail.* 2015. PubMed-ID: 26592981. DOI 10.1016/j.cardfail.2015.11.005
- Horwitz LI, Grady JN, Cohen DB, Lin Z, Volpe M, Ngo CK, Masica AL, Long T, Wang J, Keenan M, Montague J, Suter LG, Ross JS, Drye EE, Krumholz HM, Bernheim SM (2015). Development and Validation of an Algorithm to Identify Planned Readmissions From Claims Data. *J Hosp Med.* 2015. PubMed-ID: 26149225. DOI 10.1002/jhm.2416
- Huang AR, Redpath CJ, van Walraven C (2015). The influence of cholinesterase inhibitor therapy for dementia on risk of cardiac pacemaker insertion: a retrospective, population-based, health administrative databases study in Ontario, Canada. *BMC Neurol.* 2015; 15 (1): 66. PubMed-ID: 25927641. DOI 10.1186/s12883-015-0325-1
- Huggan PJ, Akram F, Er BH, Lim SJC, Lee W, Lim V, Huang Y, Merchant RA (2015). Measures of acute physiology, co-morbidity and functional status to differentiate illness severity and length of stay amongst acute general medical admissions - a prospective cohort study. *Intern Med J.* 2015. PubMed-ID: 25944281. DOI 10.1111/imj.12795
- Hure AJ, Chojenta CL, Powers JR, Byles JE, Loxton D (2015). Validity and reliability of stillbirth data using linked self-reported and administrative datasets. *J Epidemiol.* 2015; 25 (1): 30-37. PubMed-ID: 25367675. DOI 10.2188/jea.JE20140032
- Hussey K, Siddiqui T, Burton P, Welch GH, Stuart WP (2015). Understanding administrative abdominal aortic aneurysm mortality data. *Eur J Vasc Endovasc Surg.* 2015; 49 (3): 277-282. PubMed-ID: 25624125. DOI 10.1016/j.ejvs.2014.12.015
- Hutchinson AF, Graco M, Rasekaba TM, Parikh S, Berlowitz DJ, Lim WK (2015). Relationship between health-related quality of life, comorbidities and acute health care utilisation, in adults with chronic conditions. *Health Qual Life Outcomes.* 2015; 13: 69. PubMed-ID: 26021834. DOI 10.1186/s12955-015-0260-2
- Ido MS, Bayakly R, Frankel M, Lyn R, Okosun IS (2015). Administrative data linkage to evaluate a quality improvement program in acute stroke care, georgia, 2006-2009. *Prev Chronic Dis.* 2015; 12: E05. PubMed-ID: 25590599. DOI 10.5888/pcd12.140238
- Ido MS, Bayakly R, Frankel M, Lyn R, Okosun IS (2015). Administrative data linkage to evaluate a quality improvement program in acute stroke care, Georgia, 2006-2009. *Prev Chronic Dis.* 2015; 12: E05. PubMed-ID: 25590599. DOI 10.5888/pcd12.140238

- Jackson JR, De Cesare, Julie Z (2015). Multidisciplinary OBGYN morbidity and mortality conference. *Arch Gynecol Obstet.* 2015. PubMed-ID: 25864096. DOI 10.1007/s00404-015-3710-5
- Jafarzadeh SR, Warren DK, Nickel KB, Wallace AE, Fraser VJ, Olsen MA (2015). Bayesian estimation of the accuracy of ICD-9-CM- and CPT-4-based algorithms to identify cholecystectomy procedures in administrative data without a reference standard. *Pharmacoepidemiol Drug Saf.* 2015. PubMed-ID: 26349484. DOI 10.1002/pds.3870
- Jalbert JJ, Gerhard-Herman MD, Nguyen LL, Jaff MR, Kumamaru H, Williams LA, Chen C-Y, Liu J, Seeger JD, Rothman AT, Schneider P, Brott TG, Tsai TT, Aronow HD, Johnston JA, Setoguchi S (2015). Relationship Between Physician and Hospital Procedure Volume and Mortality After Carotid Artery Stenting Among Medicare Beneficiaries. *Circ Cardiovasc Qual Outcomes.* 2015; 8 (6 Suppl 3): S81-9. PubMed-ID: 26515214. DOI 10.1161/CIRCOUTCOMES.114.001668
- Jensen ET, Cook SF, Allen JK, Logie J, Brookhart MA, Kappelman MD, Dellon ES (2015). Enrollment factors and bias of disease prevalence estimates in administrative claims data. *Ann Epidemiol.* 2015. PubMed-ID: 25890796. DOI 10.1016/j.annepidem.2015.03.008
- Jolley RJ, Sawka KJ, Yergens DW, Quan H, Jette N, Doig CJ (2015). Validity of administrative data in recording sepsis: a systematic review. *Crit Care.* 2015; 19 (1): 139. PubMed-ID: 25887596. DOI 10.1186/s13054-015-0847-3
- Jones C, Gannon B, Wakai A, O'Sullivan R (2015). A systematic review of the cost of data collection for performance monitoring in hospitals. *Syst Rev.* 2015; 4 (1): 38. PubMed-ID: 25875828. DOI 10.1186/s13643-015-0013-7
- Jonitz G (2015). Qualität - Instrument oder Kern professioneller Werterhaltung im Gesundheitswesen? *Gesundheits- und Sozialpolitik.* 2015; 69 (2): 15-21
- Joshy G, Korda RJ, Abhayaratna WP, Soga K, Banks E (2015). Categorising major cardiovascular disease hospitalisations from routinely collected data. *Public Health Res Pract.* 2015; 25 (3): e2531532. PubMed-ID: 26243491. DOI 10.17061/phrp2531532
- Joshy G, Korda RJ, Abhayaratna WP, Soga K, Banks E (2015). Categorising major cardiovascular disease hospitalisations from routinely collected data. *Public Health Res Pract.* 2015; 25 (3). PubMed-ID: 26243491. DOI 10.17061/phrp2531532
- Jurges H, Koberlein J (2015). What explains DRG upcoding in neonatology? The roles of financial incentives and infant health. *J Health Econ.* 2015; 43: 13-26. PubMed-ID: 26114589
- Kamal N, Lindsay MP, Côté R, Fang J, Kapral MK, Hill MD (2015). Ten-year trends in stroke admissions and outcomes in Canada. *Can J Neurol Sci.* 2015: 1-8. PubMed-ID: 25857318. DOI 10.1017/cjn.2015.20
- Kareliusson F, Geer L de, Tibblin AO (2015). Risk prediction of ICU readmission in a mixed surgical and medical population. *J Intensive Care.* 2015; 3 (1): 30. PubMed-ID: 26157581. DOI 10.1186/s40560-015-0096-1

- Karim MN, Reid CM, Cochrane A, Tran L, Billah B (2015). When is 'Urgent' Really Urgent and Does it Matter? Misclassification of Procedural Status and Implications for Risk Assessment in Cardiac Surgery. *Heart Lung Circ.* 2015. PubMed-ID: 26375500. DOI 10.1016/j.hlc.2015.07.003
- Karve S, Lorenzo M, Liepa AM, Hess LM, Kaye JA, Calingaert B (2015). Treatment Patterns, Costs, and Survival among Medicare-Enrolled Elderly Patients Diagnosed with Advanced Stage Gastric Cancer: Analysis of a Linked Population-Based Cancer Registry and Administrative Claims Database. *J Gastric Cancer.* 2015; 15 (2): 87-104. PubMed-ID: 26161282. DOI 10.5230/jgc.2015.15.2.87
- Keezer MR, Bell GS, Jetté N, Sander JW (2015). The performance of three mortality risk-adjustment comorbidity indices in a community epilepsy cohort. *Epilepsia.* 2015. PubMed-ID: 25845308. DOI 10.1111/epi.12982
- Kern DM, Davis J, Williams SA, Tunceli O, Wu B, Hollis S, Strange C, Trudo F (2015). Validation of an administrative claims-based diagnostic code for pneumonia in a US-based commercially insured COPD population. *Int J Chron Obstruct Pulmon Dis.* 2015; 10: 1417-1425. PubMed-ID: 26229461. DOI 10.2147/COPD.S83135
- Kern DM, Davis J, Williams SA, Tunceli O, Wu B, Hollis S, Strange C, Trudo F (2015). Comparative effectiveness of budesonide/formoterol combination and fluticasone/salmeterol combination among chronic obstructive pulmonary disease patients new to controller treatment: a US administrative claims database study. *Respir Res.* 2015; 16 (1): 52. PubMed-ID: 25899176. DOI 10.1186/s12931-015-0210-x
- Kerr KF, Meisner A, Thiessen-Philbrook H, Coca SG, Parikh CR (2015). RiGoR: reporting guidelines to address common sources of bias in risk model development. *Biomark Res.* 2015; 3 (1): 2. PubMed-ID: 25642328. DOI 10.1186/s40364-014-0027-7
- Kilkenny MF, Dewey HM, Sundararajan V, Andrew NE, Lannin N, Anderson CS, Donnan GA, Cadilhac DA (2015). Readmissions after stroke: linked data from the Australian Stroke Clinical Registry and hospital databases. *Med. J. Aust.* 2015; 203 (2): 102-106. PubMed-ID: 26175251
- Kim N, Bernheim SM, Ott LS, Han L, Spivack SB, Xu X, Volpe M, Liu A, Krumholz HM (2015). An administrative claims measure of payments made for Medicare patients for a 30-day episode of care for acute myocardial infarction. *Med Care.* 2015; 53 (6): 542-549. PubMed-ID: 25970575. DOI 10.1097/MLR.0000000000000361
- Kim N, Bernheim SM, Ott LS, Han L, Spivack SB, Xu X, Volpe M, Liu A, Krumholz HM (2015). An administrative claims measure of payments made for medicare patients for a 30-day episode of care for acute myocardial infarction. *Med Care.* 2015; 53 (6): 542-549. PubMed-ID: 25970575. DOI 10.1097/MLR.0000000000000361
- Kit Delgado M, Meisel ZF (2015). Harnessing the Power of Administrative Data for Measuring the Regionalization of Emergency Care. *Acad Emerg Med.* 2015. PubMed-ID: 25640455. DOI 10.1111/acem.12587

- Ko CY, Hall BL, Hart AJ, Cohen ME, Hoyt DB (2015). The american college of surgeons national surgical quality improvement program: achieving better and safer surgery. *Jt Comm J Qual Patient Saf.* 2015; 41 (5): 199. PubMed-ID: 25977246
- Koch AM, Nilsen RM, Eriksen HM, Cox RJ, Harthug S (2015). Mortality related to hospital-associated infections in a tertiary hospital; repeated cross-sectional studies between 2004-2011. *Antimicrob Resist Infect Control.* 2015; 4: 57. PubMed-ID: 26719795. DOI 10.1186/s13756-015-0097-9
- Komenda P, Yu N, Leung S, Bernstein K, Blanchard J, Sood M, Rigatto C, Tangri N (2015). Determination of the optimal case definition for the diagnosis of end-stage renal disease from administrative claims data in Manitoba, Canada. *CMAJ Open.* 2015; 3 (3): 9. PubMed-ID: 26457290. DOI 10.9778/cmajo.20140006
- Kosteniuk JG, Morgan DG, O'Connell ME, Kirk A, Crossley M, Teare GF, Stewart NJ, Bello-Haas VD, Forbes DA, Innes A, Quail JM (2015). Incidence and prevalence of dementia in linked administrative health data in Saskatchewan, Canada: a retrospective cohort study. *BMC Geriatr.* 2015; 15 (1): 73. PubMed-ID: 26135912. DOI 10.1186/s12877-015-0075-3
- Köster C, Heller G, Wrede S, König T, Handstein S, Szecsenyi J (2015). Fallzahl und Prozessqualität in der Mammachirurgie in Deutschland: Retrospektive Analyse von über 150 000 Patientinnen in den Jahren 2013 und 2014. *Dtsch Arztebl International.* 2015; 112 (35-36): 585-592. DOI 10.3238/arztebl.2015.0585
- Kotwal S, Ranasinghe I, Brieger D, Clayton P, Cass A, Gallagher M (2015). Long-term Outcomes of Patients with Acute Myocardial Infarction Presenting to Regional and Remote Hospitals. *Heart Lung Circ.* 2015. PubMed-ID: 26363843
- Kuhlen R (2015). Was man mit Qualitätsindikatoren so alles machen kann. *Arzt und Krankenhaus.* 2015; 88 (6): 195-199
- Ladha KS, Eikermann M (2015). Codifying healthcare - big data and the issue of misclassification. *BMC Anesthesiol.* 2015; 15 (1): 179. PubMed-ID: 26667619. DOI 10.1186/s12871-015-0165-y
- Lai S-M, Jungk J, Garimella S (2015). Colorectal Cancer Identification Methods Among Kansas Medicare Beneficiaries, 2008-2010. *Prev Chronic Dis.* 2015; 12: E107. PubMed-ID: 26160293. DOI 10.5888/pcd12.140543
- Laliberte V, Joseph L, Gold I (2015). A Bayesian Approach to Latent Class Modeling for Estimating the Prevalence of Schizophrenia Using Administrative Databases. *Front Psychiatry.* 2015; 6: 99. PubMed-ID: 26217241. DOI 10.3389/fpsy.2015.00099
- Lam NN, McArthur E, Kim SJ, Knoll GA (2015). Validation of kidney transplantation using administrative data. *Can J Kidney Health Dis.* 2015; 2: 20. PubMed-ID: 26019887. DOI 10.1186/s40697-015-0054-9
- Lamarche-Vadel A, Ngantcha M, Le Pogam M-A, Ghosn W, Grenier C, Meyer L, Rey G (2015). Hospital Comparisons Based on Mortality: Revisiting the Choice of Postadmission Timeframe and Evaluating the Contribution of Cause-of-Death Data, France, 2009. *Med Care.* 2015. PubMed-ID: 26125416. DOI 10.1097/MLR.0000000000000376

- Lanes S, Quinlan SC, Mast TC, Greenland S, Holick CN (2015). Assessing bias in administrative database studies of RotaTeq vaccine completion due to exclusion of subjects with incomplete follow-up. *Emerg Themes Epidemiol.* 2015; 12: 5. PubMed-ID: 25904968. DOI 10.1186/s12982-015-0027-6
- Lau D, Padwal RS, Majumdar SR, Pederson JL, Belga S, Kahlon S, Fradette M, Boyko D, McAlister FA (2015). Patient-Reported Discharge Readiness and 30-Day Risk of Readmission or Death: A Prospective Cohort Study. *Am. J. Med.* 2015. PubMed-ID: 26344631
- Laverty AA, Laudicella M, Smith PC, Millett C (2015). Impact of 'high-profile' public reporting on utilization and quality of maternity care in England: a difference-in-difference analysis. *J Health Serv Res Policy.* 2015. PubMed-ID: 25712568. DOI 10.1177/1355819615571444
- Le Meur N, Gao F, Bayat S (2015). Mining care trajectories using health administrative information systems: the use of state sequence analysis to assess disparities in prenatal care consumption. *BMC Health Serv Res.* 2015; 15 (1): 200. PubMed-ID: 25976089. DOI 10.1186/s12913-015-0857-5
- Lee DC, Carr BG, Smith TE, van Tran C, Polsky D, Branas CC (2015). The Impact of Hospital Closures and Hospital and Population Characteristics on Increasing Emergency Department Volume: A Geographic Analysis. *Popul Health Manag.* 2015. PubMed-ID: 25658768. DOI 10.1089/pop.2014.0123
- Lee J, Maslove DM, Dubin JA (2015). Personalized mortality prediction driven by electronic medical data and a patient similarity metric. *PLoS One.* 2015; 10 (5): e0127428. PubMed-ID: 25978419. DOI 10.1371/journal.pone.0127428
- Lee W-J, Lee TA, Pickard AS, Shoaibi A, Schumock GT (2015). Using linked electronic data to validate algorithms for health outcomes in administrative databases. *J Comp Eff Res.* 2015; 4 (4): 359-366. PubMed-ID: 26274797. DOI 10.2217/cer.15.14
- Li CLK (2015). Hospital diagnostic aggregation and risk-adjusted quality. *Health Serv Res.* 2015; 50 (2): 614-624. PubMed-ID: 25100068. DOI 10.1111/1475-6773.12214
- Lix LM, Yan L, Blackburn D, Hu N, Schneider-Lindner V, Shevchuk Y, Teare GF (2015). Agreement between administrative data and the Resident Assessment Instrument Minimum Dataset (RAI-MDS) for medication use in long-term care facilities: a population-based study. *BMC Geriatr.* 2015; 15: 24. PubMed-ID: 25886888. DOI 10.1186/s12877-015-0023-2
- Loftus T, Najafian H, Pandey SR, Ramanujam P (2015). The Impact of Documentation Training on Performance Reporting. *Cureus.* 2015; 7 (7): e283. PubMed-ID: 26261751. DOI 10.7759/cureus.283
- Lower HL, Eriksen H-M, Aavitsland P, Skjeldestad FE (2015). The quality of denominator data in surgical site infection surveillance versus administrative data in Norway 2005-2010. *BMC Infect. Dis.* 2015; 15 (1): 549. PubMed-ID: 26619949. DOI 10.1186/s12879-015-1289-x

- LSG Hamburg Urteil L 1 KR 34/12 (2015). Voraussetzungen für die Kodierung des OPS 8-550.1. LSG Hamburg, Urt. v. 20. 2. 2014 – L 1 KR 34/12 – (Vorinstanz: SG Hamburg, Urt. v. 5. 3. 2012 – S 6 KR 1338/09 –; anhängig beim BSG – B 1 KR 21/14 R –). Krankenhaus-Rechtsprechung. 2015; 1 (3): 74-81
- Lu M, Sajobi T, Lucyk K, Lorenzetti D, Quan H (2015). Systematic Review of Risk Adjustment Models of Hospital Length of Stay (LOS). *Med Care*. 2015; 53 (4): 355-365. PubMed-ID: 25769056. DOI 10.1097/MLR.0000000000000317
- Lu M, Sajobi T, Lucyk K, Lorenzetti D, Quan H (2015). Systematic review of risk adjustment models of hospital length of stay (LOS). *Med Care*. 2015; 53 (4): 355-365. PubMed-ID: 25769056. DOI 10.1097/MLR.0000000000000317
- Lui JT, Rudmik L (2015). Case definitions for chronic rhinosinusitis in administrative data: A systematic review. *Am J Rhinol Allergy*. 2015; 29 (5): 146-151. PubMed-ID: 26358339. DOI 10.2500/ajra.2015.29.4229
- Maass C, Kuske S, Lessing C, Schrappe M (2015). Are administrative data valid when measuring patient safety in hospitals? A comparison of data collection methods using a chart review and administrative data. *Int J Qual Health Care*. 2015; 27 (4): 305-313. PubMed-ID: 26133382. DOI 10.1093/intqhc/mzv045
- Macfarlane A, Blondel B, Mohangoo A, Cuttini M, Nijhuis J, Novak Z, Ólafsdóttir H, Zeitlin J (2015). Wide differences in mode of delivery within Europe: risk-stratified analyses of aggregated routine data from the Euro-Peristat study. *BJOG*. 2015; n/a. PubMed-ID: 25753683. DOI 10.1111/1471-0528.13284
- MacKenzie TA, Grunkemeier GL, Grunwald GK, O'Malley AJ, Bohn C, Wu Y, Malenka DJ (2015). A primer on using shrinkage to compare in-hospital mortality between centers. *Ann Thorac Surg*. 2015; 99 (3): 757-761. PubMed-ID: 25742812. DOI 10.1016/j.athoracsur.2014.11.039
- Mahlich J, Bogner JR, Tomczkowski J, Stoll M (2015). Treatment strategies for treatment naive HIV patients in Germany: evidence from claims data. *Springerplus*. 2015; 4: 306. PubMed-ID: 26155445. DOI 10.1186/s40064-015-1099-z
- Mahmoudi E, Kotsis SV, Chung KC (2015). A Review of the Use of Medicare Claims Data in Plastic Surgery Outcomes Research. *Plast Reconstr Surg Glob Open*. 2015; 3 (10): e530. PubMed-ID: 26579336. DOI 10.1097/GOX.0000000000000497
- Maillefer F, Labrusse C de, Cardia-Voneche L, Hohlfeld P, Stoll B (2015). Women and healthcare providers' perceptions of a midwife-led unit in a Swiss university hospital: a qualitative study. *BMC Pregnancy Childbirth*. 2015; 15: 56. PubMed-ID: 25886389. DOI 10.1186/s12884-015-0477-4
- Maradit Kremers H, Lewallen LW, Lahr BD, Mabry TM, Steckelberg JM, Berry DJ, Hanssen AD, Berbari EF, Osmon DR (2015). Do claims-based comorbidities adequately capture case mix for surgical site infections? *Clin Orthop Relat Res*. 2015; 473 (5): 1777-1786. PubMed-ID: 25480123

- Mariona F (2015). Are pregnant women's obstetric care preferences contemplated in a provider-dominated maternity care system? *BJOG*. 2015: n/a. PubMed-ID: 25753508. DOI 10.1111/1471-0528.13354
- Mateu L, Garcia-Cruz E, Asiain I, Castaneda R, Carrion A, Huguet J, Ribal MJ, Alcaraz A (2015). A higher Charlson comorbidity index is related to more aggressive characteristics in de novo vesical tumours. *Actas Urol Esp*. 2015. PubMed-ID: 26231864. DOI 10.1016/j.acuro.2015.06.006
- Mathai M (2015). How useful are national caesarean section rates for monitoring quality of perinatal care? *BJOG: Int J Obstet Gy*. 2015: n/a. PubMed-ID: 25752779. DOI 10.1111/1471-0528.13344
- Matsui H, Fushimi K, Yasunaga H (2015). Variation in Risk-Standardized Mortality of Stroke among Hospitals in Japan. *PLoS ONE*. 2015; 10 (10): e0139216. PubMed-ID: 26444695. DOI 10.1371/journal.pone.0139216
- Mavros MN, Bohnen JD, Ramly EP, Velmahos GC, Yeh DD, Moya M de, Fagenholz P, King DR, Lee J, Kaafarani HMA (2015). Intraoperative Adverse Events: Risk Adjustment for Procedure Complexity and Presence of Adhesions Is Crucial. *J Am Coll Surg*. 2015. PubMed-ID: 26141463. DOI 10.1016/j.jamcollsurg.2015.03.045
- McCormick N, Bhole V, Lacaille D, Avina-Zubieta JA (2015). Validity of Diagnostic Codes for Acute Stroke in Administrative Databases: A Systematic Review. *PLoS ONE*. 2015; 10 (8): e0135834. PubMed-ID: 26292280. DOI 10.1371/journal.pone.0135834
- McGrail K, Lavergne R, Lewis SJ, Peterson SLM, Barer M, Garrison SR (2015). Classifying physician practice style: a new approach using administrative data in British Columbia. *Med Care*. 2015; 53 (3): 276-282. PubMed-ID: 25634088. DOI 10.1097/MLR.0000000000000310
- Mclsaac DI, Gershon A, Wijeyesundera D, Bryson GL, Badner N, van Walraven C (2015). Identifying Obstructive Sleep Apnea in Administrative Data: A Study of Diagnostic Accuracy. *Anesthesiology*. 2015; 123 (2): 253-263. PubMed-ID: 26200178. DOI 10.1097/ALN.0000000000000692
- McManus DD, Saczynski JS, Lessard D, Waring ME, Allison J, Parish DC, Goldberg RJ, Ash A, Kiefe CI (2015). Reliability of Predicting Early Hospital Readmission After Discharge for an Acute Coronary Syndrome Using Claims-Based Data. *Am. J. Cardiol*. 2015. PubMed-ID: 26718235. DOI 10.1016/j.amjcard.2015.11.034
- Mehta HB, Dimou F, Adhikari D, Tamirisa NP, Sieloff E, Williams TP, Kuo Y-F, Riall TS (2015). Comparison of Comorbidity Scores in Predicting Surgical Outcomes. *Med Care*. 2015. PubMed-ID: 26595225. DOI 10.1097/MLR.0000000000000465
- Menendez ME, Neuhaus V, Ring D (2015). Inpatient mortality after orthopaedic surgery. *Int Orthop*. 2015. PubMed-ID: 25711395. DOI 10.1007/s00264-015-2702-1
- Menendez ME, Ring D (2015). A Comparison of the Charlson and Elixhauser Comorbidity Measures to Predict Inpatient Mortality after Proximal Humerus Fracture. *J Orthop Trauma*. 2015. PubMed-ID: 26165266. DOI 10.1097/BOT.0000000000000380

- Metzinger B (2015). Qualitätsorientierte Vergütung - eine ambitionierte Aufgabe. *das Krankenhaus*. 2015; 107 (11): 1009-1013
- Miao F, Cai Y-P, Zhang Y-X, Li Y, Zhang Y-T (2015). Risk Prediction of One-Year Mortality in Patients with Cardiac Arrhythmias Using Random Survival Forest. *Comput Math Methods Med*. 2015; 2015: 303250. PubMed-ID: 26379761. DOI 10.1155/2015/303250
- Mohanty S, Paruch J, Bilimoria KY, Cohen M, Strong VE, Weber SM (2015). Impact of gastrectomy procedural complexity on surgical outcomes and hospital comparisons. *Surgery*. 2015. PubMed-ID: 26003909. DOI 10.1016/j.surg.2015.03.035
- Moretz C, Zhou Y, Dhamane AD, Burslem K, Saverno K, Jain G, Devercelli G, Kaila S, Ellis JJ, Hernandez G, Renda A (2015). Development and Validation of a Predictive Model to Identify Individuals Likely to Have Undiagnosed Chronic Obstructive Pulmonary Disease Using an Administrative Claims Database. *J Manag Care Spec Pharm*. 2015; 21 (12): 1149-1159. PubMed-ID: 26679964
- Navin Cristina, Tina J, Stewart Williams, Jennifer A, Parkinson L, Sibbritt DW, Byles JE (2015). Identification of diabetes, heart disease, hypertension and stroke in mid- and older-aged women: Comparing self-report and administrative hospital data records. *Geriatr Gerontol Int*. 2015. PubMed-ID: 25613080. DOI 10.1111/ggi.12442
- Neuburger J, Currie C, Wakeman R, Tsang C, Plant F, Stavola B de, Cromwell DA, van der Meulen, Jan (2015). The impact of a national clinician-led audit initiative on care and mortality after hip fracture in England: an external evaluation using time trends in non-audit data. *Med Care*. 2015; 53 (8): 686-691. PubMed-ID: 26172938. DOI 10.1097/MLR.0000000000000383
- Nicholls SG, Quach P, Elm E von, Guttman A, Moher D, Petersen I, Sørensen HT, Smeeth L, Langan SM, Benchimol EI (2015). The REporting of Studies Conducted Using Observational Routinely-Collected Health Data (RECORD) Statement: Methods for Arriving at Consensus and Developing Reporting Guidelines. *PLoS ONE*. 2015; 10 (5): e0125620. PubMed-ID: 25965407. DOI 10.1371/journal.pone.0125620
- Nikkel LE, Kates SL, Schreck M, Maceroli M, Mahmood B, Elfar JC (2015). Length of hospital stay after hip fracture and risk of early mortality after discharge in New York state: retrospective cohort study. *BMJ*. 2015; 351: h6246. PubMed-ID: 26655876. DOI 10.1136/bmj.h6246
- Nimptsch U (2015). Disease-Specific Trends of Comorbidity Coding and Implications for Risk Adjustment in Hospital Administrative Data. *Health Serv Res*. 2015. PubMed-ID: 26741707. DOI 10.1111/1475-6773.12398
- Nimptsch U, Mansk T (2015). Todesfälle nach Cholezystektomien und Herniotomien. Analyse der deutschlandweiten Krankenhausabrechnungsdaten 2009 bis 2013. *Dtsch Arztebl Int*. 2015; 112 (31-32): 535-543. PubMed-ID: 26334981. DOI 10.3238/arztebl.2015.0535
- Niu B, Forde KA, Goldberg DS (2015). Coding algorithms for identifying patients with cirrhosis and hepatitis B or C virus using administrative data. *Pharmacoepidemiol Drug Saf*. 2015; 24 (1): 107-111. PubMed-ID: 25335773. DOI 10.1002/pds.3721

- Nouraei SAR, Virk JS, Hudovsky A, Wathen C, Darzi A, Parsons D (2015). Accuracy of clinician-clinical coder information handover following acute medical admissions: implication for using administrative datasets in clinical outcomes management. *J Public Health (Oxf)*. 2015. PubMed-ID: 25907271. DOI 10.1093/pubmed/fdv041
- O'Brien WJ, Chen Q, Mull HJ, Shwartz M, Borzecki AM, Hanchate A, Rosen AK (2015). What is the value of adding Medicare data in estimating VA hospital readmission rates? *Health Serv Res*. 2015; 50 (1): 40-57. PubMed-ID: 25040588. DOI 10.1111/1475-6773.12207
- Odagiri H, Yasunaga H, Matsui H, Fushimi K, Iizuka T, Kaise M (2015). Hospital volume and the occurrence of bleeding and perforation after colorectal endoscopic submucosal dissection: analysis of a national administrative database in Japan. *Dis Colon Rectum*. 2015; 58 (6): 597-603. PubMed-ID: 25944432. DOI 10.1097/DCR.0000000000000335
- Ohlmeier C, Hoffmann F, Giersiepen K, Rothgang H, Mikolajczyk R, Appelrat H-J, Elsasser A, Garbe E (2015). Linkage of Statutory Health Insurance Data with those of a Hospital Information System: Feasible, but also "Useful"? *Gesundheitswesen*. 2015. PubMed-ID: 25622210. DOI 10.1055/s-0034-1395644
- Ohlmeier C, Langner I, Hillebrand K, Schmedt N, Mikolajczyk R, Riedel O, Garbe E (2015). Mortality in the German Pharmacoepidemiological Research Database (GePaRD) compared to national data in Germany: results from a validation study. *BMC Public Health*. 2015; 15: 570. PubMed-ID: 26087768. DOI 10.1186/s12889-015-1943-7
- Olsen MA, Nickel KB, Fox IK, Margenthaler JA, Ball KE, Mines D, Wallace AE, Fraser VJ (2015). Incidence of Surgical Site Infection Following Mastectomy With and Without Immediate Reconstruction Using Private Insurer Claims Data. *Infect Control Hosp Epidemiol*. 2015: 1-8. PubMed-ID: 26036877. DOI 10.1017/ice.2015.108
- Oud L (2015). The rising incidence of severe sepsis based on administrative data - real change or coding-driven bias? *Crit Care*. 2015; 19: 393. PubMed-ID: 26558693. DOI 10.1186/s13054-015-1113-4
- Ozdemir BA, Karthikesalingam A, Sinha S, Poloniecki JD, Vidal-Diez A, Hinchliffe RJ, Thompson MM, Holt PJE (2015). Association of hospital structures with mortality from ruptured abdominal aortic aneurysm. *Br J Surg*. 2015; 102 (5): 516-524. PubMed-ID: 25703735. DOI 10.1002/bjs.9759
- Panaccio MP, Cummins G, Wentworth C, Lanes S, Reynolds SL, Reynolds MW, Miao R, Koren A (2015). A common data model to assess cardiovascular hospitalization and mortality in atrial fibrillation patients using administrative claims and medical records. *Clin Epidemiol*. 2015; 7: 77-90. PubMed-ID: 25624771. DOI 10.2147/CLEP.S64936
- Pang JX, Ross E, Borman MA, Zimmer S, Kaplan GG, Heitman SJ, Swain MG, Burak KW, Quan H, Myers RP (2015). Validation of coding algorithms for the identification of patients hospitalized for alcoholic hepatitis using administrative data. *BMC Gastroenterol*. 2015; 15 (1): 116. PubMed-ID: 26362871. DOI 10.1186/s12876-015-0348-5
- Parks T, Kado J, Miller AE, Ward B, Heenan R, Colquhoun SM, Barnighausen TW, Mirabel M, Bloom DE, Bailey RL, Tukana IN, Steer AC (2015). Rheumatic Heart Disease-Attributable Mortality at Ages 5-69 Years in Fiji: A Five-Year, National, Population-Based Record-

- Linkage Cohort Study. *PLoS Negl Trop Dis*. 2015; 9 (9): e0004033. PubMed-ID: 26371755. DOI 10.1371/journal.pntd.0004033
- Parthasarathy M, Reid V, Pyne L, Groot-Wassink T (2015). Are we recording postoperative complications correctly? Comparison of NHS Hospital Episode Statistics with the American College of Surgeons National Surgical Quality Improvement Program. *BMJ Qual Saf*. 2015. PubMed-ID: 25991866. DOI 10.1136/bmjqs-2015-003932
- Pasquali SK, He X, Jacobs JP, Jacobs ML, Gaies MG, Shah SS, Hall M, Gaynor JW, Peterson ED, Mayer JE, Hirsch-Romano JC (2015). Measuring hospital performance in congenital heart surgery: administrative versus clinical registry data. *Ann Thorac Surg*. 2015; 99 (3): 932-938. PubMed-ID: 25624057. DOI 10.1016/j.athoracsur.2014.10.069
- Pearce A, Haas M, Viney R, Haywood P, Pearson S-A, van Gool K, Srasuebkul P, Ward R (2015). Can administrative data be used to measure chemotherapy side effects? *Expert Rev Pharmacoecon Outcomes Res*. 2015; 15 (2): 215-222. PubMed-ID: 25495682
- Perotte A, Ranganath R, Hirsch JS, Blei D, Elhadad N (2015). Risk prediction for chronic kidney disease progression using heterogeneous electronic health record data and time series analysis. *J Am Med Inform Assoc*. 2015; 22 (4): 872-880. PubMed-ID: 25896647. DOI 10.1093/jamia/ocv024
- Perotte A, Ranganath R, Hirsch JS, Blei D, Elhadad N (2015). Risk prediction for chronic kidney disease progression using heterogeneous electronic health record data and time series analysis. *J Am Med Inform Assoc*. 2015. PubMed-ID: 25896647. DOI 10.1093/jamia/ocv024
- Pfister DG, Rubin DM, Elkin EB, Neill US, Duck E, Radzyner M, Bach PB (2015). Risk Adjusting Survival Outcomes in Hospitals That Treat Patients With Cancer Without Information on Cancer Stage. *JAMA Oncol*. 2015; 1 (9): 1303-1310. PubMed-ID: 26448610. DOI 10.1001/jamaoncol.2015.3151
- Pine M, Kowlessar NM, Salemi JL, Miyamura J, Zingmond DS, Katz NE, Schindler J (2015). Enhancing Clinical Content and Race/Ethnicity Data in Statewide Hospital Administrative Databases: Obstacles Encountered, Strategies Adopted, and Lessons Learned. *Health Serv Res*. 2015. PubMed-ID: 26119470. DOI 10.1111/1475-6773.12330
- Pollack CE, Lemke KW, Roberts E, Weiner JP (2015). Patient sharing and quality of care: measuring outcomes of care coordination using claims data. *Med Care*. 2015; 53 (4): 317-323. PubMed-ID: 25719430. DOI 10.1097/MLR.0000000000000319
- Polling C, Tulloch A, Banerjee S, Cross S, Dutta R, Wood DM, Dargan PI, Hotopf M (2015). Using routine clinical and administrative data to produce a dataset of attendances at Emergency Departments following self-harm. *BMC Emerg Med*. 2015; 15 (1): 15. PubMed-ID: 26174170. DOI 10.1186/s12873-015-0041-6
- Psaty BM, Delaney JA, Arnold AM, Curtis LH, Fitzpatrick AL, Heckbert SR, McKnight B, Ives D, Gottdiener JS, Kuller LH, Longstreth WT, JR (2015). The Study of Cardiovascular Health Outcomes in the Era of Claims Data: The Cardiovascular Health Study. *Circulation*. 2015. PubMed-ID: 26538580. DOI 10.1161/CIRCULATIONAHA.115.018610

- Pugely AJ, Martin CT, Harwood J, Ong KL, Bozic KJ, Callaghan JJ (2015). Database and Registry Research in Orthopaedic Surgery: Part I: Claims-Based Data. *J Bone Joint Surg Am.* 2015; 97 (15): 1278-1287. PubMed-ID: 26246263. DOI 10.2106/JBJS.N.01260
- Qian F, Hannan EL, Pine M, Fry DE, Whitman K, Dennison BA (2015). Can Adding Laboratory Values Improve Risk-Adjustment Mortality Models Using Clinical Percutaneous Cardiac Intervention Registry Data? *J Invasive Cardiol.* 2015; 27 (7): 24. PubMed-ID: 26136285
- Quinley KE, Falck A, Kallan MJ, Datner EM, Carr BG, Schreiber CA (2015). Validation of ICD-9 Codes for Stable Miscarriage in the Emergency Department. *West J Emerg Med.* 2015; 16 (4): 551-556. PubMed-ID: 26265967. DOI 10.5811/westjem.2015.4.24946
- Redaktionsbeitrag (2015). HSMR: Eine Kennzahl als Spiegelbild der Ergebnisqualität von Krankenhäusern? *das Krankenhaus.* 2015; 107 (4): 363-364
- Reich O, Wolffers F, Signorell A, Blozik E (2015). Health care utilization and expenditures in persons receiving social assistance in 2012: evidence from Switzerland. *Glob J Health Sci.* 2015; 7 (4): 1-11. PubMed-ID: 25946912. DOI 10.5539/gjhs.v7n4p1
- Reinikainen J, Karvanen J, Tolonen H (2015). How many longitudinal covariate measurements are needed for risk prediction? *J Clin Epidemiol.* 2015. PubMed-ID: 26164749. DOI 10.1016/j.jclinepi.2015.06.022
- Reinöhl J, Kaier K, Reinecke H, Schmoor C, Frankenstein L, Vach W, Cribier A, Beyersdorf F, Bode C, Zehender M (2015). Effect of Availability of Transcatheter Aortic-Valve Replacement on Clinical Practice. *N. Engl. J. Med.* 2015; 373 (25): 2438-2447. PubMed-ID: 26672846. DOI 10.1056/NEJMoa1500893
- Rhee C, Murphy MV, Li L, Platt R, Klompas M (2015). Comparison of trends in sepsis incidence and coding using administrative claims versus objective clinical data. *Clin. Infect. Dis.* 2015; 60 (1): 88-95. PubMed-ID: 25258352. DOI 10.1093/cid/ciu750
- Roberts ET, DuGoff EH, Heins SE, Swedler DI, Castillo RC, Feldman DR, Wegener ST, Canudas-Romo V, Anderson GF (2015). Evaluating Clinical Practice Guidelines Based on Their Association with Return to Work in Administrative Claims Data. *Health Serv Res.* 2015. PubMed-ID: 26368813. DOI 10.1111/1475-6773.12360
- Robinson WP, Huang W, Rosen A, Schanzer A, Fang H, Anderson FA, Messina LM (2015). The Agency for Healthcare Research and Quality Inpatient Quality Indicator #11 overall mortality rate does not accurately assess mortality risk after abdominal aortic aneurysm repair. *J. Vasc. Surg.* 2015; 61 (1): 44-49. PubMed-ID: 25065583. DOI 10.1016/j.jvs.2014.06.106
- Rosen AK, Chen Q, Shwartz M, Pilver C, Mull HJ, Itani KFM, Borzecki A (2015). Does Use of a Hospital-wide Readmission Measure Versus Condition-specific Readmission Measures Make a Difference for Hospital Profiling and Payment Penalties? *Med Care.* 2015. PubMed-ID: 26595224. DOI 10.1097/MLR.0000000000000455
- Ruiz M, Bottle A, Aylin PP (2015). The Global Comparators project: international comparison of 30-day in-hospital mortality by day of the week. *BMJ Qual Saf.* 2015; 24 (8): 492-504. PubMed-ID: 26150550. DOI 10.1136/bmjqs-2014-003467

- Ruiz M, Bottle A, Long S, Aylin P (2015). Multi-Morbidity in Hospitalised Older Patients: Who Are the Complex Elderly? PLoS ONE. 2015; 10 (12): e0145372. PubMed-ID: 26716440. DOI 10.1371/journal.pone.0145372
- Saeed MJ, Dubberke ER, Fraser VJ, Olsen MA (2015). Procedure-specific surgical site infection incidence varies widely within certain National Healthcare Safety Network surgery groups. Am J Infect Control. 2015. PubMed-ID: 25818024. DOI 10.1016/j.ajic.2015.02.012
- Salinas J, Sprinkhuizen SM, Ackerson T, Bernhardt J, Davie C, George MG, Gething S, Kelly AG, Lindsay P, Liu L, Martins SCO, Morgan L, Norrving B, Ribbers GM, Silver FL, Smith EE, Williams LS, Schwamm LH (2015). An International Standard Set of Patient-Centered Outcome Measures After Stroke. Stroke. 2015. PubMed-ID: 26604251. DOI 10.1161/STROKEAHA.115.010898
- Salisbury AC, Spertus JA (2015). Realizing the Potential of Clinical Risk Prediction Models: Where Are We Now and What Needs to Change to Better Personalize Delivery of Care? Circ Cardiovasc Qual Outcomes. 2015; 8 (4): 332-334. PubMed-ID: 26152684. DOI 10.1161/CIRCOUTCOMES.115.002038
- Sanfilippo KM, Wang T-F, Gage BF, Liu W, Carson KR (2015). Improving accuracy of International Classification of Diseases codes for venous thromboembolism in administrative data. Thromb Res. 2015. PubMed-ID: 25613924. DOI 10.1016/j.thromres.2015.01.012
- Sansom LT, Ramadan H (2015). Stroke incidence: sensitivity of hospital data coding of acute stroke. Int J Stroke. 2015; 10 (6): E70. PubMed-ID: 26202720. DOI 10.1111/ijis.12577
- Sarkies MN, Bowles K-A, Skinner EH, Mitchell D, Haas R, Ho M, Salter K, May K, Markham D, O'Brien L, Plumb S, Haines TP (2015). Data collection methods in health services research: hospital length of stay and discharge destination. Appl Clin Inform. 2015; 6 (1): 96-109. PubMed-ID: 25848416. DOI 10.4338/ACI-2014-10-RA-0097
- Sato I, Yagata H, Ohashi Y (2015). The accuracy of Japanese claims data in identifying breast cancer cases. Biol Pharm Bull. 2015; 38 (1): 53-57. PubMed-ID: 25744458. DOI 10.1248/bpb.b14-00543
- Schliephorst I (2015). Geriatrische frührehabilitative Komplexbehandlung (OPS-Code 8-550.) als Gegenstand einer Abrechnungsprüfung. das Krankenhaus. 2015; 107 (8): 749-753
- Schmidt CO, Reber K, Baumeister SE, Schminke U, Volzke H, Chenot J-F (2015). Integration of Primary and Secondary Data in the Study of Health in Pomerania and Description of Clinical Outcomes using Stroke as an Example. Gesundheitswesen. 2015; 77 (2): 5. PubMed-ID: 25714194. DOI 10.1055/s-0034-1395648
- Schmolders J, Friedrich MJ, Michel R, Strauss AC, Wimmer MD, Randau TM, Pennekamp PH, Wirtz DC, Gravius S (2015). Validation of the Charlson comorbidity index in patients undergoing revision total hip arthroplasty. Int Orthop. 2015. PubMed-ID: 26105762. DOI 10.1007/s00264-015-2810-y
- Schrapppe M (2015). Qualitätsorientierung als zentrales Paradigma in der Gesundheitsversorgung. Gesundheits- und Sozialpolitik. 2015; 69 (2): 8-14

- Schulz J, DeCamp M, Berkowitz SA (2015). Medicare Shared Savings Program: public reporting and shared savings distributions. *Am J Manag Care*. 2015; 21 (8): 546-553. PubMed-ID: 26295354
- Shah RU, Stehlik J, Drakos SG, Fang JC (2015). Administrative data: proceed with caution. *J. Am. Coll. Cardiol*. 2015; 65 (10): 1063. PubMed-ID: 25766960. DOI 10.1016/j.jacc.2014.10.078
- Shaha M, Gmuer S, Schoenenberger AW, Gerber FS, Exadaktylos A (2015). Trends and characteristics of attendance at the emergency department of a Swiss university hospital: 2002-2012. *Swiss Med Wkly*. 2015; 145: w14141. PubMed-ID: 25996594. DOI 10.4414/smw.2015.14141
- Shroff GR, Solid CA, Herzog CA (2015). Medicare claims for myocardial infarction as primary vs. secondary diagnosis. *Int. J. Cardiol*. 2015; 182: 412-413. PubMed-ID: 25596467. DOI 10.1016/j.ijcard.2014.12.141
- Siebum W, Pijl YJ, de Wolf, G Sander (2015). Routine outcome monitoring and process quality in mental health care: a descriptive study in daily practice. *J Eval Clin Pract*. 2015. PubMed-ID: 25832923. DOI 10.1111/jep.12352
- Siracuse JJ, Jones DW, Meltzer EC, Graham AR, Salzler GG, Connolly PH, Schneider DB, Meltzer AJ (2015). Impact of "Do Not Resuscitate" Status on the Outcome of Major Vascular Surgical Procedures. *Ann Vasc Surg*. 2015. PubMed-ID: 26169461. DOI 10.1016/j.avsg.2015.05.014
- Slocum C, Gerrard P, Black-Schaffer R, Goldstein R, Singhal A, DiVita MA, Ryan CM, Mix J, Purohit M, Niewczyk P, Kazis L, Zafonte R, Schneider JC (2015). Functional Status Predicts Acute Care Readmissions from Inpatient Rehabilitation in the Stroke Population. *PLoS ONE*. 2015; 10 (11): e0142180. PubMed-ID: 26599009. DOI 10.1371/journal.pone.0142180
- Smith M, Baxendine S (2015). Outcome measurement in New Zealand. *Int Rev Psychiatry*. 2015: 1-10. PubMed-ID: 25832565. DOI 10.3109/09540261.2015.1023783
- Smith RJ, Santamaria JD, Faraone EE, Holmes JA, Reid DA, Tobin AE (2015). The duration of hospitalization before review by the rapid response team: A retrospective cohort study. *J Crit Care*. 2015. PubMed-ID: 25981444. DOI 10.1016/j.jcrc.2015.04.004
- Somersalo A, Paloneva J, Kautiainen H, Lonroos E, Heinanen M, Kiviranta I (2015). Increased mortality after upper extremity fracture requiring inpatient care. *Acta Orthop*. 2015; 86 (5): 533-557. PubMed-ID: 25909341. DOI 10.3109/17453674.2015.1043833
- Soong J, Poots AJ, Scott S, Donald K, Bell D (2015). Developing and validating a risk prediction model for acute care based on frailty syndromes. *BMJ Open*. 2015; 5 (10): e008457. PubMed-ID: 26490098. DOI 10.1136/bmjopen-2015-008457
- Soong J, Poots AJ, Scott S, Donald K, Woodcock T, Lovett D, Bell D (2015). Quantifying the prevalence of frailty in English hospitals. *BMJ Open*. 2015; 5 (10): e008456. PubMed-ID: 26490097. DOI 10.1136/bmjopen-2015-008456

- Spittal MJ, Bismark MM, Studdert DM (2015). The PRONE score: an algorithm for predicting doctors' risks of formal patient complaints using routinely collected administrative data. *BMJ Qual Saf.* 2015. PubMed-ID: 25855664. DOI 10.1136/bmjqs-2014-003834
- Stallmann C, Ahrens W, Kaaks R, Pigeot I, Swart E, Jacobs S (2015). Individual Linkage of Primary Data with Secondary and Registry Data within Large Cohort Studies - Capabilities and Procedural Proposals. *Gesundheitswesen.* 2015. PubMed-ID: 25622212. DOI 10.1055/s-0034-1396805
- Stausberg J, Jungen T, Bartels C, Scheu C (2015). Robustness of Hospital Benchmarking with the Hospital Standardized Mortality Ratio (HSMR): An Analysis of Secondary Data from 37 German Hospitals. *Gesundheitswesen.* 2015. PubMed-ID: 25951118. DOI 10.1055/s-0035-1548818
- Stausberg J, Hagn S (2015). New Morbidity and Comorbidity Scores based on the Structure of the ICD-10. *PLoS ONE.* 2015; 10 (12): e0143365. PubMed-ID: 26656501. DOI 10.1371/journal.pone.0143365
- Stollenwerk B, Welchowski T, Vogl M, Stock S (2015). Cost-of-illness studies based on massive data: a prevalence-based, top-down regression approach. *Eur J Health Econ.* 2015. PubMed-ID: 25648977. DOI 10.1007/s10198-015-0667-z
- Sundararajan V, Romano PS, Quan H, Burnand B, Drosler SE, Brien S, Pincus HA, Ghali WA (2015). Capturing diagnosis-timing in ICD-coded hospital data: recommendations from the WHO ICD-11 topic advisory group on quality and safety. *Int J Qual Health Care.* 2015. PubMed-ID: 26045514. DOI 10.1093/intqhc/mzv037
- Sundvall P-D, Stuart B, Davis M, Roderick P, Moore M (2015). Antibiotic use in the care home setting: a retrospective cohort study analysing routine data. *BMC Geriatr.* 2015; 15 (1): 71. PubMed-ID: 26108340. DOI 10.1186/s12877-015-0073-5
- Sung S-F, Hsieh C-Y, Kao Yang Y-H, Lin H-J, Chen C-H, Chen Y-W, Hu Y-H (2015). Developing a stroke severity index based on administrative data was feasible using data mining techniques. *J Clin Epidemiol.* 2015. PubMed-ID: 25700940. DOI 10.1016/j.jclinepi.2015.01.009
- Tang EYH, Harrison SL, Errington L, Gordon MF, Visser PJ, Novak G, Dufouil C, Brayne C, Robinson L, Launer LJ, Stephan BCM (2015). Current Developments in Dementia Risk Prediction Modelling: An Updated Systematic Review. *PLoS ONE.* 2015; 10 (9): e0136181. PubMed-ID: 26334524. DOI 10.1371/journal.pone.0136181
- Tao G, Hua J, Chen JL (2015). Understanding sexual activity and Chlamydia testing rate based on linked national survey and medicaid claims data. *PLoS One.* 2015; 10 (4): e0122927. PubMed-ID: 25875858. DOI 10.1371/journal.pone.0122927
- Telfar Barnard LF, Baker MG, Hales S, Howden-Chapman P (2015). Novel use of three administrative datasets to establish a cohort for environmental health research. *BMC Public Health.* 2015; 15: 246. PubMed-ID: 25879777. DOI 10.1186/s12889-015-1580-1
- Thomas MN, Kufeldt J, Kisser U, Hornung H-M, Hoffmann J, Andraschko M, Werner J, Rittler P (2015). Effects of malnutrition on complication rates, length of hospital stay, and

- revenue in elective surgical patients in the G-DRG-system. *Nutrition*. 2015. PubMed-ID: 26688128. DOI 10.1016/j.nut.2015.08.021
- Thompson NR, Fan Y, Dalton JE, Jehi L, Rosenbaum BP, Vadera S, Griffith SD (2015). A New Elixhauser-based Comorbidity Summary Measure to Predict In-Hospital Mortality. *Med Care*. 2015; 53 (4): 374-379. PubMed-ID: 25769057. DOI 10.1097/MLR.0000000000000326
- Thompson NR, Fan Y, Dalton JE, Jehi L, Rosenbaum BP, Vadera S, Griffith SD (2015). A new Elixhauser-based comorbidity summary measure to predict in-hospital mortality. *Med Care*. 2015; 53 (4): 374-379. PubMed-ID: 25769057. DOI 10.1097/MLR.0000000000000326
- Thygesen LC, Christiansen T, Garcia-Armesto S, Angulo-Pueyo E, Martinez-Lizaga N, Bernal-Delgado E (2015). Potentially avoidable hospitalizations in five European countries in 2009 and time trends from 2002 to 2009 based on administrative data. *Eur J Public Health*. 2015; 25 Suppl 1: 35-43. PubMed-ID: 25690128. DOI 10.1093/eurpub/cku227
- Thygesen LC, Christiansen T, Garcia-Armesto S, Angulo-Pueyo E, Martinez-Lizaga N, Bernal-Delgado E (2015). Potentially avoidable hospitalizations in five European countries in 2009 and time trends from 2002 to 2009 based on administrative data. *Eur J Public Health*. 2015; 25 Suppl 1: 35-43. PubMed-ID: 25690128. DOI 10.1093/eurpub/cku227
- Tilma J, Norgaard M, Mikkelsen KL, Johnsen SP (2015). Existing data sources for clinical epidemiology: the Danish Patient Compensation Association database. *Clin Epidemiol*. 2015; 7: 347-353. PubMed-ID: 26229505. DOI 10.2147/CLEP.S84162
- Tilma J, Norgaard M, Mikkelsen KL, Johnsen SP (2015). No-fault compensation for treatment injuries in Danish public hospitals 2006-12. *Int J Qual Health Care*. 2015. PubMed-ID: 26645113. DOI 10.1093/intqhc/mzv106
- Tomeczkowski J, Cornberg M (2015). Hepatitis C in Germany: an analysis of statutory sickness funds claims data. *Dtsch. Med. Wochenschr*. 2015; 140 (8): 73. PubMed-ID: 25945914. DOI 10.1055/s-0041-101101
- Tonelli M, Wiebe N, Fortin M, Guthrie B, Hemmelgarn BR, James MT, Klarenbach SW, Lewanczuk R, Manns BJ, Ronksley P, Sargious P, Straus S, Quan H (2015). Methods for identifying 30 chronic conditions: application to administrative data. *BMC Med Inform Decis Mak*. 2015; 15 (1): 31. PubMed-ID: 25886580. DOI 10.1186/s12911-015-0155-5
- Tovikkai C, Charman SC, Praseedom RK, Gimson AE, van der Meulen, Jan (2015). Time-varying impact of comorbidities on mortality after liver transplantation: a national cohort study using linked clinical and administrative data. *BMJ Open*. 2015; 5 (5): e006971. PubMed-ID: 25976762. DOI 10.1136/bmjopen-2014-006971
- Turner M, Barber M, Dodds H, Dennis M, Langhorne P, Macleod M-J (2015). Stroke patients admitted within normal working hours are more likely to achieve process standards and to have better outcomes. *J. Neurol. Neurosurg. Psychiatr*. 2015. PubMed-ID: 26285585. DOI 10.1136/jnnp-2015-311273
- Vachon B, Desorcy B, Gaboury I, Camirand M, Rodrigue J, Quesnel L, Guimond C, Labelle M, Huynh A-T, Grimshaw J (2015). Combining administrative data feedback, reflection and

- action planning to engage primary care professionals in quality improvement: qualitative assessment of short term program outcomes. *BMC Health Serv Res.* 2015; 15 (1): 391. PubMed-ID: 26384648. DOI 10.1186/s12913-015-1056-0
- van Doornum S, Bohensky M, Tacey MA, Brand CA, Sundararajan V, Wicks IP (2015). Increased 30-day and 1-year mortality rates and lower coronary revascularisation rates following acute myocardial infarction in patients with autoimmune rheumatic disease. *Arthritis Res. Ther.* 2015; 17: 38. PubMed-ID: 25879786. DOI 10.1186/s13075-015-0552-2
- van Mourik, Maaïke S M, Moons KGM, Murphy MV, Bonten MJM, Klompas M (2015). Severity of Disease Estimation and Risk-Adjustment for Comparison of Outcomes in Mechanically Ventilated Patients Using Electronic Routine Care Data. *Infect Control Hosp Epidemiol.* 2015: 1-9. PubMed-ID: 25881675. DOI 10.1017/ice.2015.75
- van Mourik, Maaïke S M, van Duijn PJ, Moons KGM, Bonten MJM, Lee GM (2015). Accuracy of administrative data for surveillance of healthcare-associated infections: a systematic review. *BMJ Open.* 2015; 5 (8): e008424. PubMed-ID: 26316651. DOI 10.1136/bmjopen-2015-008424
- van Rheenen S, Watson TWJ, Alexander S, Hill MD (2015). An Analysis of Spatial Clustering of Stroke Types, In-hospital Mortality, and Reported Risk Factors in Alberta, Canada, Using Geographic Information Systems. *Can J Neurol Sci.* 2015: 1-11. PubMed-ID: 26177856. DOI 10.1017/cjn.2015.241
- van Walraven C, McAlister FA, Bakal JA, Hawken S, Donze J (2015). External validation of the Hospital-patient One-year Mortality Risk (HOMR) model for predicting death within 1 year after hospital admission. *CMAJ.* 2015. PubMed-ID: 26054605. DOI 10.1503/cmaj.150209
- Veeravagu A, Cole TS, Azad TD, Ratliff JK (2015). Improved capture of adverse events after spinal surgery procedures with a longitudinal administrative database. *J Neurosurg Spine.* 2015: 1-9. PubMed-ID: 26068273. DOI 10.3171/2014.12.SPINE14659
- Vest-Hansen B, Riis AH, Sørensen HT, Christiansen CF (2015). Out-of-hours and weekend admissions to Danish medical departments: admission rates and 30-day mortality for 20 common medical conditions. *BMJ Open.* 2015; 5 (3): e006731. PubMed-ID: 25762233. DOI 10.1136/bmjopen-2014-006731
- von Allmen, R S, Anjum A, Powell JT, Earnshaw JJ (2015). Hospital trends of admissions and procedures for acute leg ischaemia in England, 2000-2011. *Ann R Coll Surg Engl.* 2015; 97 (1): 59-62. PubMed-ID: 25519269. DOI 10.1308/003588414X14055925059354
- Weber MA (2015). Qualitätssicherung in der Kardiologie. *Arzt und Krankenhaus.* 2015; 88 (2): 50-52
- Wen J, Barber GE, Ananthakrishnan AN (2015). Identification of Recurrent *Clostridium difficile* Infection Using Administrative Codes: Accuracy and Implications for Surveillance. *Infect Control Hosp Epidemiol.* 2015: 1-6. PubMed-ID: 25924718. DOI 10.1017/ice.2015.102
- Wessling M, Gravius S, Gebert C, Smektala R, Gunster C, Harges J, Rhomberg I, Koller D (2015). Quality in Revision Arthroplasty: A Comparison between Claims Data Analysis

- and External Quality Assurance. *Z Orthop Unfall*. 2015. PubMed-ID: 26587883. DOI 10.1055/s-0041-107670
- Whitlock EL, Kim H, Auerbach AD (2015). Harms associated with single unit perioperative transfusion: retrospective population based analysis. *BMJ*. 2015; 350: h3037. PubMed-ID: 26070979. DOI 10.1136/bmj.h3037
- Whyte JL, Engel-Nitz NM, Teitelbaum A, Gomez Rey G, Kallich JD (2015). An Evaluation of Algorithms for Identifying Metastatic Breast, Lung, or Colorectal Cancer in Administrative Claims Data. *Med Care*. 2015; 53 (7): 57. PubMed-ID: 23524464. DOI 10.1097/MLR.0b013e318289c3fb
- Wilke M (2015). Kennzahlengesteuertes Infektionsmanagement. Welche Daten benötigt die Krankenhausleitung? *KU Gesundheitsmanagement*. 2015; 84 (4): 48-50
- Wofford JL, Campos CL, Jones RE, Stevens SF (2015). Real-time patient survey data during routine clinical activities for rapid-cycle quality improvement. *JMIR Med Inform*. 2015; 3 (1): e13. PubMed-ID: 25768807. DOI 10.2196/medinform.3697
- Wolfe R, Carlin J (2015). Statistical models for respiratory disease diagnosis and prognosis. *Respirology*. 2015. PubMed-ID: 25823703. DOI 10.1111/resp.12519
- Wright A, McCoy AB, Hickman T-TT, Hilaire DS, Borbolla D, Bowes WA, Dixon WG, Dorr DA, Krall M, Malholtra S, Bates DW, Sittig DF (2015). Problem list completeness in electronic health records: A multi-site study and assessment of success factors. *Int J Med Inform*. 2015; 84 (10): 784-790. PubMed-ID: 26228650. DOI 10.1016/j.ijmedinf.2015.06.011
- Wu S-I, Chen S-C, Liu S-I, Sun F-J, Juang JJM, Lee H-C, Kao K-L, Dewey ME, Prince M, Stewart R (2015). Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. *PLoS ONE*. 2015; 10 (8): e0134763. PubMed-ID: 26270347. DOI 10.1371/journal.pone.0134763
- Yamana H, Matsui H, Fushimi K, Yasunaga H (2015). Procedure-based severity index for inpatients: development and validation using administrative database. *BMC Health Serv Res*. 2015; 15: 261. PubMed-ID: 26152112. DOI 10.1186/s12913-015-0889-x
- Yang M, Mehta HB, Bali V, Gupta P, Wang X, Johnson ML, Aparasu RR (2015). Which risk-adjustment index performs better in predicting 30-day mortality? A systematic review and meta-analysis. *J Eval Clin Pract*. 2015. PubMed-ID: 25659330. DOI 10.1111/jep.12307
- Yasaitis LC, Arcaya MC, Subramanian SV (2015). Comparison of estimation methods for creating small area rates of acute myocardial infarction among Medicare beneficiaries in California. *Health Place*. 2015; 35: JHAPD1500246. PubMed-ID: 26291680. DOI 10.1016/j.healthplace.2015.08.003
- Yasaitis LC, Berkman LF, Chandra A (2015). Comparison of self-reported and Medicare claims-identified acute myocardial infarction. *Circulation*. 2015; 131 (17): 1477. PubMed-ID: 25747935. DOI 10.1161/CIRCULATIONAHA.114.013829

- Yasaitis LC, Berkman LF, Chandra A (2015). Comparison of Self-Reported and Medicare Claims-Identified Acute Myocardial Infarction. *Circulation*. 2015. PubMed-ID: 25747935. DOI 10.1161/CIRCULATIONAHA.114.013829
- Yoo B, Park Y, Park K, Kim H (2015). A 9-year Trend in the Prevalence of Allergic Disease Based on National Health Insurance Data. *J Prev Med Public Health*. 2015; 48 (6): 301-309. PubMed-ID: 26639744. DOI 10.3961/jpmph.15.011
- Yoon S-J, Kim E-J, Seo H-J, Oh I-H (2015). The Association between Charlson Comorbidity Index and the Medical Care Cost of Cancer: A Retrospective Study. *Biomed Res Int*. 2015; 2015: 259341. PubMed-ID: 26347086. DOI 10.1155/2015/259341
- Yu S, Farooq F, van Esbroeck A, Fung G, Anand V, Krishnapuram B (2015). Predicting readmission risk with institution-specific prediction models. *Artif Intell Med*. 2015. PubMed-ID: 26363683. DOI 10.1016/j.artmed.2015.08.005
- Yu T-C, Zhou H, Suh K, Arcona S (2015). Assessing the importance of predictors in unplanned hospital readmissions for chronic obstructive pulmonary disease. *Clinicoecon Outcomes Res*. 2015; 7: 37-51. PubMed-ID: 25609986. DOI 10.2147/CEOR.S74181
- Yurkovich M, Avina-Zubieta JA, Thomas J, Gorenchtein M, Lacaille D (2015). A systematic review identifies valid comorbidity indices derived from administrative health data. *J Clin Epidemiol*. 2015; 68 (1): 3-14. PubMed-ID: 25441702. DOI 10.1016/j.jclinepi.2014.09.010
- Zentner N, Baumgartner I, Becker T, Puschner B (2015). Course of health care costs before and after psychiatric inpatient treatment: patient-reported vs. administrative records. *Int J Health Policy Manag*. 2015; 4 (3): 153-160. PubMed-ID: 25774372. DOI 10.15171/ijhpm.2015.16
- Zhang-Salomons J, Salomons G (2015). Determine the therapeutic role of radiotherapy in administrative data: a data mining approach. *BMC Med Res Methodol*. 2015; 15 (1): 11. PubMed-ID: 25649372. DOI 10.1186/1471-2288-15-11

2014

- Ackroyd-Stolarz S, Bowles SK, Giffin L (2014). Validating administrative data for the detection of adverse events in older hospitalized patients. *Drug Healthc Patient Saf.* 2014; 6: 101-108. PubMed-ID: 25143755. DOI 10.2147/DHPS.S64359
- Aljutaili M, Becker C, Witt S, Holle R, Leidl R, Block M, Brachmann J, Silber S, Bestehorn K, Stollenwerk B (2014). Should health insurers target prevention of cardiovascular disease? A cost-effectiveness analysis of an individualised programme in Germany based on routine data. *BMC Health Serv Res.* 2014; 14: 263. PubMed-ID: 24938674. DOI 10.1186/1472-6963-14-263
- Amodio E, Tramuto F, Costantino C, Restivo V, Maida C, Calamusa G, Vitale F (2014). Diagnosis of influenza: only a problem of coding? *Med Princ Pract.* 2014; 23 (6): 568-573. PubMed-ID: 25059566. DOI 10.1159/000364780
- Andersson C, Gislason GH, Hlatky MA, Sondergaard KB, Pallisgaard J, Smith JG, Vasan RS, Larson MG, Jensen PF, Kober L, Torp-Pedersen C (2014). A risk score for predicting 30-day mortality in heart failure patients undergoing non-cardiac surgery. *Eur. J. Heart Fail.* 2014; 16 (12): 1310-1316. PubMed-ID: 25359203. DOI 10.1002/ejhf.182
- Arnold SV, Masoudi FA, Rumsfeld JS, Li Y, Jones PG, Spertus JA (2014). Derivation and validation of a risk standardization model for benchmarking hospital performance for health-related quality of life outcomes after acute myocardial infarction. *Circulation.* 2014; 129 (3): 313-320. PubMed-ID: 24163068. DOI 10.1161/CIRCULATIONAHA.113.001773
- Austin PC, Reeves MJ (2014). Effect of provider volume on the accuracy of hospital report cards: a Monte Carlo study. *Circ Cardiovasc Qual Outcomes.* 2014; 7 (2): 299-305. PubMed-ID: 24619320. DOI 10.1161/CIRCOUTCOMES.113.000685
- Bakal JA, McAlister FA, Liu W, Ezekowitz JA (2014). Heart failure re-admission: measuring the ever shortening gap between repeat heart failure hospitalizations. *PLoS One.* 2014; 9 (9): e106494. PubMed-ID: 25211034. DOI 10.1371/journal.pone.0106494
- Banham D, Hawthorne G, Goldney R, Ratcliffe J (2014). Health-related quality of life (HRQoL) changes in South Australia: comparison of burden of disease morbidity and survey-based health utility estimates. *Health Qual Life Outcomes.* 2014; 12: 113. PubMed-ID: 25092360. DOI 10.1186/s12955-014-0113-4
- Beaudet N, Courteau J, Sarret P, Vanasse A (2014). Improving the selection of true incident cases of low back pain by screening retrospective administrative data. *Eur J Pain.* 2014; 18 (7): 923-931. PubMed-ID: 24343901. DOI 10.1002/j.1532-2149.2013.00437.x
- Becker A (2014). Grenzen der Objektivität - Qualität von Qualitätsvergleichen. *das Krankenhaus.* 2014; 106 (10): 924-933
- Becker A, Eissler U (2014). Die standardisierte primäre Sectorate (SPSR) und ihre Anwendung im Qualitätsmanagement und für Krankenhausvergleiche. *das Krankenhaus.* 2014; 106 (2): 115-130

- Beckmann L, Barger M, Dorin L, Metzging S, Hellmers C (2014). Vaginal birth after cesarean in German out-of-hospital settings: maternal and neonatal outcomes of women with their second child. *Birth*. 2014; 41 (4): 309-315. PubMed-ID: 25180460. DOI 10.1111/birt.12130
- Beiles CB, Bourke BM (2014). Validation of Australian data in the Australasian Vascular Audit. *ANZ J Surg*. 2014; 84 (9): 624-627. PubMed-ID: 24980273. DOI 10.1111/ans.12760
- Bekkers S, Bot, Arjan G J, Makarawung D, Neuhaus V, Ring D (2014). The National Hospital Discharge Survey and Nationwide Inpatient Sample: the databases used affect results in THA research. *Clin. Orthop. Relat. Res*. 2014; 472 (11): 3441-3449. PubMed-ID: 25091226. DOI 10.1007/s11999-014-3836-y
- Bekwelem W, Bengtson LGS, Oldenburg NC, Winden TJ, Keo HH, Hirsch AT, Duval S (2014). Development of administrative data algorithms to identify patients with critical limb ischemia. *Vasc Med*. 2014; 19 (6): 483-490. PubMed-ID: 25447239. DOI 10.1177/1358863X14559589
- Bekwelem W, Bengtson, Lindsay G S, Oldenburg NC, Winden TJ, Keo HH, Hirsch AT, Duval S (2014). Development of administrative data algorithms to identify patients with critical limb ischemia. *Vasc Med*. 2014; 19 (6): 483-490. PubMed-ID: 25447239
- Benchimol EI (2014). Epidemiology and health administrative data: focus on methodology and transparency. *Inflamm Bowel Dis*. 2014; 20 (10): 1780-1781. PubMed-ID: 25185690. DOI 10.1097/MIB.000000000000153
- Benchimol EI, Guttman A, Mack DR, Nguyen GC, Marshall JK, Gregor JC, Wong J, Forster AJ, Manuel DG (2014). Validation of international algorithms to identify adults with inflammatory bowel disease in health administrative data from Ontario, Canada. *J Clin Epidemiol*. 2014; 67 (8): 887-896. PubMed-ID: 24774473. DOI 10.1016/j.jclinepi.2014.02.019
- Bottle A, Aylin P, Loeffler M (2014). Return to theatre for elective hip and knee replacements: what is the relative importance of patient factors, surgeon and hospital? *Bone Joint J*. 2014; 96-B (12): 1663-1668. PubMed-ID: 25452370. DOI 10.1302/0301-620X.96B12.34002
- Bottle A, Aylin P, Bell D (2014). Effect of the readmission primary diagnosis and time interval in heart failure patients: analysis of English administrative data. *Eur. J. Heart Fail*. 2014; 16 (8): 846-853. PubMed-ID: 25044392. DOI 10.1002/ejhf.129
- Brandt BN, Gartner AB, Moncure M, Cannon CM, Carlton E, Cleek C, Wittkopp C, Simpson SQ (2014). Identifying Severe Sepsis via Electronic Surveillance. *Am J Med Qual*. 2014. PubMed-ID: 24970280. DOI 10.1177/1062860614541291
- Bray BD, Campbell J, Cloud GC, Hoffman A, James M, Tyrrell PJ, Wolfe, Charles D A, Rudd AG (2014). Derivation and external validation of a case mix model for the standardized reporting of 30-day stroke mortality rates. *Stroke*. 2014; 45 (11): 3374-3380. PubMed-ID: 25293667. DOI 10.1161/STROKEAHA.114.006451
- Broberg C, McLarry J, Mitchell J, Winter C, Doberne J, Woods P, Burchill L, Weiss J (2014). Accuracy of Administrative Data for Detection and Categorization of Adult Congenital

- Heart Disease Patients from an Electronic Medical Record. *Pediatr Cardiol.* 2014. PubMed-ID: 25428778. DOI 10.1007/s00246-014-1068-2
- Burgdorf F (2014). Potenziell vermeidbare Krankenhausfälle in Deutschland. *Deutsches Ärzteblatt.* 2014; 111(13): 215-223
- Butt DA, Tu K, Young J, Green D, Wang M, Ivers N, Jaakkimainen L, Lam R, Guttman M (2014). A validation study of administrative data algorithms to identify patients with Parkinsonism with prevalence and incidence trends. *Neuroepidemiology.* 2014; 43 (1): 28-37. PubMed-ID: 25323155. DOI 10.1159/000365590
- Byrne BE, Mamidanna R, Vincent CA, Faiz OD (2014). Outlier identification in colorectal surgery should separate elective and nonelective service components. *Dis. Colon Rectum.* 2014; 57 (9): 1098-1104. PubMed-ID: 25101606. DOI 10.1097/DCR.0000000000000192
- Cassel CK, Conway PH, Delbanco SF, Jha AK, Saunders RS, Lee TH (2014). Getting more performance from performance measurement. *N. Engl. J. Med.* 2014; 371 (23): 2145-2147. PubMed-ID: 25470691. DOI 10.1056/NEJMp1408345
- Charlson M, Wells MT, Ullman R, King F, Shmukler C (2014). The Charlson comorbidity index can be used prospectively to identify patients who will incur high future costs. *PLoS ONE.* 2014; 9 (12): e112479. PubMed-ID: 25469987. DOI 10.1371/journal.pone.0112479
- Chrischilles E, Schneider K, Wilwert J, Lessman G, O'Donnell B, Gryzlak B, Wright K, Wallace R (2014). Beyond comorbidity: expanding the definition and measurement of complexity among older adults using administrative claims data. *Med Care.* 2014; 52 Suppl 3: 84. PubMed-ID: 24561763. DOI 10.1097/MLR.0000000000000026
- Colais P, Di Martino M, Fusco D, Davoli M, Aylin P, Perucci CA (2014). Using clinical variables and drug prescription data to control for confounding in outcome comparisons between hospitals. *BMC Health Serv Res.* 2014; 14: 495. PubMed-ID: 25339263. DOI 10.1186/s12913-014-0495-3
- Cram P, Bozic KJ, Callaghan JJ, Lu X, Li Y (2014). Use of present-on-admission indicators for complications after total knee arthroplasty: an analysis of Medicare administrative data. *J Arthroplasty.* 2014; 29 (5): 923. PubMed-ID: 24530205. DOI 10.1016/j.arth.2013.11.002
- Cruden NL, Din JN, Janssen C, Smith R, Hilton JD, Klink WP, Carere RG, Robinson SD, Della Siega A (2014). Delay in filling first clopidogrel prescription after coronary stenting is associated with an increased risk of death and myocardial infarction. *J Am Heart Assoc.* 2014; 3 (3): e000669. PubMed-ID: 24870939. DOI 10.1161/JAHA.113.000669
- Cruppé W de, Malik M, Geraedts M (2014). Umsetzung der Mindestmenvorgaben: Analyse der Krankenhausqualitätsberichte. *Dtsch Arztebl Int.* 2014; 111: 549-555
- Cui Y, Wang T, Bao J, Tian Z, Lin Z, Chen D (2014). Comparison of Charlson's weighted index of comorbidities with the chronic health score for the prediction of mortality in septic patients. *Chin. Med. J.* 2014; 127 (14): 2623-2627. PubMed-ID: 25043078

- Curbelo RJ, Loza E, de Yebenes, Maria Jesus Garcia, Carmona L (2014). Databases and registers: useful tools for research, no studies. *Rheumatol Int.* 2014; 34 (4): 447-452. PubMed-ID: 24509895. DOI 10.1007/s00296-014-2954-x
- Dharmarajan S, Bentley JP, Banahan Iii BF, West-Strum DS (2014). Measuring pharmacy performance in the area of medication adherence: addressing the issue of risk adjustment. *J Manag Care Spec Pharm.* 2014; 20 (10): 1057-1068. PubMed-ID: 25278328
- Di Martino M, Fusco D, Colais P, Pinnarelli L, Davoli M, Perucci CA (2014). Differential misclassification of confounders in comparative evaluation of hospital care quality: caesarean sections in Italy. *BMC Public Health.* 2014; 14: 1049. DOI 10.1186/1471-2458-14-1049
- Dobbins TA, Creighton N, Currow DC, Young JM (2014). Look back for the Charlson Index did not improve risk adjustment of cancer surgical outcomes. *J Clin Epidemiol.* 2014. PubMed-ID: 25582754. DOI 10.1016/j.jclinepi.2014.12.002
- Drösler SE, Romano PS, Sundararajan V, Burnand B, Colin C, Pincus H, Ghali W (2014). How many diagnosis fields are needed to capture safety events in administrative data? Findings and recommendations from the WHO ICD-11 Topic Advisory Group on Quality and Safety. *Int J Qual Health Care.* 2014; 26 (1): 16-25. PubMed-ID: 24334247. DOI 10.1093/intqhc/mzt090
- Edlinger D, Sauter SK, Rinner C, Neuhofer LM, Wolzt M, Grossmann W, Endel G, Gall W (2014). JADE: a tool for medical researchers to explore adverse drug events using health claims data. *Appl Clin Inform.* 2014; 5 (3): 621-629. PubMed-ID: 25298803. DOI 10.4338/ACI-2014-04-RA-0036
- Erickson SR, Cole E, Kline-Rogers E, Eagle KA (2014). The addition of the Charlson Comorbidity Index to the GRACE Risk Prediction Index improves prediction of outcomes in acute coronary syndrome. *Popul Health Manag.* 2014; 17 (1): 54-59. PubMed-ID: 23965044. DOI 10.1089/pop.2012.0117
- Erickson SR, Lin Y-NT (2014). Geospatial analysis of statin adherence using pharmacy claims data in the state of Michigan. *J Manag Care Spec Pharm.* 2014; 20 (12): 1208-1215. PubMed-ID: 25443514
- Ferrari N, Mallmann P, Brockmeier K, Strüder HK, Graf C (2014). Secular trends in pregnancy weight gain in German women and their influences on foetal outcome: a hospital-based study. *BMC Pregnancy Childbirth.* 2014; 14: 228. PubMed-ID: 25027843. DOI 10.1186/1471-2393-14-228
- Ficheur G, Chazard E, Beuscart J-B, Merlin B, Luyckx M, Beuscart R (2014). Adverse drug events with hyperkalaemia during inpatient stays: evaluation of an automated method for retrospective detection in hospital databases. *BMC Med Inform Decis Mak.* 2014; 14: 83. PubMed-ID: 25212108. DOI 10.1186/1472-6947-14-83
- Fiest KM, Jette N, Quan H, St Germaine-Smith C, Metcalfe A, Patten SB, Beck CA (2014). Systematic review and assessment of validated case definitions for depression in

- administrative data. *BMC Psychiatry*. 2014; 14: 289. PubMed-ID: 25322690. DOI 10.1186/s12888-014-0289-5
- Fiscella K, Burstin HR, Nerenz DR (2014). Quality measures and sociodemographic risk factors: to adjust or not to adjust. *JAMA*. 2014; 312 (24): 2615-2616. PubMed-ID: 25536249. DOI 10.1001/jama.2014.15372
- Fischer C, Lingsma HF, Marang-van de Mheen, Perla J, Kringos DS, Klazinga NS, Steyerberg EW (2014). Is the readmission rate a valid quality indicator? A review of the evidence. *PLoS ONE*. 2014; 9 (11): e112282. PubMed-ID: 25379675. DOI 10.1371/journal.pone.0112282
- Fokkema M, Hurks R, Curran T, Bensley RP, Hamdan AD, Wyers MC, Moll FL, Schermerhorn ML (2014). The impact of the present on admission indicator on the accuracy of administrative data for carotid endarterectomy and stenting. *J. Vasc. Surg.* 2014; 59 (1): 32. PubMed-ID: 23993438. DOI 10.1016/j.jvs.2013.07.006
- Freisinger E, Fuerstenberg T, Malyar NM, Wellmann J, Keil U, Breithardt G, Reinecke H (2014). German nationwide data on current trends and management of acute myocardial infarction: discrepancies between trials and real-life. *Eur. Heart J.* 2014; 35 (15): 979-988. PubMed-ID: 24558113. DOI 10.1093/eurheartj/ehu043
- Funk MJ, Landi SN (2014). Misclassification in administrative claims data: quantifying the impact on treatment effect estimates. *Curr Epidemiol Rep.* 2014; 1 (4): 175-185. PubMed-ID: 26085977. DOI 10.1007/s40471-014-0027-z
- Gander J, Sui X, Hazlett LJ, Cai B, Hebert JR, Blair SN (2014). Factors related to coronary heart disease risk among men: validation of the Framingham Risk Score. *Prev Chronic Dis.* 2014; 11: E140. PubMed-ID: 25121352. DOI 10.5888/pcd11.140045
- Gannon B, Jones C, Wakai A, O'Sullivan R (2014). The cost of data collection for performance monitoring in hospitals: protocol for a systematic review. *Syst Rev.* 2014; 3: 65. PubMed-ID: 24934212. DOI 10.1186/2046-4053-3-65
- Garofallo SB, Machado DP, Rodrigues CG, Bordim O, Kalil, Renato A K, Portal VL (2014). Applicability of two international risk scores in cardiac surgery in a reference center in Brazil. *Arq. Bras. Cardiol.* 2014; 102 (6): 539-548. PubMed-ID: 25004415
- Garrido MM, Kelley AS, Paris J, Roza K, Meier DE, Morrison RS, Aldridge MD (2014). Methods for constructing and assessing propensity scores. *Health Serv Res.* 2014; 49 (5): 1701-1720. PubMed-ID: 24779867. DOI 10.1111/1475-6773.12182
- Gerds TA, Andersen PK, Kattan MW (2014). Calibration plots for risk prediction models in the presence of competing risks. *Stat Med.* 2014; 33 (18): 3191-3203. PubMed-ID: 24668611. DOI 10.1002/sim.6152
- Gibbons CL, Mangen M-JJ, Plass D, Havelaar AH, Brooke RJ, Kramarz P, Peterson KL, Stuurman AL, Cassini A, Fevre EM, Kretzschmar MEE (2014). Measuring underreporting and underascertainment in infectious disease datasets: a comparison of methods. *BMC Public Health.* 2014; 14: 147. PubMed-ID: 24517715. DOI 10.1186/1471-2458-14-147

- Gidengil C, Mangione-Smith R, Bailey LC, Cawthon ML, McGlynn EA, Nakamura MM, Schiff J, Schuster MA, Schneider EC (2014). Using Medicaid and CHIP claims data to support pediatric quality measurement: lessons from 3 centers of excellence in measure development. *Acad Pediatr.* 2014; 14 (5 Suppl): S76-81. PubMed-ID: 25169462. DOI 10.1016/j.acap.2014.06.014
- Gini R, Schuemie MJ, Francesconi P, Lapi F, Cricelli I, Pasqua A, Gallina P, Donato D, Brugaletta S, Donatini A, Marini A, Cricelli C, Damiani G, Bellentani M, van der Lei, Johan, Sturkenboom, Miriam C J M, Klazinga NS (2014). Can Italian healthcare administrative databases be used to compare regions with respect to compliance with standards of care for chronic diseases? *PLoS ONE.* 2014; 9 (5): e95419. PubMed-ID: 24816637. DOI 10.1371/journal.pone.0095419
- Gini R, Schuemie MJ, Francesconi P, Lapi F, Cricelli I, Pasqua A, Gallina P, Donato D, Brugaletta S, Donatini A, Marini A, Cricelli C, Damiani G, Bellentani M, van der Lei, Johan, Sturkenboom, Miriam C J M, Klazinga NS (2014). Can Italian healthcare administrative databases be used to compare regions with respect to compliance with standards of care for chronic diseases? *PLoS ONE.* 2014; 9 (5): e95419. PubMed-ID: 24816637. DOI 10.1371/journal.pone.0095419
- Glickman ME, Rao SR, Schultz MR (2014). False discovery rate control is a recommended alternative to Bonferroni-type adjustments in health studies. *J Clin Epidemiol.* 2014; 67 (8): 850-857. PubMed-ID: 24831050. DOI 10.1016/j.jclinepi.2014.03.012
- Gonzalez AA, Girotti ME, Shih T, Wakefield TW, Dimick JB (2014). Reliability of hospital readmission rates in vascular surgery. *J. Vasc. Surg.* 2014; 59 (6): 1638-1643. PubMed-ID: 24629991. DOI 10.1016/j.jvs.2013.12.040
- Gorfine M, Hsu L, Zucker DM, Parmigiani G (2014). Calibrated predictions for multivariate competing risks models. *Lifetime Data Anal.* 2014; 20 (2): 234-251. PubMed-ID: 23737081. DOI 10.1007/s10985-013-9260-x
- Goto M, Ohl ME, Schweizer ML, Perencevich EN (2014). Accuracy of administrative code data for the surveillance of healthcare-associated infections: a systematic review and meta-analysis. *Clin. Infect. Dis.* 2014; 58 (5): 688-696. PubMed-ID: 24218103. DOI 10.1093/cid/cit737
- Grammatico-Guillon L, Baron S, Gaborit C, Rusch E, Astagneau P (2014). Quality assessment of hospital discharge database for routine surveillance of hip and knee arthroplasty-related infections. *Infect Control Hosp Epidemiol.* 2014; 35 (6): 646-651. PubMed-ID: 24799640. DOI 10.1086/676423
- Grant SW, Hickey GL, Carlson ED, McCollum CN (2014). Comparison of three contemporary risk scores for mortality following elective abdominal aortic aneurysm repair. *Eur J Vasc Endovasc Surg.* 2014; 48 (1): 38-44. PubMed-ID: 24837173. DOI 10.1016/j.ejvs.2014.03.040
- Groene O, Kristensen S, Arah OA, Thompson CA, Bartels P, Sunol R, Klazinga N (2014). Feasibility of using administrative data to compare hospital performance in the EU. *Int J Qual Health Care.* 2014; 26 Suppl 1: 108-115. PubMed-ID: 24554645. DOI 10.1093/intqhc/mzu015

- Guillou PJ, Schulenburg D, Quirke P, Thorpe H, Walker J, Jayne DG, Am Smith, Heath RM, Brown JM, MRC CLASICC trial group (2014). Leitlinien, Richtlinien, Empfehlungen und ärztlicher Standard. *Rheinisches Ärzteblatt*. 2014; 68(8): 18
- Haaland OA, Lindemark F, Flaatten H, Kvale R, Johansson KA (2014). A calibration study of SAPS II with Norwegian intensive care registry data. *Acta Anaesthesiol Scand*. 2014; 58 (6): 701-708. PubMed-ID: 24819749. DOI 10.1111/aas.12327
- Hao S, Jin B, Shin AY, Zhao Y, Zhu C, Li Z, Hu Z, Fu C, Ji J, Wang Y, Zhao Y, Dai D, Culver DS, Alfreds ST, Rogow T, Stearns F, Sylvester KG, Widen E, Ling XB (2014). Risk prediction of emergency department revisit 30 days post discharge: a prospective study. *PLoS ONE*. 2014; 9 (11): e112944. PubMed-ID: 25393305. DOI 10.1371/journal.pone.0112944
- Hao S, Jin B, Shin AY, Zhao Y, Zhu C, Li Z, Hu Z, Fu C, Ji J, Wang Y, Zhao Y, Dai D, Culver DS, Alfreds ST, Rogow T, Stearns F, Sylvester KG, Widen E, Ling XB (2014). Risk prediction of emergency department revisit 30 days post discharge: a prospective study. *PLoS ONE*. 2014; 9 (11): e112944. PubMed-ID: 25393305. DOI 10.1371/journal.pone.0112944
- He D, Mathews SC, Kalloo AN, Hutfless S (2014). Mining high-dimensional administrative claims data to predict early hospital readmissions. *J Am Med Inform Assoc*. 2014; 21 (2): 272-279. PubMed-ID: 24076748. DOI 10.1136/amiajnl-2013-002151
- Hearld LR, Alexander JA, Shi Y, Casalino LP (2014). Pay-for-performance and public reporting program participation and administrative challenges among small- and medium-sized physician practices. *Med Care Res Rev*. 2014; 71 (3): 299-312. PubMed-ID: 24263052. DOI 10.1177/1077558713509018
- Hebert C, Shivade C, Foraker R, Wasserman J, Roth C, Mekhjian H, Lemeshow S, Embi P (2014). Diagnosis-specific readmission risk prediction using electronic health data: a retrospective cohort study. *BMC Med Inform Decis Mak*. 2014; 14: 65. PubMed-ID: 25091637. DOI 10.1186/1472-6947-14-65
- Heller G, Szecsenyi J, Willms G, Broge B (2014). Qualitätsmessung mit Routinedaten in der gesetzlichen Qualitätssicherung am Beispiel Dekubitusprophylaxe. *Z Evid Fortbild Qual Gesundhwes*. 2014; 108 (8-9): 465-469. PubMed-ID: 25523844. DOI 10.1016/j.zefq.2014.09.010
- Hendricks V, Schmidt S, Vogt A, Gysan D, Latz V, Schwang I, Griebenow R, Riedel R (2014). Case management program for patients with chronic heart failure: effectiveness in terms of mortality, hospital admissions and costs. *Dtsch Arztebl Int*. 2014; 111 (15): 264-270. PubMed-ID: 24776611. DOI 10.3238/arztebl.2014.0264
- Hider P, Parker K, Randow M von, Milne B, Lay-Yee R, Davis P (2014). Can patient safety indicators monitor medical and surgical care at New Zealand public hospitals? *N. Z. Med. J*. 2014; 127 (1405): 32-44. PubMed-ID: 25399040
- Hobbs H, Bassett P, Wheeler T, Bedford M, Irving J, Stevens PE, Farmer CKT (2014). Do acute elevations of serum creatinine in primary care engender an increased mortality risk? *BMC Nephrol*. 2014; 15: 206. PubMed-ID: 25535396. DOI 10.1186/1471-2369-15-206
- Hochfellner D, Muller D, Schmucker A (2014). Privacy in confidential administrative micro data: implementing statistical disclosure control in a secure computing environment. *J*

- Empir Res Hum Res Ethics. 2014; 9 (5): 8-15. PubMed-ID: 25747686. DOI 10.1177/1556264614552799
- Hoer A, Schiffhorst G, Zimmermann A, Fischaleck J, Gehrman L, Ahrens H, Carl G, Sigel K-O, Osowski U, Klein M, Bless H-H (2014). Multiple sclerosis in Germany: data analysis of administrative prevalence and healthcare delivery in the statutory health system. BMC Health Serv Res. 2014; 14: 381. PubMed-ID: 25209585. DOI 10.1186/1472-6963-14-381
- Hohl CM, Karpov A, Reddekopp L, Doyle-Waters M, Stausberg J (2014). ICD-10 codes used to identify adverse drug events in administrative data: a systematic review. J Am Med Inform Assoc. 2014; 21 (3): 547-557. PubMed-ID: 24222671. DOI 10.1136/amiajnl-2013-002116
- Horwitz LI, Partovian C, Lin Z, Grady JN, Herrin J, Conover M, Montague J, Dillaway C, Bartczak K, Suter LG, Ross JS, Bernheim SM, Krumholz HM, Drye EE (2014). Development and use of an administrative claims measure for profiling hospital-wide performance on 30-day unplanned readmission. Ann. Intern. Med. 2014; 161 (10 Suppl): 75. PubMed-ID: 25402406. DOI 10.7326/M13-3000
- Hotchkiss JW, Davies CA, Dundas R, Hawkins N, Jhund PS, Scholes S, Bajekal M, O'Flaherty M, Critchley J, Leyland AH, Capewell S (2014). Explaining trends in Scottish coronary heart disease mortality between 2000 and 2010 using IMPACTSEC model: retrospective analysis using routine data. BMJ. 2014; 348: g1088. PubMed-ID: 24503058
- Inneh IA, Lewis CG, Schutzer SF (2014). Focused risk analysis: regression model based on 5,314 total hip and knee arthroplasty patients from a single institution. J Arthroplasty. 2014; 29 (10): 2031-2035. PubMed-ID: 24970581. DOI 10.1016/j.arth.2014.05.007
- Jaglal SB, Guilcher, Sara J T, Hawker G, Lou W, Salbach NM, Manno M, Zwarenstein M (2014). Impact of a chronic disease self-management program on health care utilization in rural communities: a retrospective cohort study using linked administrative data. BMC Health Serv Res. 2014; 14: 198. DOI 10.1186/1472-6963-14-198
- Jakob J, Marena D, Sold M, Schlüter M, Post S, Kienle P (2014). Dokumentationsqualität intra- und postoperativer Komplikationen. Verbesserung der Dokumentation für die verpflichtende Qualitätssicherung und Vergleich mit DRG-Routinedaten. Chirurg. 2014; 85 (8): 705-710. PubMed-ID: 24499996. DOI 10.1007/s00104-013-2696-4
- Jauch KW (2014). Mindestmengenregelung gescheitert? Bei der Steuerung der Krankenhausplanung sind die politisch Verantwortlichen gefordert. Dtsch Arztebl Int. 2014; 111: 547-548
- Ji R, Shen H, Pan Y, Wang P, Liu G, Wang Y, Li H, Singhal AB, Wang Y (2014). Risk score to predict gastrointestinal bleeding after acute ischemic stroke. BMC Gastroenterol. 2014; 14: 130. PubMed-ID: 25059927. DOI 10.1186/1471-230X-14-130
- Kaduszkiewicz H, Wiese B, Steinmann S, Schon G, Hoffmann F, van den Bussche H (2014). Diagnosing and diagnosis coding of dementias in claims data from German statutory health insurance. Psychiatr Prax. 2014; 41 (6): 319-323. PubMed-ID: 24062153. DOI 10.1055/s-0033-1349505

- Kao LS, Dimick JB, Porter GA (2014). How do administrative data compare with a clinical registry for identifying 30-day postoperative complications? *J. Am. Coll. Surg.* 2014; 219 (6): 1187-1191. PubMed-ID: 25458238. DOI 10.1016/j.jamcollsurg.2014.09.002
- Keltie K, Cole H, Arber M, Patrick H, Powell J, Campbell B, Sims A (2014). Identifying complications of interventional procedures from UK routine healthcare databases: a systematic search for methods using clinical codes. *BMC Med Res Methodol.* 2014; 14: 126. PubMed-ID: 25430568. DOI 10.1186/1471-2288-14-126
- Kerr M, Bedford M, Matthews B, O'Donoghue D (2014). The economic impact of acute kidney injury in England. *Nephrol. Dial. Transplant.* 2014; 29 (7): 1362-1368. PubMed-ID: 24753459. DOI 10.1093/ndt/gfu016
- Kim DH, Schneeweiss S (2014). Measuring frailty using claims data for pharmacoepidemiologic studies of mortality in older adults: evidence and recommendations. *Pharmacoepidemiol Drug Saf.* 2014; 23 (9): 891-901. PubMed-ID: 24962929. DOI 10.1002/pds.3674
- Klakow-Franck R (2014). Perspektive: Rolle der Qualitätsmessung aus Sicht des Gemeinsamen Bundesausschusses. *Z Evid Fortbild Qual Gesundheitswes.* 2014; 108 (8-9): 456-464. PubMed-ID: 25523843. DOI 10.1016/j.zefq.2014.10.008
- Kozhimannil KB, Arcaya MC, Subramanian SV (2014). Maternal clinical diagnoses and hospital variation in the risk of cesarean delivery: analyses of a National US Hospital Discharge Database. *PLoS Med.* 2014; 11 (10): e1001745. PubMed-ID: 25333943. DOI 10.1371/journal.pmed.1001745
- Kramer AA, Higgins TL, Zimmerman JE (2014). Comparison of the Mortality Probability Admission Model III, National Quality Forum, and Acute Physiology and Chronic Health Evaluation IV hospital mortality models: implications for national benchmarking*. *Crit. Care Med.* 2014; 42 (3): 544-553. PubMed-ID: 24158174. DOI 10.1097/CCM.0b013e3182a66a49
- Krogias C, Bartig D, Kitzrow M, Weber R, Eyding J (2014). Trends of hospitalized acute stroke care in Germany from clinical trials to bedside. Comparison of nation-wide administrative data 2008-2012. *J. Neurol. Sci.* 2014; 345 (1-2): 202-208. PubMed-ID: 25109534. DOI 10.1016/j.jns.2014.07.048
- Krogias C, Bartig D, Kitzrow M, Weber R, Eyding J (2014). Trends of hospitalized acute stroke care in Germany from clinical trials to bedside. Comparison of nation-wide administrative data 2008-2012. *J Neurol Sci.* 2014; 345 (1-2): 202-208. PubMed-ID: 25109534. DOI 10.1016/j.jns.2014.07.048
- Kronick R, Welch WP (2014). Measuring coding intensity in the Medicare Advantage program. *Medicare Medicaid Res Rev.* 2014; 4 (2). PubMed-ID: 25068076. DOI 10.5600/mmrr2014-004-02-a06
- Krüger-Brand HE (2014). Forschen mit Routinedaten. *Deutsches Ärzteblatt.* 2014; 111(7): 256-258
- Kumamaru H, Judd SE, Curtis JR, Ramachandran R, Hardy NC, Rhodes JD, Safford MM, Kissela BM, Howard G, Jalbert JJ, Brott TG, Setoguchi S (2014). Validity of claims-based stroke

- algorithms in contemporary Medicare data: reasons for geographic and racial differences in stroke (REGARDS) study linked with medicare claims. *Circ Cardiovasc Qual Outcomes*. 2014; 7 (4): 611-619. PubMed-ID: 24963021. DOI 10.1161/CIRCOUTCOMES.113.000743
- Lamarche-Vadel A, Pavillon G, Aouba A, Johansson LA, Meyer L, Jouglà E, Rey G (2014). Automated comparison of last hospital main diagnosis and underlying cause of death ICD10 codes, France, 2008-2009. *BMC Med Inform Decis Mak*. 2014; 14: 44. PubMed-ID: 24898538. DOI 10.1186/1472-6947-14-44
- Lambert M-L, Silversmit G, Savey A, Palomar M, Hiesmayr M, Agodi A, van Rompaye B, Mertens K, Vansteelandt S (2014). Preventable proportion of severe infections acquired in intensive care units: case-mix adjusted estimations from patient-based surveillance data. *Infect Control Hosp Epidemiol*. 2014; 35 (5): 494-501. PubMed-ID: 24709717. DOI 10.1086/675824
- Lawson EH, Louie R, Zingmond DS, Sacks GD, Brook RH, Hall BL, Ko CY (2014). Using Both Clinical Registry and Administrative Claims Data to Measure Risk-Adjusted Surgical Outcomes. *Ann. Surg.* 2014. PubMed-ID: 25405553. DOI 10.1097/SLA.0000000000001031
- Lee KS, Kwak JM (2014). Effect of patient risk on the volume-outcome relationship in obstetric delivery services. *Health Policy*. 2014; 118 (3): 407-412. PubMed-ID: 24957418. DOI 10.1016/j.healthpol.2014.05.007
- Lemay AC, Anzueto A, Restrepo MI, Mortensen EM (2014). Predictors of long-term mortality after severe sepsis in the elderly. *Am. J. Med. Sci.* 2014; 347 (4): 282-288. PubMed-ID: 23689053. DOI 10.1097/MAJ.0b013e318295a147
- Leonard D, Penninckx F, Kartheuser A, Laenen A, van Eycken E (2014). Effect of hospital volume on quality of care and outcome after rectal cancer surgery. *Br J Surg*. 2014; 101 (11): 1475-1482. PubMed-ID: 25142810. DOI 10.1002/bjs.9624
- Li, Chun Lok K (2014). Hospital Diagnostic Aggregation and Risk-Adjusted Quality. *Health Serv Res*. 2014. PubMed-ID: 25100068. DOI 10.1111/1475-6773.12214
- Ling DI, Pai M, Schiller I, Dendukuri N (2014). A Bayesian framework for estimating the incremental value of a diagnostic test in the absence of a gold standard. *BMC Med Res Methodol*. 2014; 14: 67. PubMed-ID: 24886359. DOI 10.1186/1471-2288-14-67
- Liu N, Koh ZX, Goh J, Lin Z, Haaland B, Ting BP, Ong, Marcus Eng Hock (2014). Prediction of adverse cardiac events in emergency department patients with chest pain using machine learning for variable selection. *BMC Med Inform Decis Mak*. 2014; 14: 75. PubMed-ID: 25150702. DOI 10.1186/1472-6947-14-75
- Lohr M, Nitschke R, Schulz M, Wolter A, Hennings A, Wolff-Menzler C, Behrens J (2014). Management documentation of therapeutic units on inpatient treatment for people with dementia--does it allow conclusion to be drawn them about inpatient services? An exploratory analysis. *Gesundheitswesen*. 2014; 76 (8-9): 479-485. PubMed-ID: 24493579. DOI 10.1055/s-0033-1361112

- Loke YK (2014). Use of databases for clinical research. *Arch. Dis. Child.* 2014; 99 (6): 587-589. PubMed-ID: 24489362. DOI 10.1136/archdischild-2013-304466
- Louis DZ, Robeson M, McAna J, Maio V, Keith SW, Liu M, Gonnella JS, Grilli R (2014). Predicting risk of hospitalisation or death: a retrospective population-based analysis. *BMJ Open.* 2014; 4 (9): e005223. PubMed-ID: 25231488. DOI 10.1136/bmjopen-2014-005223
- Louis DZ, Robeson M, McAna J, Maio V, Keith SW, Liu M, Gonnella JS, Grilli R (2014). Predicting risk of hospitalisation or death: a retrospective population-based analysis. *BMJ Open.* 2014; 4 (9): e005223. PubMed-ID: 25231488. DOI 10.1136/bmjopen-2014-005223
- Lujic S, Watson DE, Randall DA, Simpson JM, Jorm LR (2014). Variation in the recording of common health conditions in routine hospital data: study using linked survey and administrative data in New South Wales, Australia. *BMJ Open.* 2014; 4 (9): e005768. PubMed-ID: 25186157. DOI 10.1136/bmjopen-2014-005768
- Lusignan S de, Sun B, Pearce C, Farmer C, Steven P, Jones S (2014). Coding errors in an analysis of the impact of pay-for-performance on the care for long-term cardiovascular disease: a case study. *Inform Prim Care.* 2014; 21 (2): 92-101. PubMed-ID: 24841410. DOI 10.14236/jhi.v21i2.62
- Manktelow BN, Evans TA, Draper ES (2014). Differences in case-mix can influence the comparison of standardised mortality ratios even with optimal risk adjustment: an analysis of data from paediatric intensive care. *BMJ Qual Saf.* 2014; 23 (9): 782-788. PubMed-ID: 24840239. DOI 10.1136/bmjqs-2013-002608
- Mansky T, Nimptsch U (2014). Medizinische Qualitätsmessung im Krankenhaus - Worauf kommt es an? *Z Evid Fortbild Qual Gesundhwes.* 2014; 108 (8-9): 487-494. PubMed-ID: 25523847. DOI 10.1016/j.zefq.2014.09.023
- Maruthappu M, El-Harasis MA, Nagendran M, Orgill DP, McCulloch P, Duclos A, Carty MJ (2014). Systematic review of methodological quality of individual performance measurement in surgery. *Br J Surg.* 2014; 101 (12): 1491. PubMed-ID: 25228439. DOI 10.1002/bjs.9642
- McCormick N, Lacaille D, Bhole V, Avina-Zubieta JA (2014). Validity of heart failure diagnoses in administrative databases: a systematic review and meta-analysis. *PLoS ONE.* 2014; 9 (8): e104519. PubMed-ID: 25126761. DOI 10.1371/journal.pone.0104519
- McCormick N, Lacaille D, Bhole V, Avina-Zubieta JA (2014). Validity of myocardial infarction diagnoses in administrative databases: a systematic review. *PLoS One.* 2014; 9 (3): e92286. PubMed-ID: 24682186. DOI 10.1371/journal.pone.0092286
- Menis M, Anderson SA, Forshee RA, McKean S, Johnson C, Warnock R, Gondalia R, Mintz PD, Holness L, Worrall CM, Kelman JA, Izurieta HS (2014). Transfusion-related acute lung injury and potential risk factors among the inpatient US elderly as recorded in Medicare claims data, during 2007 through 2011. *Transfusion.* 2014; 54 (9): 2182-2193. PubMed-ID: 24673344. DOI 10.1111/trf.12626

- Meyer E (2014). Rückgang von nosokomialen MRSA-Infektionen in Deutschland. Analyse aus dem Krankenhaus-Infektions-Surveillance-System (KISS) der Jahre 2007–2012. *Deutsches Ärzteblatt*. 2014; 111(19): 331-336
- Mnatzaganian G, Ryan P, Hiller JE (2014). Does Co-morbidity provide significant improvement on age adjustment when predicting medical outcomes? *Methods Inf Med*. 2014; 53 (2): 115-120. PubMed-ID: 24514895. DOI 10.3414/ME13-01-0095
- Moltó A, Dougados M (2014). Comorbidity indices. *Clin. Exp. Rheumatol*. 2014; 32 (5 Suppl 85): 131. PubMed-ID: 25365102
- Moran JL, Solomon PJ (2014). Fixed effects modelling for provider mortality outcomes: Analysis of the Australia and New Zealand Intensive Care Society (ANZICS) Adult Patient Data-base. *PLoS ONE*. 2014; 9 (7): e102297. PubMed-ID: 25029164. DOI 10.1371/journal.pone.0102297
- Moriarty JP, Schiebel NE, Johnson MG, Jensen JB, Caples SM, Morlan BW, Huddleston JM, Huebner M, Naessens JM (2014). Evaluating implementation of a rapid response team: considering alternative outcome measures. *Int J Qual Health Care*. 2014; 26 (1): 49-57. PubMed-ID: 24402406. DOI 10.1093/intqhc/mzt091
- Mroczkowski P (2014). Lost in translation, or overestimating administrative data for outcome control in colorectal surgery. *Colorectal Dis*. 2014; 16 (7): 493-494. PubMed-ID: 24924558. DOI 10.1111/codi.12606
- Munasinghe A, Chang D, Mamidanna R, Middleton S, Joy M, Penninckx F, Darzi A, Livingston E, Faiz O (2014). Reconciliation of international administrative coding systems for comparison of colorectal surgery outcome. *Colorectal Dis*. 2014; 16 (7): 555-561. PubMed-ID: 24661398
- Murata A, Okamoto K, Mayumi T, Muramatsu K, Matsuda S (2014). The recent time trend of outcomes of disseminated intravascular coagulation in Japan: an observational study based on a national administrative database. *J Thromb Thrombolysis*. 2014; 38 (3): 364-371. PubMed-ID: 24823684. DOI 10.1007/s11239-014-1068-3
- Nagasako EM, Reidhead M, Waterman B, Dunagan WC (2014). Adding socioeconomic data to hospital readmissions calculations may produce more useful results. *Health Aff (Millwood)*. 2014; 33 (5): 786-791. PubMed-ID: 24799575. DOI 10.1377/hlthaff.2013.1148
- Newman D, Herrera C-N, Parente ST (2014). Overcoming barriers to a research-ready national commercial claims database. *Am J Manag Care*. 2014; 20 (11 Spec No. 17): 30. PubMed-ID: 25811816
- Nimptsch U, Mansky T (2014). Stroke unit care and trends of in-hospital mortality for stroke in Germany 2005-2010. *Int J Stroke*. 2014; 9 (3): 260-265. PubMed-ID: 24206775. DOI 10.1111/ijs.12193
- Nouraei, S A R, Hudovsky A, Frampton AE, Mufti U, White NB, Wathen CG, Sandhu GS, Darzi A (2014). A Study of Clinical Coding Accuracy in Surgery: Implications for the Use of Administrative Big Data for Outcomes Management. *Ann. Surg*. 2014. PubMed-ID: 25470740. DOI 10.1097/SLA.0000000000000851

- Nüllmann H, Pflug MA, Wesemann T, Heppner H-J, Pientka L, Thiem U (2014). External validation of the CURSI criteria (confusion, urea, respiratory rate and shock index) in adults hospitalised for community-acquired pneumonia. *BMC Infect. Dis.* 2014; 14: 39. PubMed-ID: 24447823. DOI 10.1186/1471-2334-14-39
- Ohlmeier C, Frick J, Prütz F, Lampert T, Ziese T, Mikolajczyk R, Garbe E (2014). Nutzungsmöglichkeiten von Routinedaten der Gesetzlichen Krankenversicherung in der Gesundheitsberichterstattung des Bundes. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 2014; 57 (4): 464-472. PubMed-ID: 24658676. DOI 10.1007/s00103-013-1912-1
- Onukwugha E, Yong C, Hussain A, Seal B, Mullins CD (2014). Concordance between administrative claims and registry data for identifying metastasis to the bone: an exploratory analysis in prostate cancer. *BMC Med Res Methodol.* 2014; 14: 1. PubMed-ID: 24383436. DOI 10.1186/1471-2288-14-1
- Osnabrugge RL, Speir AM, Head SJ, Fonner CE, Fonner E, Kappetein AP, Rich JB (2014). Performance of EuroSCORE II in a large US database: implications for transcatheter aortic valve implantation. *Eur J Cardiothorac Surg.* 2014; 46 (3): 400. PubMed-ID: 24574449. DOI 10.1093/ejcts/ezu033
- Overman RA, Freburger JK, Assimon MM, Li X, Brookhart MA (2014). Observation stays in administrative claims databases: underestimation of hospitalized cases. *Pharmacoepidemiol Drug Saf.* 2014; 23 (9): 902-910. PubMed-ID: 24866538. DOI 10.1002/pds.3647
- Oyen J, Diamantopoulos AP, Haugeberg G (2014). Mortality after distal radius fracture in men and women aged 50 years and older in southern Norway. *PLoS One.* 2014; 9 (11): e112098. PubMed-ID: 25380128. DOI 10.1371/journal.pone.0112098
- Pagano D, Gale CP (2014). The death of administrative data for benchmarking cardiothoracic mortality? *Heart.* 2014; 100 (9): 680-682. PubMed-ID: 24534798. DOI 10.1136/heartjnl-2013-305125
- Pagel C, Crowe S, Brown K, Utley M (2014). The benefits and risks of risk-adjustment in paediatric cardiac surgery. *Heart.* 2014; 100 (7): 528-529. PubMed-ID: 24092056. DOI 10.1136/heartjnl-2013-304848
- Patterson JA, Roberts CL, Taylor LK, Ford JB (2014). Reporting postpartum haemorrhage with transfusion: a comparison of NSW birth and hospital data. *N S W Public Health Bull.* 2014; 24 (4): 153-158. PubMed-ID: 24939224. DOI 10.1071/NB13008
- Penn N, Oteng-Ntim E, Oakley LL, Doyle P (2014). Ethnic variation in stillbirth risk and the role of maternal obesity: analysis of routine data from a London maternity unit. *BMC Pregnancy Childbirth.* 2014; 14 (1): 404. PubMed-ID: 25481783. DOI 10.1186/s12884-014-0404-0
- Perry DC, Parsons N, Costa ML (2014). 'Big data' reporting guidelines: how to answer big questions, yet avoid big problems. *Bone Joint J.* 2014; 96-B (12): 1575-1577. PubMed-ID: 25452357. DOI 10.1302/0301-620X.96B12.35027

- Peschke D, Nimptsch U, Mansky T (2014). Umsetzung der Mindestmenvorgaben: Analyse der DRG-Daten. *Dtsch Arztebl Int.* 2014; 111: 556-563
- Pete Welch W, Stearns SC, Cuellar AE, Bindman AB (2014). Use of hospitalists by Medicare beneficiaries: a national picture. *Medicare Medicaid Res Rev.* 2014; 4 (2). PubMed-ID: 24967149. DOI 10.5600/mmrr2014-004-02-b01
- Quaresma M, Coleman MP, Rachet B (2014). Funnel plots for population-based cancer survival: principles, methods and applications. *Stat Med.* 2014; 33 (6): 1070-1080. PubMed-ID: 24038332. DOI 10.1002/sim.5953
- Quffa L, Iqbal J, Sultan A, Hall IR, Morton A, Gunn J, Teare D (2014). Risk Scoring Systems for PCI: Need for Geographical Validation and Temporal Calibration. *Heart.* 2014; 100 (Suppl 3): A41. DOI 10.1136/heartjnl-2014-306118.70
- Rana S, Tran T, Luo W, Phung D, Kennedy RL, Venkatesh S (2014). Predicting unplanned readmission after myocardial infarction from routinely collected administrative hospital data. *Aust Health Rev.* 2014; 38 (4): 377-382. PubMed-ID: 25001433. DOI 10.1071/AH14059
- Ratzinger F, Dedeyan M, Rammerstorfer M, Perkmann T, Burgmann H, Makristathis A, Dorffner G, Lotsch F, Blacky A, Ramharter M (2014). A risk prediction model for screening bacteremic patients: a cross sectional study. *PLoS ONE.* 2014; 9 (9): e106765. PubMed-ID: 25184209. DOI 10.1371/journal.pone.0106765
- Renzi C, Asta F, Fusco D, Agabiti N, Davoli M, Perucci CA (2014). Does public reporting improve the quality of hospital care for acute myocardial infarction? Results from a regional outcome evaluation program in Italy. *Int J Qual Health Care.* 2014; 26 (3): 223-230. PubMed-ID: 24737832. DOI 10.1093/intqhc/mzu041
- Rhee C, Gohil S, Klompas M (2014). Regulatory Mandates for Sepsis Care — Reasons for Caution. *N Engl J Med.* 2014; 370 (18): 1673-1676. DOI 10.1056/NEJMp1400276
- Riippa I, Kahilakoski O-P, Linna M, Hietala M (2014). Can complex health interventions be evaluated using routine clinical and administrative data? - a realist evaluation approach. *J Eval Clin Pract.* 2014; 20 (6): 1129-1136. PubMed-ID: 24840301. DOI 10.1111/jep.12175
- Robinson JC, Brown TT (2014). Quantifying opportunities for hospital cost control: medical device purchasing and patient discharge planning. *Am J Manag Care.* 2014; 20 (9): 24. PubMed-ID: 25364878
- Root ED, Thomas, Deborah S K, Campagna EJ, Morrato EH (2014). Adjusting for geographic variation in observational comparative effectiveness studies: a case study of antipsychotics using state Medicaid data. *BMC Health Serv Res.* 2014; 14: 355. PubMed-ID: 25164423. DOI 10.1186/1472-6963-14-355
- Rothberg MB, Pekow PS, Priya A, Zilberberg MD, Belforti R, Skiest D, Lagu T, Higgins TL, Lindenauer PK (2014). Using highly detailed administrative data to predict pneumonia mortality. *PLoS ONE.* 2014; 9 (1): e87382. PubMed-ID: 24498090. DOI 10.1371/journal.pone.0087382

- Russell HV, Okcu MF, Kamdar K, Shah MD, Kim E, Swint JM, Chan W, Du XL, Franzini L, Ho V (2014). Algorithm for analysis of administrative pediatric cancer hospitalization data according to indication for admission. *BMC Med Inform Decis Mak.* 2014; 14: 88. PubMed-ID: 25274165. DOI 10.1186/1472-6947-14-88
- Rybnicek DA, Hathorn KE, Pfaff ER, Bulsiewicz WJ, Shaheen NJ, Dellon ES (2014). Administrative coding is specific, but not sensitive, for identifying eosinophilic esophagitis. *Dis Esophagus.* 2014; 27 (8): 703-708. PubMed-ID: 24215617. DOI 10.1111/dote.12141
- Sacks GD, Dawes AJ, Russell MM, Lin AY, Maggard-Gibbons M, Winograd D, Chung HR, Tomlinson J, Tillou A, Shew SB, Hiyama DT, Cryer HG, Brunicaardi FC, Hiatt JR, Ko C (2014). Evaluation of hospital readmissions in surgical patients: do administrative data tell the real story? *JAMA Surg.* 2014; 149 (8): 759-764. PubMed-ID: 24920156. DOI 10.1001/jamasurg.2014.18
- Saia M, Buja A, Mantoan D, Bertoncello C, Baldovin T, Callegaro G, Baldo V (2014). Frequency and trends of hospital discharges against medical advice (DAMA) in a large administrative database. *Ann. Ist. Super. Sanita.* 2014; 50 (4): 357-362. PubMed-ID: 25522077. DOI 10.4415/ANN_14_04_11
- Sarfati D, Gurney J, Stanley J, Salmond C, Crampton P, Dennett E, Koea J, Pearce N (2014). Cancer-specific administrative data-based comorbidity indices provided valid alternative to Charlson and National Cancer Institute Indices. *J Clin Epidemiol.* 2014; 67 (5): 586-595. PubMed-ID: 24582212. DOI 10.1016/j.jclinepi.2013.11.012
- Sasaki N, Kunisawa S, Otsubo T, Ikai H, Fushimi K, Yasumura Y, Kimura T, Imanaka Y (2014). The relationship between the number of cardiologists and clinical practice patterns in acute heart failure: a cross-sectional observational study. *BMJ Open.* 2014; 4 (12): e005988. PubMed-ID: 25550294. DOI 10.1136/bmjopen-2014-005988
- Sauer K, Barkmann C, Klasen F, Bullinger M, Glaeske G, Ravens-Sieberer U (2014). How often do German children and adolescents show signs of common mental health problems? Results from different methodological approaches--a cross-sectional study. *BMC Public Health.* 2014; 14: 229. PubMed-ID: 24597565. DOI 10.1186/1471-2458-14-229
- Schafer I, Kaduskiewicz H, Wagner H-O, Schon G, Scherer M, van den Bussche H (2014). Reducing complexity: a visualisation of multimorbidity by combining disease clusters and triads. *BMC Public Health.* 2014; 14: 1285. PubMed-ID: 25516155. DOI 10.1186/1471-2458-14-1285
- Scheu C (2014). Neuanfang in Sicht. Qualitätsindikatoren aus Routinedaten sinnvoll einsetzen. *KU Gesundheitsmanagement.* 2014; 83 (7): 64-66
- Scheu C, Stausberg J, Jungen T (2014). Vulnerable Patienten und Qualitätssteuerung im Gesundheitswesen. Risiken und Chancen des Einsatzes von Qualitätsindikatoren aus Routinedaten. *das Krankenhaus.* 2014; 106(12): 1179-1182
- Schlomer BJ, Copp HL (2014). Secondary data analysis of large data sets in urology: successes and errors to avoid. *J. Urol.* 2014; 191 (3): 587-596. PubMed-ID: 24140846. DOI 10.1016/j.juro.2013.09.091

- Schmitt J, Scriba PC (2014). Qualitätsmedizin braucht Qualitätsforschung: Sind wir bereit? Z Evid Fortbild Qual Gesundheitswes. 2014; 108 (8-9): 453-455. PubMed-ID: 25523842. DOI 10.1016/j.zefq.2014.10.006
- Setoguchi S, Zhu Y, Jalbert JJ, Williams LA, Chen C-Y (2014). Validity of deterministic record linkage using multiple indirect personal identifiers: linking a large registry to claims data. Circ Cardiovasc Qual Outcomes. 2014; 7 (3): 475-480. PubMed-ID: 24755909. DOI 10.1161/CIRCOUTCOMES.113.000294
- Shahraz S, Lagu T, Ritter GA, Liu X, Tompkins C (2014). Use of Systematic Methods to Improve Disease Identification in Administrative Data: The Case of Severe Sepsis. Med Care. 2014. PubMed-ID: 25122529. DOI 10.1097/MLR.0000000000000156
- Shiff NJ, Jama S, Boden C, Lix LM (2014). Validation of administrative health data for the pediatric population: a scoping review. BMC Health Serv Res. 2014; 14: 236. PubMed-ID: 24885035. DOI 10.1186/1472-6963-14-236
- Si D, Rajmohan M, Lakhan P, Marquess J, Coulter C, Paterson D (2014). Surgical site infections following coronary artery bypass graft procedures: 10 years of surveillance data. BMC Infect. Dis. 2014; 14: 318. PubMed-ID: 24916690. DOI 10.1186/1471-2334-14-318
- Simas, Tiffany A Moore, Magee BD, Delpapa E (2014). Doing the best with what we have: we need better: informing obstetric policy with administrative data. Med Care. 2014; 52 (1): 1-3. PubMed-ID: 24316868. DOI 10.1097/MLR.0000000000000074
- Singh JA, Lu X, Ibrahim S, Cram P (2014). Trends in and disparities for acute myocardial infarction: an analysis of Medicare claims data from 1992 to 2010. BMC Med. 2014; 12 (1): 190. PubMed-ID: 25341547. DOI 10.1186/s12916-014-0190-6
- Sinha S, Ata Ozdemir B, Khalid U, Karthikesalingam A, Poloniecki JD, Thompson MM, Holt, P J E (2014). Failure-to-rescue and interprovider comparisons after elective abdominal aortic aneurysm repair. Br J Surg. 2014; 101 (12): 1541-1550. PubMed-ID: 25203630. DOI 10.1002/bjs.9633
- Sinha S, Karthikesalingam A, Poloniecki JD, Thompson MM, Holt PJ (2014). Inter-relationship of procedural mortality rates in vascular surgery in England: retrospective analysis of hospital episode statistics from 2005 to 2010. Circ Cardiovasc Qual Outcomes. 2014; 7 (1): 131-141. PubMed-ID: 24399331. DOI 10.1161/CIRCOUTCOMES.113.000579
- Siregar S, Pouw ME, Moons, K G M, Versteegh, M I M, Bots ML, van der Graaf, Y, Kalkman CJ, van Herwerden, L A, Groenwold, R H H (2014). The Dutch hospital standardised mortality ratio (HSMR) method and cardiac surgery: benchmarking in a national cohort using hospital administration data versus a clinical database. Heart. 2014; 100 (9): 702-710. PubMed-ID: 24334377. DOI 10.1136/heartjnl-2013-304645
- Slinin Y, Guo H, Li S, Liu J, Ensrud K, Gilbertson DT, Collins AJ, Ishani A (2014). Hemodialysis patient outcomes: provider characteristics. Am J Nephrol. 2014; 39 (5): 367-375. PubMed-ID: 24776789. DOI 10.1159/000362286
- Smith GCS (2014). Variation in caesarean section rates in the US: outliers, damned outliers, and statistics. PLoS Med. 2014; 11 (10): e1001746. PubMed-ID: 25334000. DOI 10.1371/journal.pmed.1001746

- Smith, Gordon C S, Seaman SR, Wood AM, Royston P, White IR (2014). Correcting for optimistic prediction in small data sets. *Am. J. Epidemiol.* 2014; 180 (3): 318-324. PubMed-ID: 24966219. DOI 10.1093/aje/kwu140
- Solomon PJ, Kasza J, Moran JL (2014). Identifying unusual performance in Australian and New Zealand intensive care units from 2000 to 2010. *BMC Med Res Methodol.* 2014; 14: 53. PubMed-ID: 24755369. DOI 10.1186/1471-2288-14-53
- Soo M, Robertson LM, Ali T, Clark LE, Fluck N, Johnston M, Marks A, Prescott GJ, Smith, William Cairns S, Black C (2014). Approaches to ascertaining comorbidity information: validation of routine hospital episode data with clinician-based case note review. *BMC Res Notes.* 2014; 7: 253. PubMed-ID: 24751124. DOI 10.1186/1756-0500-7-253
- Stargardt T, Schreyögg J, Kondofersky I (2014). Measuring the relationship between costs and outcomes: the example of acute myocardial infarction in German hospitals. *Health Econ.* 2014; 23 (6): 653-669. PubMed-ID: 23696223. DOI 10.1002/hec.2941
- Stevens JP, Kachniarz B, Wright SB, Gillis J, Talmor D, Clardy P, Howell MD (2014). When policy gets it right: variability in u.s. Hospitals' diagnosis of ventilator-associated pneumonia*. *Crit. Care Med.* 2014; 42 (3): 497-503. PubMed-ID: 24145845. DOI 10.1097/CCM.0b013e3182a66903
- Stevenson EK, Rubenstein AR, Radin GT, Wiener RS, Walkey AJ (2014). Two decades of mortality trends among patients with severe sepsis: a comparative meta-analysis*. *Crit. Care Med.* 2014; 42 (3): 625-631. PubMed-ID: 24201173. DOI 10.1097/CCM.0000000000000026
- Stock C, Uhlmann L, Hoffmeister M, Laux G, Kieser M, Brenner H (2014). Identification of physicians with unusual performance in screening colonoscopy databases: a Bayesian approach. *Gastrointest. Endosc.* 2014. PubMed-ID: 25523387. DOI 10.1016/j.gie.2014.09.049
- Stock S, Redaelli M, Simic D, Siegel M, Henschel F (2014). Risk factors for the prescription of potentially inappropriate medication (PIM) in the elderly. An analysis of sickness fund routine claims data from Germany. *Wien Klin Wochenschr.* 2014; 126 (19-20): 604-612. PubMed-ID: 25216754. DOI 10.1007/s00508-014-0589-2
- Strauß R, Ewig S, Richter K, König T, Heller G, Bauer TT (2014). The prognostic significance of respiratory rate in patients with pneumonia: a retrospective analysis of data from 705,928 hospitalized patients in Germany from 2010-2012. *Dtsch Arztebl Int.* 2014; 111 (29-30): 503. PubMed-ID: 25142073. DOI 10.3238/arztebl.2014.0503
- Swart E, Schmitt J (2014). STandardized Reporting Of Secondary data Analyses (STROSA) - Vorschlag für ein Berichtsformat für Sekundärdatenanalysen. *Z Evid Fortbild Qual Gesundheitswes.* 2014; 108 (8-9): 511-516. PubMed-ID: 25523850. DOI 10.1016/j.zefq.2014.08.022
- Talsma A, Jones K, Guo Y, Wilson D, Campbell DA (2014). The relationship between nurse staffing and failure to rescue: where does it matter most? *J Patient Saf.* 2014; 10 (3): 133-139. PubMed-ID: 23860195. DOI 10.1097/PTS.0b013e31829954e2

- Taneja C, Berger A, Inglese GW, Lamerato L, Sloand JA, Wolff GG, Sheehan M, Oster G (2014). Can dialysis patients be accurately identified using healthcare claims data? *Perit Dial Int.* 2014; 34 (6): 643-651. PubMed-ID: 24497600. DOI 10.3747/pdi.2012.00328
- Tang VL, Halm EA, Fine MJ, Johnson CS, Anzueto A, Mortensen EM (2014). Predictors of rehospitalization after admission for pneumonia in the veterans affairs healthcare system. *J Hosp Med.* 2014; 9 (6): 379-383. PubMed-ID: 24648401. DOI 10.1002/jhm.2184
- Thielscher C, Antoni B, Driedger J, Jacobi S, Krol B (2014). Geringe Korrelation von Krankenhausführern kann zu verwirrenden Ergebnissen führen. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik.* 2014; 19 (02): 65-69. DOI 10.1055/s-0033-1335362
- Thompson GC, Kisson N (2014). Sepsis in Canadian children: a national analysis using administrative data. *Clin Epidemiol.* 2014; 6: 461-469. PubMed-ID: 25525390. DOI 10.2147/CLEP.S72282
- Toussaint J, Shortell S, Mannon M (2014). Improving the value of healthcare delivery using publicly available performance data in Wisconsin and California. *Healthc (Amst).* 2014; 2 (2): 85-89. PubMed-ID: 26250373. DOI 10.1016/j.hjdsi.2014.01.002
- Tran T, Luo W, Phung D, Gupta S, Rana S, Kennedy RL, Larkins A, Venkatesh S (2014). A framework for feature extraction from hospital medical data with applications in risk prediction. *BMC Bioinformatics.* 2014; 15: 425. PubMed-ID: 25547173. DOI 10.1186/s12859-014-0425-8
- Uematsu H, Kunisawa S, Sasaki N, Ikai H, Imanaka Y (2014). Development of a risk-adjusted in-hospital mortality prediction model for community-acquired pneumonia: a retrospective analysis using a Japanese administrative database. *BMC Pulm Med.* 2014; 14: 203. PubMed-ID: 25514976. DOI 10.1186/1471-2466-14-203
- Vallipakorn SA-o, Plitapolkarnpim A, Suriyawongpaisal P, Techakamoluk P, Smith GA, Thakkinstian A (2014). Risk prediction score for death of traumatised and injured children. *BMC Pediatr.* 2014; 14: 60. PubMed-ID: 24575982. DOI 10.1186/1471-2431-14-60
- van Walraven C (2014). The Hospital-patient One-year Mortality Risk score accurately predicted long-term death risk in hospitalized patients. *J Clin Epidemiol.* 2014; 67 (9): 1025-1034. PubMed-ID: 24973823. DOI 10.1016/j.jclinepi.2014.05.003
- Varagunam M, Hutchings A, Black N (2014). Do patient-reported outcomes offer a more sensitive method for comparing the outcomes of consultants than mortality? A multilevel analysis of routine data. *BMJ Qual Saf.* 2014. PubMed-ID: 25368319. DOI 10.1136/bmjqs-2014-003551
- Vries S de, Jeffe DB, Davidson NO, Deshpande AD, Schootman M (2014). Postoperative 30-day mortality in patients undergoing surgery for colorectal cancer: development of a prognostic model using administrative claims data. *Cancer Causes Control.* 2014; 25 (11): 1503-1512. PubMed-ID: 25104569. DOI 10.1007/s10552-014-0451-x

- Wald R, Shariff SZ, Adhikari, Neill K J, Bagshaw SM, Burns, Karen E A, Friedrich JO, Garg AX, Harel Z, Kitchlu A, Ray JG (2014). The association between renal replacement therapy modality and long-term outcomes among critically ill adults with acute kidney injury: a retrospective cohort study*. *Crit. Care Med.* 2014; 42 (4): 868-877. PubMed-ID: 24275513. DOI 10.1097/CCM.0000000000000042
- Wasfy JH, Strom JB, O'Brien C, Zai AH, Luttrell J, Kennedy KF, Spertus JA, Zelevinsky K, Normand S-LT, Mauri L, Yeh RW (2014). Causes of short-term readmission after percutaneous coronary intervention. *Circ Cardiovasc Interv.* 2014; 7 (1): 97-103. PubMed-ID: 24425587. DOI 10.1161/CIRCINTERVENTIONS.113.000988
- Wenke A, Roeder N, Pühse G (2014). Geocoding von Routinedaten. Wo sind meine Zuweiser und was machen meine Mitbewerber. *Urologe A.* 2014.
- Widdifield J, Bombardier C, Bernatsky S, Paterson JM, Green D, Young J, Ivers N, Butt DA, Jaakkimainen RL, Thorne JC, Tu K (2014). An administrative data validation study of the accuracy of algorithms for identifying rheumatoid arthritis: the influence of the reference standard on algorithm performance. *BMC Musculoskelet Disord.* 2014; 15: 216. PubMed-ID: 24956925. DOI 10.1186/1471-2474-15-216
- Widdifield J, Bombardier C, Bernatsky S, Paterson JM, Green D, Young J, Ivers N, Butt DA, Jaakkimainen RL, Thorne JC, Tu K (2014). An administrative data validation study of the accuracy of algorithms for identifying rheumatoid arthritis: the influence of the reference standard on algorithm performance. *BMC Musculoskelet Disord.* 2014; 15: 216. PubMed-ID: 24956925. DOI 10.1186/1471-2474-15-216
- Wiedmann S, Heuschmann PU, Hillmann S, Busse O, Wiethölter H, Walter GM, Seidel G, Misselwitz B, Janssen A, Berger K, Burmeister C, Matthis C, Kolominsky-Rabas P, Hermaneks P (2014). The quality of acute stroke care- an analysis of evidence-based indicators in 260 000 patients. *Dtsch Arztebl Int.* 2014; 111 (45): 759-765. PubMed-ID: 25467052. DOI 10.3238/arztebl.2014.0759
- Willer C, Swart E (2014). Analyse von Versorgungsumfang und -qualität bei Arthrosepatienten anhand von GKV-Routinedaten. *Orthopade.* 2014; 43 (5): 462-466. PubMed-ID: 24818702. DOI 10.1007/s00132-014-2269-3
- Wu C-S, Lai M-S, Gau SS-F, Wang S-C, Tsai H-J (2014). Concordance between patient self-reports and claims data on clinical diagnoses, medication use, and health system utilization in Taiwan. *PLoS ONE.* 2014; 9 (12): e112257. PubMed-ID: 25464005. DOI 10.1371/journal.pone.0112257
- Yamana H, Matsui H, Sasabuchi Y, Fushimi K, Yasunaga H (2014). Categorized diagnoses and procedure records in an administrative database improved mortality prediction. *J Clin Epidemiol.* 2014. PubMed-ID: 25596112. DOI 10.1016/j.jclinepi.2014.12.004

2013

- Adler-Milstein J, Salzberg C, Franz C, Orav EJ, Bates DW (2013). The impact of electronic health records on ambulatory costs among Medicaid beneficiaries. *Medicare Medicaid Res Rev.* 2013; 3 (2). PubMed-ID: 24753965. DOI 10.5600/mmrr.003.02.a03
- Almoudaris AM, Burns EM, Bottle A, Aylin P, Darzi A, Vincent C, Faiz O (2013). Single measures of performance do not reflect overall institutional quality in colorectal cancer surgery. *Gut.* 2013; 62 (3): 423-429. PubMed-ID: 22345658. DOI 10.1136/gutjnl-2011-301489
- Ambroggio LV, Shah SS (2013). Administrative data: expanding the infrastructure for pediatric research. *J. Pediatr.* 2013; 162 (4): 681-684. PubMed-ID: 23196133. DOI 10.1016/j.jpeds.2012.10.040
- Aylin P, Alexandrescu R, Jen MH, Mayer EK, Bottle A (2013). Day of week of procedure and 30 day mortality for elective surgery: retrospective analysis of hospital episode statistics. *BMJ.* 2013; 346: f2424. PubMed-ID: 23716356
- Barber C, Lacaille D, Fortin PR (2013). Systematic review of validation studies of the use of administrative data to identify serious infections. *Arthritis Care Res (Hoboken).* 2013; 65 (8): 1343-1357. PubMed-ID: 23335588. DOI 10.1002/acr.21959
- Barry, Sarah J E, Dinnett E, Kean S, Gaw A, Ford I (2013). Are routinely collected NHS administrative records suitable for endpoint identification in clinical trials? Evidence from the West of Scotland Coronary Prevention Study. *PLoS ONE.* 2013; 8 (9): e75379. PubMed-ID: 24058681. DOI 10.1371/journal.pone.0075379
- Benchimol EI, Langan S, Guttman A (2013). Call to RECORD: the need for complete reporting of research using routinely collected health data. *J Clin Epidemiol.* 2013; 66 (7): 703-705. PubMed-ID: 23186992. DOI 10.1016/j.jclinepi.2012.09.006
- Bensley RP, Yoshida S, Lo RC, Fokkema M, Hamdan AD, Wyers MC, Chaikof EL, Schermerhorn ML (2013). Accuracy of administrative data versus clinical data to evaluate carotid endarterectomy and carotid stenting. *J. Vasc. Surg.* 2013; 58 (2): 412-419. PubMed-ID: 23490294. DOI 10.1016/j.jvs.2013.01.010
- Bernatsky S, Lix L, O'Donnell S, Lacaille D (2013). Consensus statements for the use of administrative health data in rheumatic disease research and surveillance. *J. Rheumatol.* 2013; 40 (1): 66-73. PubMed-ID: 23118109. DOI 10.3899/jrheum.120835
- Bertomeu V, Cequier A, Bernal JL, Alfonso F, Anguita MP, Muniz J, Barrabes JA, Garcia-Dorado D, Goicolea J, Elola FJ (2013). In-hospital mortality due to acute myocardial infarction. relevance of type of hospital and care provided. RECALCAR study. *Rev Esp Cardiol (Engl Ed).* 2013; 66 (12): 935-942. PubMed-ID: 24774106. DOI 10.1016/j.rec.2013.06.006
- Boss EF, Shah RK (2013). An overview of administrative and national survey databases for use in otolaryngology research. *Otolaryngol Head Neck Surg.* 2013; 148 (5): 711-716. PubMed-ID: 23447488. DOI 10.1177/0194599813479555
- Bottle A, Middleton S, Kalkman CJ, Livingston EH, Aylin P (2013). Global comparators project: international comparison of hospital outcomes using administrative data. *Health Serv*

- Res. 2013; 48 (6 Pt 1): 2081-2100. PubMed-ID: 23742025. DOI 10.1111/1475-6773.12074
- Bottle A, Sanders RD, Mozid A, Aylin P (2013). Provider profiling models for acute coronary syndrome mortality using administrative data. *Int. J. Cardiol.* 2013; 168 (1): 338-343. PubMed-ID: 23063211. DOI 10.1016/j.ijcard.2012.09.048
- Bozic KJ, Bashyal RK, Anthony SG, Chiu V, Shulman B, Rubash HE (2013). Is administratively coded comorbidity and complication data in total joint arthroplasty valid? *Clin. Orthop. Relat. Res.* 2013; 471 (1): 201-205. PubMed-ID: 22528384. DOI 10.1007/s11999-012-2352-1
- Campbell B, Stainthorpe AC, Longson CM (2013). How can we get high quality routine data to monitor the safety of devices and procedures? *BMJ.* 2013; 346: f2782. PubMed-ID: 23653341
- Carter P, Jarman B (2013). Who knew what, and when, at Mid Staffs? *BMJ.* 2013; 346: f726. PubMed-ID: 23390239
- Cascini S, Agabiti N, Incalzi RA, Pinnarelli L, Mayer F, Arcà M, Fusco D, Davoli M (2013). Pneumonia burden in elderly patients: a classification algorithm using administrative data. *BMC Infect. Dis.* 2013; 13: 559. PubMed-ID: 24274680. DOI 10.1186/1471-2334-13-559
- Cass AL, Kelly JW, Probst JC, Addy CL, McKeown RE (2013). Identification of device-associated infections utilizing administrative data. *Am J Infect Control.* 2013; 41 (12): 1195-1199. PubMed-ID: 23768437. DOI 10.1016/j.ajic.2013.03.295
- Chen LM, Staiger DO, Birkmeyer JD, Ryan AM, Zhang W, Dimick JB (2013). Composite quality measures for common inpatient medical conditions. *Med Care.* 2013; 51 (9): 832-837. PubMed-ID: 23942222. DOI 10.1097/MLR.0b013e31829fa92a
- Clement RC, Derman PB, Graham DS, Speck RM, Flynn DN, Levin LS, Fleisher LA (2013). Risk factors, causes, and the economic implications of unplanned readmissions following total hip arthroplasty. *J Arthroplasty.* 2013; 28 (8 Suppl): 7-10. PubMed-ID: 23953964. DOI 10.1016/j.arth.2013.04.055
- Coomer NM, McCall NT (2013). Examination of the accuracy of coding hospital-acquired pressure ulcer stages. *Medicare Medicaid Res Rev.* 2013; 3 (4). PubMed-ID: 24834362. DOI 10.5600/mmrr.003.04.b03
- Curtis JR, Chastek B, Becker L, Harrison DJ, Collier D, Yun H, Joseph GJ (2013). Further evaluation of a claims-based algorithm to determine the effectiveness of biologics for rheumatoid arthritis using commercial claims data. *Arthritis Res Ther.* 2013; 15 (2): 404. PubMed-ID: 23472737. DOI 10.1186/ar4161
- Delgado MK, Liu V, Pines JM, Kipnis P, Gardner MN, Escobar GJ (2013). Risk factors for unplanned transfer to intensive care within 24 hours of admission from the emergency department in an integrated healthcare system. *J Hosp Med.* 2013; 8 (1): 13-19. PubMed-ID: 23024040. DOI 10.1002/jhm.1979

- Dormuth CR, Hemmelgarn BR, Paterson JM, James MT, Teare GF, Raymond CB, Lafrance J-P, Levy A, Garg AX, Ernst P (2013). Use of high potency statins and rates of admission for acute kidney injury: multicenter, retrospective observational analysis of administrative databases. *BMJ*. 2013; 346: f880. PubMed-ID: 23511950
- Drahos J, Vanwormer JJ, Greenlee RT, Landgren O, Koshiol J (2013). Accuracy of ICD-9-CM codes in identifying infections of pneumonia and herpes simplex virus in administrative data. *Ann Epidemiol*. 2013; 23 (5): 291-293. PubMed-ID: 23522903. DOI 10.1016/j.annepidem.2013.02.005
- Eapen ZJ, Liang L, Fonarow GC, Heidenreich PA, Curtis LH, Peterson ED, Hernandez AF (2013). Validated, electronic health record deployable prediction models for assessing patient risk of 30-day rehospitalization and mortality in older heart failure patients. *JACC Heart Fail*. 2013; 1 (3): 245-251. PubMed-ID: 24621877. DOI 10.1016/j.jchf.2013.01.008
- Eijkenaar F (2013). Pay-for-Performance for Healthcare Providers. Design, performance measurement, and (unintended) effects. 2013.
- Evans TA, Seaton SE, Manktelow BN (2013). Quantifying the potential bias when directly comparing standardised mortality ratios for in-unit neonatal mortality. *PLoS ONE*. 2013; 8 (4): e61237. PubMed-ID: 23577213. DOI 10.1371/journal.pone.0061237
- Fan J, Arruda-Olson AM, Leibson CL, Smith C, Liu G, Bailey KR, Kullo IJ (2013). Billing code algorithms to identify cases of peripheral artery disease from administrative data. *J Am Med Inform Assoc*. 2013; 20 (e2): 54. PubMed-ID: 24166724. DOI 10.1136/amiajnl-2013-001827
- Farmer SA, Black B, Bonow RO (2013). Tension between quality measurement, public quality reporting, and pay for performance. *JAMA*. 2013; 309 (4): 349-350. PubMed-ID: 23340634. DOI 10.1001/jama.2012.191276
- Farmer SA, Black BS, Bonow RO (2013). Use of administrative data for public reporting of outcomes--reply. *JAMA*. 2013; 309 (19): 1992. PubMed-ID: 23677307. DOI 10.1001/jama.2013.4547
- Franchi C, Giussani G, Messina P, Montesano M, Romi S, Nobili A, Fortino I, Bortolotti A, Merlino L, Beghi E (2013). Validation of healthcare administrative data for the diagnosis of epilepsy. *J Epidemiol Community Health*. 2013; 67 (12): 1019-1024. PubMed-ID: 24022813. DOI 10.1136/jech-2013-202528
- Fritz Z, Malyon A, Frankau JM, Parker RA, Cohn S, Laroche CM, Palmer CR, Fuld JP (2013). The Universal Form of Treatment Options (UFTO) as an alternative to Do Not Attempt Cardiopulmonary Resuscitation (DNACPR) orders: a mixed methods evaluation of the effects on clinical practice and patient care. *PLoS ONE*. 2013; 8 (9): e70977. PubMed-ID: 24023718. DOI 10.1371/journal.pone.0070977
- Gaieski DF, Edwards JM, Kallan MJ, Carr BG (2013). Benchmarking the incidence and mortality of severe sepsis in the United States. *Crit. Care Med*. 2013; 41 (5): 1167-1174. PubMed-ID: 23442987. DOI 10.1097/CCM.0b013e31827c09f8

- Garland A, Olafson K, Ramsey CD, Yogendran M, Fransoo R (2013). Epidemiology of critically ill patients in intensive care units: a population-based observational study. *Crit Care*. 2013; 17 (5): R212. PubMed-ID: 24079640. DOI 10.1186/cc13026
- Gasevic D, Khan NA, Qian H, Karim S, Simkus G, Quan H, Mackay MH, O'Neill BJ, Ayyobi AF (2013). Outcomes following percutaneous coronary intervention and coronary artery bypass grafting surgery in Chinese, South Asian and White patients with acute myocardial infarction: administrative data analysis. *BMC Cardiovasc Disord*. 2013; 13: 121. PubMed-ID: 24369071. DOI 10.1186/1471-2261-13-121
- Gerhardt G, Yemane A, Hickman P, Oelschlaeger A, Rollins E, Brennan N (2013). Medicare readmission rates showed meaningful decline in 2012. *Medicare Medicaid Res Rev*. 2013; 3 (2). PubMed-ID: 24753966. DOI 10.5600/mmrr.003.02.b01
- Griffiths P, Jones S, Bottle A (2013). Is "failure to rescue" derived from administrative data in England a nurse sensitive patient safety indicator for surgical care? *Observational study*. *Int J Nurs Stud*. 2013; 50 (2): 292-300. PubMed-ID: 23195407. DOI 10.1016/j.ijnurstu.2012.10.016
- Häkkinen U, Iversen T, Peltola M, Seppälä TT, Malmivaara A, Belicza É, Fattore G, Numerato D, Heijink R, Medin E, Rehnberg C (2013). Health care performance comparison using a disease-based approach: the EuroHOPE project. *Health Policy*. 2013; 112 (1-2): 100-109. PubMed-ID: 23680074. DOI 10.1016/j.healthpol.2013.04.013
- Hartung DM, Middleton L, McFarland BH, Haxby DG, McDonagh MS, McConnell KJ (2013). Use of administrative data to identify off-label use of second-generation antipsychotics in a Medicaid population. *Psychiatr Serv*. 2013; 64 (12): 1236-1242. PubMed-ID: 23999754. DOI 10.1176/appi.ps.005482012
- Hickey GL, Grant SW, Caiado C, Kendall S, Dunning J, Poullis M, Buchan I, Bridgewater B (2013). Dynamic prediction modeling approaches for cardiac surgery. *Circ Cardiovasc Qual Outcomes*. 2013; 6 (6): 649-658. PubMed-ID: 24150044. DOI 10.1161/CIRCOUTCOMES.111.000012
- Hudson M, Avina-Zubieta A, Lacaille D, Bernatsky S, Lix L, Jean S (2013). The validity of administrative data to identify hip fractures is high--a systematic review. *J Clin Epidemiol*. 2013; 66 (3): 278-285. PubMed-ID: 23347851. DOI 10.1016/j.jclinepi.2012.10.004
- Ioannidis, John P A (2013). Are mortality differences detected by administrative data reliable and actionable? *JAMA*. 2013; 309 (13): 1410-1411. PubMed-ID: 23549588. DOI 10.1001/jama.2013.3150
- Jeschke E, Baberg HT, Dirschedl P, Heyde K, Levenson B, Malzahn J, Mansky T, Möckel M, Günster C (2013). Komplikationen und Folgeeingriffe nach koronaren Prozeduren in der klinischen Routine. *Dtsch. Med. Wochenschr*. 2013; 138 (12): 570-575. PubMed-ID: 23483416. DOI 10.1055/s-0032-1333012
- Jette N, Atwood K, Hamilton M, Hayward R, Day L, Mobach T, Maxwell C, Fortin CM, Fiebelkorn G, Barlow K, Shevell M, Kapral MK, Casha S, Johnston M, Wiebe S, Korngut L,

- Pringsheim T (2013). Linkage between neurological registry data and administrative data. *Can J Neurol Sci.* 2013; 40 (4 Suppl 2): 4. PubMed-ID: 23787264
- Kiivet R, Sund R, Linna M, Silverman B, Pisarev H, Friedman N (2013). Methodological challenges in international performance measurement using patient-level administrative data. *Health Policy.* 2013; 112 (1-2): 110-121. PubMed-ID: 23769506. DOI 10.1016/j.healthpol.2013.05.011
- Kim YH, Her AY (2013). Relationship between hospital volume and risk-adjusted mortality rate following percutaneous coronary intervention in Korea, 2003 to 2004. *Anadolu Kardiyol Derg.* 2013; 13 (3): 237-242. PubMed-ID: 23395704. DOI 10.5152/akd.2013.070
- Klein-Geltink J, Forte T, Rahal R, Darling G, Cheung W, Alvi R, Noonan G, Russell C, Vriends K, Niu J, Lockwood G, Bryant H (2013). New chart review data validate administrative data-based indicator for guideline-recommended treatment of locally advanced non-small-cell lung cancer and shed light on reasons for non-referral and non-treatment. *Curr Oncol.* 2013; 20 (2): 118-120. PubMed-ID: 23559875. DOI 10.3747/co.20.1351
- Knepper BC, Young H, Jenkins TC, Price CS (2013). Time-saving impact of an algorithm to identify potential surgical site infections. *Infect Control Hosp Epidemiol.* 2013; 34 (10): 1094-1098. PubMed-ID: 24018927. DOI 10.1086/673154
- Knight HE, Gurol-Urganci I, Mahmood TA, Templeton A, Richmond D, van der Meulen, Jan H, Cromwell DA (2013). Evaluating maternity care using national administrative health datasets: how are statistics affected by the quality of data on method of delivery? *BMC Health Serv Res.* 2013; 13: 200. PubMed-ID: 23721128. DOI 10.1186/1472-6963-13-200
- Kontos MC, Wang Y, Chaudhry SI, Vetrovec GW, Curtis J, Messenger J (2013). Lower hospital volume is associated with higher in-hospital mortality in patients undergoing primary percutaneous coronary intervention for ST-segment-elevation myocardial infarction: A report from the NCDR. *Circ Cardiovasc Qual Outcomes.* 2013; 6 (6): 659-667. PubMed-ID: 24192572. DOI 10.1161/CIRCOUTCOMES.113.000233
- Köpcke F, Lubgan D, Fietkau R, Scholler A, Nau C, Stürzl M, Croner R, Prokosch H-U, Toddenroth D (2013). Evaluating predictive modeling algorithms to assess patient eligibility for clinical trials from routine data. *BMC Med Inform Decis Mak.* 2013; 13: 134. PubMed-ID: 24321610. DOI 10.1186/1472-6947-13-134
- Kraut A, Fransoo R, Olafson K, Ramsey CD, Yogendran M, Garland A (2013). A population-based analysis of leaving the hospital against medical advice: incidence and associated variables. *BMC Health Serv Res.* 2013; 13: 415. PubMed-ID: 24119500. DOI 10.1186/1472-6963-13-415
- Langan SM, Benchimol EI, Guttman A, Moher D, Petersen I, Smeeth L, Sørensen HT, Stanley F, Elm E von (2013). Setting the RECORD straight: developing a guideline for the REporting of studies Conducted using Observational Routinely collected Data. *Clin Epidemiol.* 2013; 5: 29-31. PubMed-ID: 23413321. DOI 10.2147/CLEP.S36885
- Leak A, Mayer DK, Wyss A, Travers D, Waller A (2013). Why do cancer patients die in the emergency department? A analysis of 283 deaths in NC EDs. *Am J Hosp Palliat Care.* 2013; 30 (2): 178-182. PubMed-ID: 22556288. DOI 10.1177/1049909112445306

- Lee J, Morishima T, Kunisawa S, Sasaki N, Otsubo T, Ikai H, Imanaka Y (2013). Derivation and validation of in-hospital mortality prediction models in ischaemic stroke patients using administrative data. *Cerebrovasc. Dis.* 2013; 35 (1): 73-80. PubMed-ID: 23429000. DOI 10.1159/000346090
- Lix LM, Quail J, Fadahunsi O, Teare GF (2013). Predictive performance of comorbidity measures in administrative databases for diabetes cohorts. *BMC Health Serv Res.* 2013; 13: 340. PubMed-ID: 24059446. DOI 10.1186/1472-6963-13-340
- Lüring C, Freund A, Kirschner S, Günther K-P, Malzahn J, Günster C, Tingart M, Heller K-D, Niethard F-U (2013). Re-Evaluation des Krankenhausnavigators der AOK für das "QSR-Verfahren" unter besonderer Berücksichtigung des Themenschwerpunkts Knieendoprothetik. *Z Orthop Unfall.* 2013; 151 (4): 401-406. PubMed-ID: 23963987. DOI 10.1055/s-0033-1350627
- Mallow PJ, Pandya B, Horblyuk R, Kaplan HS (2013). Prevalence and cost of hospital medical errors in the general and elderly United States populations. *J Med Econ.* 2013; 16 (12): 1367-1378. PubMed-ID: 24063367. DOI 10.3111/13696998.2013.848210
- Mantke R, Becker A (2013). Qualitätssicherung mit Routinedaten (QSR) in der Allgemein- und Viszeralchirurgie am Beispiel von Kolon- und Hernienoperationen. *Zentralbl Chir.* 2013; 138 (2): 189-197. PubMed-ID: 22033887. DOI 10.1055/s-0031-1283774
- McCormack R, Michels R, Ramos N, Hutzler L, Slover JD, Bosco JA (2013). Thirty-day readmission rates as a measure of quality: causes of readmission after orthopedic surgeries and accuracy of administrative data. *J Healthc Manag.* 2013; 58 (1): 64. PubMed-ID: 23424819
- McGuire TG, Glazer J, Newhouse JP, Normand S-L, Shi J, Sinaiko AD, Zuvekas SH (2013). Integrating risk adjustment and enrollee premiums in health plan payment. *J Health Econ.* 2013; 32 (6): 1263-1277. PubMed-ID: 24308878. DOI 10.1016/j.jhealeco.2013.05.002
- McNeill L, English SW, Borg N, Matta BF, Menon DK (2013). Effects of institutional caseload of subarachnoid hemorrhage on mortality: a secondary analysis of administrative data. *Stroke.* 2013; 44 (3): 647-652. PubMed-ID: 23362086. DOI 10.1161/STROKEAHA.112.681254
- McPheeters ML, Sathe NA, Jerome RN, Carnahan RM (2013). Methods for systematic reviews of administrative database studies capturing health outcomes of interest. *Vaccine.* 2013; 31 Suppl 10: 6. PubMed-ID: 24331070. DOI 10.1016/j.vaccine.2013.06.048
- Meddings JA, Reichert H, Hofer T, McMahon LF (2013). Hospital report cards for hospital-acquired pressure ulcers: how good are the grades? *Ann. Intern. Med.* 2013; 159 (8): 505-513. PubMed-ID: 24126644. DOI 10.7326/0003-4819-159-8-201310150-00003
- Metcalfe A, Neudam A, Forde S, Liu M, Drosler S, Quan H, Jetté N (2013). Case definitions for acute myocardial infarction in administrative databases and their impact on in-hospital mortality rates. *Health Serv Res.* 2013; 48 (1): 290-318. PubMed-ID: 22742621. DOI 10.1111/j.1475-6773.2012.01440.x

- Metz TD, Stoddard GJ, Henry E, Jackson M, Holmgren C, Esplin S (2013). Simple, validated vaginal birth after cesarean delivery prediction model for use at the time of admission. *Obstet Gynecol.* 2013; 122 (3): 571-578. PubMed-ID: 23921867. DOI 10.1097/AOG.0b013e31829f8ced
- Mull HJ, Chen Q, O'Brien WJ, Shwartz M, Borzecki AM, Hanchate A, Rosen AK (2013). Comparing 2 methods of assessing 30-day readmissions: what is the impact on hospital profiling in the veterans health administration? *Med Care.* 2013; 51 (7): 589-596. PubMed-ID: 23604016. DOI 10.1097/MLR.0b013e31829019a4
- Nicholl J, Jacques RM, Campbell MJ (2013). Direct risk standardisation: a new method for comparing casemix adjusted event rates using complex models. *BMC Med Res Methodol.* 2013; 13: 133. PubMed-ID: 24168424. DOI 10.1186/1471-2288-13-133
- Noonan VK, Thorogood NP, Fingas M, Batke J, Bélanger L, Kwon BK, Dvorak MF (2013). The validity of administrative data to classify patients with spinal column and cord injuries. *J. Neurotrauma.* 2013; 30 (3): 173-180. PubMed-ID: 23002989. DOI 10.1089/neu.2012.2441
- O'Donnell BE, Schneider KM, Brooks JM, Lessman G, Wilwert J, Cook E, Martens G, Wright K, Chrischilles EA (2013). Standardizing Medicare payment information to support examining geographic variation in costs. *Medicare Medicaid Res Rev.* 2013; 3 (3). PubMed-ID: 24753972. DOI 10.5600/mmrr.003.03.a06
- Palmer WL, Bottle A, Davie C, Vincent CA, Aylin P (2013). Meeting the ambition of measuring the quality of hospitals' stroke care using routinely collected administrative data: a feasibility study. *Int J Qual Health Care.* 2013; 25 (4): 429-436. PubMed-ID: 23584363. DOI 10.1093/intqhc/mzt033
- Patrick SW, Davis MM, Sedman AB, Meddings JA, Hieber S, Lee GM, Stillwell TL, Chenoweth CE, Espinosa C, Schumacher RE (2013). Accuracy of hospital administrative data in reporting central line-associated bloodstream infections in newborns. *Pediatrics.* 2013; 131 Suppl 1: 80. PubMed-ID: 23457153. DOI 10.1542/peds.2012-1427i
- Perla RJ, Hohmann SF, Annis K (2013). Whole-patient measure of safety: using administrative data to assess the probability of highly undesirable events during hospitalization. *J Healthc Qual.* 2013; 35 (5): 20-31. PubMed-ID: 24004036. DOI 10.1111/jhq.12027
- Porter G, Urquhart R, Kendell C, Bu J, McConnell Y, Grunfeld E (2013). Timely access and quality of care in colorectal cancer: a population-based cohort study using administrative data. *BMC Res Notes.* 2013; 6: 355. PubMed-ID: 24010527. DOI 10.1186/1756-0500-6-355
- Poulose BK, Kaiser J, Beck WC, Jackson P, Nealon WH, Sharp KW, Holzman MD (2013). Disease-based mortality after percutaneous endoscopic gastrostomy: utility of the enterprise data warehouse. *Surg Endosc.* 2013; 27 (11): 4119-4123. PubMed-ID: 23836125. DOI 10.1007/s00464-013-3077-2
- Pouw ME, Peelen LM, Lingsma HF, Pieter D, Steyerberg E, Kalkman CJ, Moons, Karel G M (2013). Hospital standardized mortality ratio: consequences of adjusting hospital

- mortality with indirect standardization. PLoS ONE. 2013; 8 (4): e59160. PubMed-ID: 23593133. DOI 10.1371/journal.pone.0059160
- Quan H, Eastwood C, Cunningham CT, Liu M, Flemons W, Coster C de, Ghali WA (2013). Validity of AHRQ patient safety indicators derived from ICD-10 hospital discharge abstract data (chart review study). *BMJ Open*. 2013; 3 (10): e003716. PubMed-ID: 24114372. DOI 10.1136/bmjopen-2013-003716
- Ramalle-Gomara E, Ruiz E, Serrano M, Bartulos M, Gonzalez M-A, Matute B (2013). Validity of discharge diagnoses in the surveillance of stroke. *Neuroepidemiology*. 2013; 41 (3-4): 185-188. PubMed-ID: 24051447. DOI 10.1159/000354626
- Ramanathan R, Leavell P, Stockslager G, Mays C, Harvey D, Duane TM (2013). Validity of Agency for Healthcare Research and Quality Patient Safety Indicators at an academic medical center. *Am Surg*. 2013; 79 (6): 578-582. PubMed-ID: 23711266
- Salize HJ (2013). Routinedaten - Wer hat die Deutungshoheit? *Psychiatr Prax*. 2013; 40 (5): 241-243. PubMed-ID: 23817733. DOI 10.1055/s-0033-1343264
- Shorr AF, Myers DE, Huang DB, Nathanson BH, Emons MF, Kollef MH (2013). A risk score for identifying methicillin-resistant *Staphylococcus aureus* in patients presenting to the hospital with pneumonia. *BMC Infect. Dis*. 2013; 13: 268. PubMed-ID: 23742753. DOI 10.1186/1471-2334-13-268
- Sigakis, Matthew J G, Bittner EA, Wanderer JP (2013). Validation of a risk stratification index and risk quantification index for predicting patient outcomes: in-hospital mortality, 30-day mortality, 1-year mortality, and length-of-stay. *Anesthesiology*. 2013; 119 (3): 525-540. PubMed-ID: 23770598. DOI 10.1097/ALN.0b013e31829ce6e6
- Sridharan L, Klein L (2013). Prognostic factors in patients hospitalized for heart failure. *Curr Heart Fail Rep*. 2013; 10 (4): 380-386. PubMed-ID: 24122287. DOI 10.1007/s11897-013-0162-8
- Steventon A (2013). Making the best use of administrative data. The difficulty of teasing out demand and supply. *BMJ*. 2013; 346: f1284. PubMed-ID: 23447347
- Stivanello E, Rucci P, Carretta E, Pieri G, Fantini MP (2013). Risk adjustment for cesarean delivery rates: how many variables do we need? An observational study using administrative databases. *BMC Health Serv Res*. 2013; 13: 13. PubMed-ID: 23305225. DOI 10.1186/1472-6963-13-13
- Taylor P (2013). Standardized mortality ratios. *Int J Epidemiol*. 2013; 42 (6): 1882-1890. PubMed-ID: 24415623. DOI 10.1093/ije/dyt209
- Udelnow A, Schmidt A, Muche R, Henne-Bruns D, Wurl P, Lippert H (2013). Two-center observational study of the accuracy of a Bayes Network for short-term outcome prediction in cholecystectomy patients. *Dig Surg*. 2013; 30 (1): 28-34. PubMed-ID: 23594429. DOI 10.1159/000348670
- Utter GH, Cox GL, Owens PL, Romano PS (2013). Challenges and opportunities with ICD-10-CM/PCS: implications for surgical research involving administrative data. *J. Am. Coll.*

Surg. 2013; 217 (3): 516-526. PubMed-ID: 23891069. DOI
10.1016/j.jamcollsurg.2013.04.029

Utter GH, Romano PS (2013). Use of administrative data for public reporting of outcomes.
JAMA. 2013; 309 (19): 1991-1992. PubMed-ID: 23677306. DOI 10.1001/jama.2013.4544

Utter GH, Zrelak PA, Baron R, Tancredi DJ, Sadeghi B, Geppert JJ, Romano PS (2013). Detecting
postoperative hemorrhage or hematoma from administrative data: the performance of
the AHRQ Patient Safety Indicator. Surgery. 2013; 154 (5): 1117-1125. PubMed-ID:
24075277. DOI 10.1016/j.surg.2013.04.062

Wallmann R, Llorca J, Gómez-Acebo I, Ortega AC, Roldan FR, Dierssen-Sotos T (2013).
Prediction of 30-day cardiac-related-emergency-readmissions using simple
administrative hospital data. Int. J. Cardiol. 2013; 164 (2): 193-200. PubMed-ID:
21775001. DOI 10.1016/j.ijcard.2011.06.119

Whittaker S-A, Mikkelsen ME, Gaieski DF, Koshy S, Kean C, Fuchs BD (2013). Severe sepsis
cohorts derived from claims-based strategies appear to be biased toward a more
severely ill patient population. Crit. Care Med. 2013; 41 (4): 945-953. PubMed-ID:
23385099. DOI 10.1097/CCM.0b013e31827466f1

2012

- Alaghebandan R, Macdonald D, Barrett B, Collins K, Chen Y (2012). Using administrative databases in the surveillance of depressive disorders--case definitions. *Popul Health Manag.* 2012; 15 (6): 372-380. PubMed-ID: 22788998. DOI 10.1089/pop.2011.0084
- Anaya DA, Becker NS, Richardson P, Abraham NS (2012). Use of administrative data to identify colorectal liver metastasis. *J. Surg. Res.* 2012; 176 (1): 141-146. PubMed-ID: 21962740. DOI 10.1016/j.jss.2011.07.022
- Araújo I, Gonçalves-Pereira J, Teixeira S, Nazareth R, Silvestre J, Mendes V, Tapadinhas C, Póvoa P (2012). Assessment of risk factors for in-hospital mortality after intensive care unit discharge. *Biomarkers.* 2012; 17 (2): 180-185. PubMed-ID: 22324487. DOI 10.3109/1354750X.2012.654407
- Barker A, Mengersen K, Morton A (2012). What is the value of hospital mortality indicators, and are there ways to do better? *Aust Health Rev.* 2012; 36 (4): 374-377. PubMed-ID: 23116606. DOI 10.1071/AH11132
- Becker A (2012). Empfehlungen der GQMG zur Einführung eines Present-On-Admission-Kennzeichens (POA) für administrative Routinedaten in Krankenhäusern. *Z Evid Fortbild Qual Gesundhwes.* 2012; 106 (3): 231-232
- Brinkman S, Abu-Hanna A, van der Veen, André, Jonge E de, de Keizer, Nicolette F (2012). A comparison of the performance of a model based on administrative data and a model based on clinical data: effect of severity of illness on standardized mortality ratios of intensive care units. *Crit. Care Med.* 2012; 40 (2): 373-378. PubMed-ID: 21983367. DOI 10.1097/CCM.0b013e318232d7b0
- Campbell MJ, Jacques RM, Fotheringham J, Maheswaran R, Nicholl J (2012). Developing a summary hospital mortality index: retrospective analysis in English hospitals over five years. *BMJ.* 2012; 344: e1001. PubMed-ID: 22381521
- Chevreul K, Prigent A, Durand-Zaleski I, Steg PG (2012). Does lay media ranking of hospitals reflect lower mortality in treating acute myocardial infarction? *Arch Cardiovasc Dis.* 2012; 105 (10): 489-498. PubMed-ID: 23062480. DOI 10.1016/j.acvd.2012.05.007
- Colonna M, Mitton N, Schott A-M, Remontet L, Olive F, Gomez F, Iwaz J, Polazzi S, Bossard N, Trombert B (2012). Joint use of epidemiological and hospital medico-administrative data to estimate prevalence. Application to French data on breast cancer. *Cancer Epidemiol.* 2012; 36 (2): 116-121. PubMed-ID: 22204835. DOI 10.1016/j.canep.2011.12.001
- Drye EE, Normand S-LT, Wang Y, Ross JS, Schreiner GC, Han L, Rapp M, Krumholz HM (2012). Comparison of hospital risk-standardized mortality rates calculated by using in-hospital and 30-day models: an observational study with implications for hospital profiling. *Ann. Intern. Med.* 2012; 156 (1 Pt 1): 19-26. PubMed-ID: 22213491. DOI 10.7326/0003-4819-156-1-201201030-00004
- Duron VP, Monaghan SF, Connolly MD, Gregg SC, Stephen AH, Adams CA, Cioffi WG, Heffernan DS (2012). Undiagnosed medical comorbidities in the uninsured: a significant

- predictor of mortality following trauma. *J Trauma Acute Care Surg.* 2012; 73 (5): 1093. PubMed-ID: 23117376. DOI 10.1097/TA.0b013e31826fc844
- Fonarow GC, Pan W, Saver JL, Smith EE, Reeves MJ, Broderick JP, Kleindorfer DO, Sacco RL, Olson DM, Hernandez AF, Peterson ED, Schwamm LH (2012). Comparison of 30-day mortality models for profiling hospital performance in acute ischemic stroke with vs without adjustment for stroke severity. *JAMA.* 2012; 308 (3): 257-264. PubMed-ID: 22797643. DOI 10.1001/jama.2012.7870
- Freytag A (2012). Versorgungskosten von Rückenschmerzen und die Bedeutung der Schmerzchronifizierung - Ergebnisse einer GKV-Routinedatenanalyse. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik.* 2012; 17 (2): 79-82
- Gelman A, Hill J, Yajima M (2012). Why We (Usually) Don't Have to Worry About Multiple Comparisons. *J Res Educ Eff.* 2012; 5: 189-211
- Glance LG, Dick AW, Mukamel DB, Osler TM (2012). Association between trauma quality indicators and outcomes for injured patients. *Arch Surg.* 2012; 147 (4): 308-315. PubMed-ID: 22184132. DOI 10.1001/archsurg.2011.1327
- Holt, P J E, Poloniecki JD, Thompson MM (2012). Multicentre study of the quality of a large administrative data set and implications for comparing death rates. *Br J Surg.* 2012; 99 (1): 58-65. PubMed-ID: 21994091. DOI 10.1002/bjs.7680
- Kilgore ML, Smith W, Curtis JR, Morrissey MA, Becker DJ, Saag KG, Delzell E (2012). Evaluating comorbidity scores based on health service expenditures. *Medicare Medicaid Res Rev.* 2012; 2 (3). PubMed-ID: 24800145. DOI 10.5600/mmrr.002.03.a05
- King C, Garcia Alvarez L, Holmes A, Moore L, Galletly T, Aylin P (2012). Risk factors for healthcare-associated urinary tract infection and their applications in surveillance using hospital administrative data: a systematic review. *J. Hosp. Infect.* 2012; 82 (4): 219-226. PubMed-ID: 22704636. DOI 10.1016/j.jhin.2012.05.004
- Kristoffersen DT, Helgeland J, Clench-Aas J, Laake P, Veierød MB (2012). Comparing hospital mortality--how to count does matter for patients hospitalized for acute myocardial infarction (AMI), stroke and hip fracture. *BMC Health Serv Res.* 2012; 12: 364. PubMed-ID: 23088745. DOI 10.1186/1472-6963-12-364
- Lagu T, Rothberg MB, Shieh M-S, Pekow PS, Steingrub JS, Lindenauer PK (2012). Hospitalizations, costs, and outcomes of severe sepsis in the United States 2003 to 2007. *Crit. Care Med.* 2012; 40 (3): 754-761. PubMed-ID: 21963582. DOI 10.1097/CCM.0b013e318232db65
- Langford KM, Bottle A, Aylin PP, Ward H (2012). Using routine data to monitor inequalities in an acute trust: a retrospective study. *BMC Health Serv Res.* 2012; 12: 104. PubMed-ID: 22537019. DOI 10.1186/1472-6963-12-104
- Lawson EH, Louie R, Zingmond DS, Brook RH, Hall BL, Han L, Rapp M, Ko CY (2012). A comparison of clinical registry versus administrative claims data for reporting of 30-day surgical complications. *Ann. Surg.* 2012; 256 (6): 973-981. PubMed-ID: 23095667. DOI 10.1097/SLA.0b013e31826b4c4f

- Lenzen S, Becker A, Beck U (2012). Qualitätssicherung mit Routinedaten (QSR) im Pflegemanagement. *Pflegewissenschaft*. 2012; 14 (10): 542-547
- Li X, Hilsden R, Hossain S, Fleming J, Winget M (2012). Validation of administrative data sources for endoscopy utilization in colorectal cancer diagnosis. *BMC Health Serv Res*. 2012; 12: 358. PubMed-ID: 23062117. DOI 10.1186/1472-6963-12-358
- Lovaglio PG (2012). Patient safety analysis linking claims and administrative data. *Int J Health Care Qual Assur*. 2012; 25 (8): 698-711. PubMed-ID: 23276063. DOI 10.1108/09526861211270640
- Mansky T, Robra BT, Schubert I (2012). Vorhandene Daten besser nutzen. *Deutsches Ärzteblatt*. 2012; 109 (21): 1082-1085
- McCormick TH, Raftery AE, Madigan D, Burd RS (2012). Dynamic logistic regression and dynamic model averaging for binary classification. *Biometrics*. 2012; 68 (1): 23-30. PubMed-ID: 21838812. DOI 10.1111/j.1541-0420.2011.01645.x
- Mitchell JM (2012). Linkages between utilization of prostate surgical pathology services and physician self-referral. *Medicare Medicaid Res Rev*. 2012; 2 (3). PubMed-ID: 24800147. DOI 10.5600/mmrr.002.03.a02
- Mohammed MA, Manktelow BN, Hofer TP (2012). Comparison of four methods for deriving hospital standardised mortality ratios from a single hierarchical logistic regression model. *Stat Methods Med Res*. 2012. PubMed-ID: 23136148. DOI 10.1177/0962280212465165
- Moons, Karel G M, Kengne AP, Grobbee DE, Royston P, Vergouwe Y, Altman DG, Woodward M (2012). Risk prediction models: II. External validation, model updating, and impact assessment. *Heart*. 2012; 98 (9): 691-698. PubMed-ID: 22397946. DOI 10.1136/heartjnl-2011-301247
- Moons, Karel G M, Kengne AP, Woodward M, Royston P, Vergouwe Y, Altman DG, Grobbee DE (2012). Risk prediction models: I. Development, internal validation, and assessing the incremental value of a new (bio)marker. *Heart*. 2012; 98 (9): 683-690. PubMed-ID: 22397945. DOI 10.1136/heartjnl-2011-301246
- Nadpara PA, Madhavan SS (2012). Linking Medicare, Medicaid, and cancer registry data to study the burden of cancers in West Virginia. *Medicare Medicaid Res Rev*. 2012; 2 (4). PubMed-ID: 24800152. DOI 10.5600/mmrr.002.04.a01
- Nimptsch U, Mansky T (2012). Trends in acute inpatient stroke care in Germany--an observational study using administrative hospital data from 2005-2010. *Dtsch Arztebl Int*. 2012; 109 (51-52): 885-892. PubMed-ID: 23372612. DOI 10.3238/arztebl.2012.0885
- Ronksley PE, Tonelli M, Quan H, Manns BJ, James MT, Clement FM, Samuel S, Quinn RR, Ravani P, Brar SS, Hemmelgarn BR (2012). Validating a case definition for chronic kidney disease using administrative data. *Nephrol Dial Transplant*. 2012; 27 (5): 1826-1831. PubMed-ID: 22015442. DOI 10.1093/ndt/gfr598
- Schütze B (2012). Nutzung medizinischer Routinedaten außerhalb der Patientenversorgung - Königsweg Pseudonymisierung. *Dtsch Med Wochenschr*. 2012; 137 (16): 844-850

- Shahian DM, Iezzoni LI, Meyer GS, Kirle L, Normand S-LT (2012). Hospital-wide mortality as a quality metric: conceptual and methodological challenges. *Am J Med Qual.* 2012; 27 (2): 112-123. PubMed-ID: 21918014. DOI 10.1177/1062860611412358
- Sharabiani, Mansour T A, Aylin P, Bottle A (2012). Systematic review of comorbidity indices for administrative data. *Med Care.* 2012; 50 (12): 1109-1118. PubMed-ID: 22929993. DOI 10.1097/MLR.0b013e31825f64d0
- Subramanian S, Tangka FKL, Sabatino SA, Howard D, Richardson LC, Haber S, Halpern MT, Hoover S (2012). Impact of chronic conditions on the cost of cancer care for Medicaid beneficiaries. *Medicare Medicaid Res Rev.* 2012; 2 (4). PubMed-ID: 24800160. DOI 10.5600/mmrr.002.04.a07
- Tobin AE, Santamaria JD (2012). Medical emergency teams are associated with reduced mortality across a major metropolitan health network after two years service: a retrospective study using government administrative data. *Crit Care.* 2012; 16 (5): R210. PubMed-ID: 23107123. DOI 10.1186/cc11843
- Unrath M, Kalic M, Berger K (2012). Liegezeit von Patienten mit ischämischem Hirninfarkt: 10-Jahres-Trends und Analyse der Einflussfaktoren. *Dtsch Med Wochenschr.* 2012; 137 (34/35): 1683-1688
- van Walraven C, Austin P (2012). Administrative database research has unique characteristics that can risk biased results. *J Clin Epidemiol.* 2012; 65 (2): 126-131. PubMed-ID: 22075111. DOI 10.1016/j.jclinepi.2011.08.002
- van Walraven C, Wong J, Forster AJ (2012). Derivation and validation of a diagnostic score based on case-mix groups to predict 30-day death or urgent readmission. *Open Med.* 2012; 6 (3): e90-e100. PubMed-ID: 23687525
- van Walraven C, Wong J, Forster AJ (2012). LACE+ index: extension of a validated index to predict early death or urgent readmission after hospital discharge using administrative data. *Open Med.* 2012; 6 (3): 90. PubMed-ID: 23696773
- Vogtmann C, Koch R, Gmyrek D, Kaiser A, Friedrich A (2012). Risk-adjusted intraventricular hemorrhage rates in very premature infants: towards quality assurance between neonatal units. *Dtsch Arztebl Int.* 2012; 109 (31-32): 527-533. PubMed-ID: 23049648. DOI 10.3238/arztebl.2012.0527

2011

- Alexandrescu R, Jen M-H, Bottle A, Jarman B, Aylin P (2011). Logistic versus hierarchical modeling: an analysis of a statewide inpatient sample. *J. Am. Coll. Surg.* 2011; 213 (3): 392-401. PubMed-ID: 21784667. DOI 10.1016/j.jamcollsurg.2011.06.423
- Amann C (2011). Unerwünschte Arzneimittelereignisse (UAE) in den Routinedaten deutscher Krankenhäuser. Nutzbarkeit der InEK-Daten für Fragen der Versorgungsforschung. *das Krankenhaus.* 2011; 103 (3): 236-239
- Barker AL, Brand CA, Evans SM, Cameron PA, Jolley DJ (2011). "Death in low-mortality diagnosis-related groups": frequency, and the impact of patient and hospital characteristics. *Med. J. Aust.* 2011; 195 (2): 89-94. PubMed-ID: 21770881
- Benchimol EI, Manuel DG, To T, Griffiths AM, Rabeneck L, Guttman A (2011). Development and use of reporting guidelines for assessing the quality of validation studies of health administrative data. *J Clin Epidemiol.* 2011; 64 (8): 821-829. PubMed-ID: 21194889. DOI 10.1016/j.jclinepi.2010.10.006
- Bottle A, Aylin P (2011). Comorbidity scores for administrative data benefited from adaptation to local coding and diagnostic practices. *J Clin Epidemiol.* 2011; 64 (12): 1426-1433. PubMed-ID: 21764557. DOI 10.1016/j.jclinepi.2011.04.004
- Bowles D (2011). Gesundheitsbezogene Versorgungsforschung mit GKV-Routinedaten - Grenzen am Beispiel der Prophylaxe venöser Thromboembolien in der Hüft- und Kniegelenkendoprothetik. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik.* 2011; 16 (2): 96-107
- Bratzler DW, Normand S-LT, Wang Y, O'Donnell WJ, Metersky M, Han LF, Rapp MT, Krumholz HM (2011). An administrative claims model for profiling hospital 30-day mortality rates for pneumonia patients. *PLoS ONE.* 2011; 6 (4): e17401. PubMed-ID: 21532758. DOI 10.1371/journal.pone.0017401
- Camberlin C, Vrijens F, Gauquier K de, Devriese S, Van De Sande, Stefaan (2011). Provider volume and short term complications after elective total hip replacement: an analysis of Belgian administrative data. *Acta Orthop Belg.* 2011; 77 (3): 311-319. PubMed-ID: 21845998
- Chen AY, Colantonio A (2011). Defining neurotrauma in administrative data using the International Classification of Diseases Tenth Revision. *Emerg Themes Epidemiol.* 2011; 8 (1): 4. PubMed-ID: 21569640. DOI 10.1186/1742-7622-8-4
- Chong WF, Ding YY, Heng BH (2011). A comparison of comorbidities obtained from hospital administrative data and medical charts in older patients with pneumonia. *BMC Health Serv Res.* 2011; 11: 105. PubMed-ID: 21586172. DOI 10.1186/1472-6963-11-105
- Di Bartolomeo S, Ventura C, Marino M, Chierigato A, Gambale G, Fabbri A, Volpi A, Palma R de (2011). Is the TMPM-ICD9 revolution in trauma risk-adjustment compatible with imperfect administrative coding? *Accid Anal Prev.* 2011; 43 (6): 1955-1959. PubMed-ID: 21819823. DOI 10.1016/j.aap.2011.05.013

- Ekundayo OJ, Vassar SD, Williams LS, Bravata DM, Cheng EM (2011). Using administrative databases to calculate Framingham scores within a large health care organization. *Stroke*. 2011; 42 (7): 1982-1987. PubMed-ID: 21546488. DOI 10.1161/STROKEAHA.110.603340
- Goldman LE, Chu PW, Osmond D, Bindman A (2011). The accuracy of present-on-admission reporting in administrative data. *Health Serv Res*. 2011; 46 (6pt1): 1946-1962. PubMed-ID: 22092023. DOI 10.1111/j.1475-6773.2011.01300.x
- Helmer D, Tseng C-L, Wrobel J, Tiwari A, Rajan M, Pogach L, Sambamoorthi U, Feinglass J (2011). Assessing the risk of lower extremity amputations using an administrative data-based foot risk index in elderly patients with diabetes. *J Diabetes*. 2011; 3 (3): 248-255. PubMed-ID: 21631901. DOI 10.1111/j.1753-0407.2011.00135.x
- Hernandez AF, Fonarow GC, Liang L, Heidenreich PA, Yancy C, Peterson ED (2011). The need for multiple measures of hospital quality: results from the Get with the Guidelines-Heart Failure Registry of the American Heart Association. *Circulation*. 2011; 124 (6): 712-719. PubMed-ID: 21788585. DOI 10.1161/CIRCULATIONAHA.111.026088
- Janakiraman V, Lazar J, Joynt KE, Jha AK (2011). Hospital volume, provider volume, and complications after childbirth in U.S. hospitals. *Obstet Gynecol*. 2011; 118 (3): 521-527. PubMed-ID: 21826039. DOI 10.1097/AOG.0b013e31822a65e4
- Januel J-M, Luthi J-C, Quan H, Borst F, Taffé P, Ghali WA, Burnand B (2011). Improved accuracy of co-morbidity coding over time after the introduction of ICD-10 administrative data. *BMC Health Serv Res*. 2011; 11: 194. PubMed-ID: 21849089. DOI 10.1186/1472-6963-11-194
- Johnson MT, Reichley R, Hoppe-Bauer J, Dunne WM, Micek S, Kollef M (2011). Impact of previous antibiotic therapy on outcome of Gram-negative severe sepsis. *Crit. Care Med*. 2011; 39 (8): 1859-1865. PubMed-ID: 21499086. DOI 10.1097/CCM.0b013e31821b85f4
- Krahwinkel W, Rink O, Liebetrau M, Günther M, Schuler E, Kuhlen R (2011). 10 Jahre Peer Review - Verbesserung der medizinischen Behandlung durch Qualitätsindikatoren aus Routinedaten. *Dtsch. Med. Wochenschr*. 2011; 136 (41): 2083-2088. PubMed-ID: 21922452. DOI 10.1055/s-0031-1272577
- Lagoe RJ, Johnson PE, Murphy MP (2011). Inpatient hospital complications and lengths of stay: a short report. *BMC Res Notes*. 2011; 4: 135. PubMed-ID: 21545741. DOI 10.1186/1756-0500-4-135
- Lagu T, Lindenauer PK, Rothberg MB, Nathanson BH, Pekow PS, Steingrub JS, Higgins TL (2011). Development and validation of a model that uses enhanced administrative data to predict mortality in patients with sepsis. *Crit. Care Med*. 2011; 39 (11): 2425-2430. PubMed-ID: 22005222. DOI 10.1097/CCM.0b013e31822572e3
- Laux G, Nothacker M, Weinbrenner S, Störk S, Blozik E, Peters-Klimm F, Szecsenyi J, Scherer M (2011). Nutzung von Routinedaten zur Einschätzung der Versorgungsqualität: Eine kritische Beurteilung am Beispiel von Qualitätsindikatoren für die "Nationale Versorgungsleitlinie Chronische Herzinsuffizienz". *Z Evid Fortbild Qual Gesundhwes*. 2011; 105 (1): 21-26. PubMed-ID: 21382601. DOI 10.1016/j.zefq.2010.08.005

- Lazzarino AI, Palmer W, Bottle A, Aylin P (2011). Inequalities in stroke patients' management in English public hospitals: a survey on 200,000 patients. *PLoS ONE*. 2011; 6 (3): e17219. PubMed-ID: 21399683. DOI 10.1371/journal.pone.0017219
- Levenson D (2011). State administrative data can aid long-term newborn follow-up, researchers report. *Am. J. Med. Genet. A*. 2011; 155A (9): vii-viii. PubMed-ID: 21853526. DOI 10.1002/ajmg.a.34265
- Maass C, Schleiz W, Weyermann M, Drösler SE (2011). Krankenhaus-Routinedaten zur externen Qualitätssicherung? Vergleich von Qualitätsindikatoren anhand der Daten der gesetzlichen externen Qualitätssicherung (BQS) und Routinedaten. *Dtsch. Med. Wochenschr.* 2011; 136 (9): 409-414. PubMed-ID: 21344356. DOI 10.1055/s-0031-1274523
- Nadathur SG (2011). Comorbidity indexes from administrative datasets: what is measured? *Aust Health Rev.* 2011; 35 (4): 507-511. PubMed-ID: 22126957. DOI 10.1071/AH10933
- Nelson JL, Smith BL, Jared JD, Younger JG (2011). Prospective trial of real-time electronic surveillance to expedite early care of severe sepsis. *Ann Emerg Med.* 2011; 57 (5): 500-504. PubMed-ID: 21227543. DOI 10.1016/j.annemergmed.2010.12.008
- Onwere C, Gurol-Urganci I, Cromwell DA, Mahmood TA, Templeton A, van der Meulen, Jan H (2011). Maternal morbidity associated with placenta praevia among women who had elective caesarean section. *Eur. J. Obstet. Gynecol. Reprod. Biol.* 2011; 159 (1): 62-66. PubMed-ID: 21835537. DOI 10.1016/j.ejogrb.2011.07.008
- Osler T, Glance LG, Hosmer DW (2011). Comparison of hospital mortality rates after burn injury in New York State: a risk-adjusted population-based observational study. *J Trauma.* 2011; 71 (4): 1040-1047. PubMed-ID: 21610531. DOI 10.1097/TA.0b013e318217866f
- Quail JM, Lix LM, Osman BA, Teare GF (2011). Comparing comorbidity measures for predicting mortality and hospitalization in three population-based cohorts. *BMC Health Serv Res.* 2011; 11: 146. PubMed-ID: 21663672. DOI 10.1186/1472-6963-11-146
- Rath T, Bokern E, Sefo-Bukow E, Büscher G, Lungen M, Rubbert-Roth A (2011). § 116b SGB V in der rheumatologischen Versorgung. Eine empirische Abschätzung anhand von Routinedaten. *Z Rheumatol.* 2011; 70 (1): 56-63. PubMed-ID: 21088970. DOI 10.1007/s00393-010-0703-4
- Romano PS, Marcin JP, Dai JJ, Yang XD, Kravitz RL, Rocke DM, Dharmar M, Li Z (2011). Impact of public reporting of coronary artery bypass graft surgery performance data on market share, mortality, and patient selection. *Med Care.* 2011; 49 (12): 1118-1125. PubMed-ID: 22002641. DOI 10.1097/MLR.0b013e3182358c78
- Scriba PC (2011). Benchmarking und Peer Review unter Verwendung von Routinedaten am Beispiel der IQM Initiative Qualitätsmedizin e.V. *Z Evid Fortbild Qual Gesundheitswes.* 2011; 105 (5): 396-400. PubMed-ID: 21767800. DOI 10.1016/j.zefq.2011.05.010
- Smalley W (2011). Administrative data and measurement of colonoscopy quality: not ready for prime time? *Gastrointest. Endosc.* 2011; 73 (3): 454-455. PubMed-ID: 21353842. DOI 10.1016/j.gie.2010.11.042

- Smith TE, Appel A, Donahue SA, Essock SM, Jackson CT, Karpati A, Marsik T, Myers RW, Tom L (2011). Use of administrative data to identify potential service gaps for individuals with serious mental illness. *Psychiatr Serv.* 2011; 62 (9): 1094-1097. PubMed-ID: 21885591. DOI 10.1176/appi.ps.62.9.1094
- Stausberg J, Halim A, Färber R (2011). Concordance and robustness of quality indicator sets for hospitals: an analysis of routine data. *BMC Health Serv Res.* 2011; 11: 106. PubMed-ID: 21592374. DOI 10.1186/1472-6963-11-106
- Stausberg J, Hasford J (2011). Drug-related admissions and hospital-acquired adverse drug events in Germany: a longitudinal analysis from 2003 to 2007 of ICD-10-coded routine data. *BMC Health Serv Res.* 2011; 11: 134. PubMed-ID: 21619706. DOI 10.1186/1472-6963-11-134
- Strausberg J (2011). Qualitätsindikatoren aus Routinedaten. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik.* 2011; 16 (2): 108-109
- Tinsley R (2011). How have administrative sources been used to adjust population estimates and set plausibility ranges? *Popul Trends.* 2011. (145): 229-250. PubMed-ID: 21987021. DOI 10.1057/pt.2011.25
- van den Bussche H, Koller D, Kolonko T, Hansen H, Wegscheider K, Glaeske G, Leitner E-C von, Schafer I, Schon G (2011). Which chronic diseases and disease combinations are specific to multimorbidity in the elderly? Results of a claims data based cross-sectional study in Germany. *BMC Public Health.* 2011; 11: 101. PubMed-ID: 21320345. DOI 10.1186/1471-2458-11-101
- van Dishoeck, A M, Looman, C W N, van der Wilden-van Lier, E C M, Mackenbach JP, Steyerberg EW (2011). Displaying random variation in comparing hospital performance. *BMJ Qual Saf.* 2011; 20 (8): 651-657. PubMed-ID: 21228432. DOI 10.1136/bmjqs.2009.035881
- van Walraven C, Wong J, Bennett C, Forster AJ (2011). The Procedural Index for Mortality Risk (PIMR): an index calculated using administrative data to quantify the independent influence of procedures on risk of hospital death. *BMC Health Serv Res.* 2011; 11: 258. PubMed-ID: 21982489. DOI 10.1186/1472-6963-11-258
- Yawn BP, Wollan P, St Sauver J (2011). Comparing shingles incidence and complication rates from medical record review and administrative database estimates: how close are they? *Am. J. Epidemiol.* 2011; 174 (9): 1054-1061. PubMed-ID: 21920944. DOI 10.1093/aje/kwr206
- Yu O, Nelson JC, Bounds L, Jackson LA (2011). Classification algorithms to improve the accuracy of identifying patients hospitalized with community-acquired pneumonia using administrative data. *Epidemiol. Infect.* 2011; 139 (9): 1296-1306. PubMed-ID: 21087538. DOI 10.1017/S0950268810002529
- Yuen E, Louis D, Cisbani L, Rabinowitz C, Palma R de, Maio V, Leoni M, Grilli R (2011). Using administrative data to identify and stage breast cancer cases: implications for assessing quality of care. *Tumori.* 2011; 97 (4): 428-435. PubMed-ID: 21989429. DOI 10.1700/950.10393

Zietz BP (2011). Analyse von administrativen Daten für das strategische und ökonomische Management. das Krankenhaus. 2011; 103 (1): 19-28

2010

- Abildstrøm SZ, Hvelplund A, Rasmussen S, Nielsen PH, Mortensen PE, Kruse M (2010). Prognostic information in administrative co-morbidity data following coronary artery bypass grafting. *Eur J Cardiothorac Surg.* 2010; 38 (5): 573-576. PubMed-ID: 20413318. DOI 10.1016/j.ejcts.2010.03.007
- Armitage JN, van der Meulen, J H (2010). Identifying co-morbidity in surgical patients using administrative data with the Royal College of Surgeons Charlson Score. *Br J Surg.* 2010; 97 (5): 772-781. PubMed-ID: 20306528. DOI 10.1002/bjs.6930
- Bahal R, Newnham H, Dart A, Brand C, Rasmussen N, Wright R, Smart J, Way M, Dean D, Cassell F (2010). Learning from Death. A Guide to In- Hospital Mortality Review and Patient Safety Improvement. AlfredHealth. 2010.
- Bardach NS, Chien AT, Dudley RA (2010). Small numbers limit the use of the inpatient pediatric quality indicators for hospital comparison. *Acad Pediatr.* 2010; 10 (4): 266-273. PubMed-ID: 20599180. DOI 10.1016/j.acap.2010.04.025
- Beaulieu PA, Higgins JH, Dacey LJ, Nugent WC, DeFoe GR, Likosky DS (2010). Transforming administrative data into real-time information in the Department of Surgery. *Qual Saf Health Care.* 2010; 19 (5): 399-404. PubMed-ID: 20427306. DOI 10.1136/qshc.2009.034264
- Ben-Tovim DI, Pointer SC, Woodman R, Hakendorf PH, Harrison JE (2010). Routine use of administrative data for safety and quality purposes--hospital mortality. *Med. J. Aust.* 2010; 193 (8 Suppl): 3. PubMed-ID: 20955135
- Bragg F, Cromwell DA, Edozien LC, Gurol-Urganci I, Mahmood TA, Templeton A, van der Meulen, Jan H (2010). Variation in rates of caesarean section among English NHS trusts after accounting for maternal and clinical risk: cross sectional study. *BMJ.* 2010; 341: c5065. PubMed-ID: 20926490
- Chu Y-T, Ng Y-Y, Wu S-C (2010). Comparison of different comorbidity measures for use with administrative data in predicting short- and long-term mortality. *BMC Health Serv Res.* 2010; 10: 140. PubMed-ID: 20507593. DOI 10.1186/1472-6963-10-140
- Chua CL, Palangkaraya A, Yong J (2010). A two-stage estimation of hospital quality using mortality outcome measures: an application using hospital administrative data. *Health Econ.* 2010; 19 (12): 1404-1424. PubMed-ID: 19937614. DOI 10.1002/hec.1560
- Clark DE, Hannan EL, Wu C (2010). Predicting risk-adjusted mortality for trauma patients: logistic versus multilevel logistic models. *J. Am. Coll. Surg.* 2010; 211 (2): 224-231. PubMed-ID: 20670860. DOI 10.1016/j.jamcollsurg.2010.03.033
- Crane SJ, Tung EE, Hanson GJ, Cha S, Chaudhry R, Takahashi PY (2010). Use of an electronic administrative database to identify older community dwelling adults at high-risk for hospitalization or emergency department visits: the elders risk assessment index. *BMC Health Serv Res.* 2010; 10: 338. PubMed-ID: 21144042. DOI 10.1186/1472-6963-10-338

- Dugas M, Lange M, Müller-Tidow C, Kirchhof P, Prokosch H-U (2010). Routine data from hospital information systems can support patient recruitment for clinical studies. *Clin Trials*. 2010; 7 (2): 183-189. PubMed-ID: 20338903. DOI 10.1177/1740774510363013
- Freytag A, Schiffhorst G, Thoma R, Strick K, Gries C, Becker A, Treede R-D, Müller-Schwefe G, Casser H-R, Luley C, Höer A, Ujeyl M, Gothe H, Kugler J, Glaeske G, Häussler B (2010). Identifikation und Gruppierung von Schmerzpatienten anhand von Routinedaten einer Krankenkasse. *Schmerz*. 2010; 24 (1): 12-22. PubMed-ID: 20082204. DOI 10.1007/s00482-009-0861-y
- Glance LG, Dick AW, Mukamel DB, Meredith W, Osler TM (2010). The effect of preexisting conditions on hospital quality measurement for injured patients. *Ann. Surg.* 2010; 251 (4): 728-734. PubMed-ID: 20224362. DOI 10.1097/SLA.0b013e3181d56770
- Grimes DA (2010). Epidemiologic research using administrative databases: garbage in, garbage out. *Obstet Gynecol.* 2010; 116 (5): 1018-1019. PubMed-ID: 20966682. DOI 10.1097/AOG.0b013e3181f98300
- Holmes AM, Ackermann RT, Katz BP, Downs SM, Inui TS (2010). Case finding with incomplete administrative data: observations on playing with less than a full deck. *Popul Health Manag.* 2010; 13 (6): 325-330. PubMed-ID: 21091372. DOI 10.1089/pop.2009.0077
- Katzenellenbogen JM, Somerford P, Semmens JB, Codde JP (2010). Effect of clearance periods on hospital stroke incidence using linked administrative data. *Int J Stroke*. 2010; 5 (4): 336-337. PubMed-ID: 20636720. DOI 10.1111/j.1747-4949.2010.00455.x
- Kostuj T, Smektala R (2010). Qualitätssicherung mithilfe von Routinedaten. Ist ergebnisqualität ab jetzt messbar? *Unfallchirurg*. 2010; 113 (12): 1047. PubMed-ID: 21076909. DOI 10.1007/s00113-010-1875-8
- Langhorne P, Lewsey JD, Jhund PS, Gillies M, Chalmers, Jim W T, Redpath A, Briggs A, Walters M, Capewell S, McMurray, John J V, MacIntyre K (2010). Estimating the impact of stroke unit care in a whole population: an epidemiological study using routine data. *J. Neurol. Neurosurg. Psychiatr.* 2010; 81 (12): 1301-1305. PubMed-ID: 20601665. DOI 10.1136/jnnp.2009.195131
- Leal JR, Laupland KB (2010). Validity of ascertainment of co-morbid illness using administrative databases: a systematic review. *Clin. Microbiol. Infect.* 2010; 16 (6): 715-721. PubMed-ID: 19614717. DOI 10.1111/j.1469-0691.2009.02867.x
- Lieberman D (2010). Pitfalls of using administrative data for research. *Dig. Dis. Sci.* 2010; 55 (6): 1506-1508. PubMed-ID: 20428943. DOI 10.1007/s10620-010-1246-x
- Lix LM, Yogendran MS, Shaw SY, Targownik LE, Jones J, Bataineh O (2010). Comparing administrative and survey data for ascertaining cases of irritable bowel syndrome: a population-based investigation. *BMC Health Serv Res.* 2010; 10: 31. PubMed-ID: 20113531. DOI 10.1186/1472-6963-10-31
- Meddings J, Saint S, McMahon LF (2010). Hospital-acquired catheter-associated urinary tract infection: documentation and coding issues may reduce financial impact of Medicare's new payment policy. *Infect Control Hosp Epidemiol.* 2010; 31 (6): 627-633. PubMed-ID: 20426577. DOI 10.1086/652523

- Miyata H, Hashimoto H, Horiguchi H, Fushimi K, Matsuda S (2010). Assessment of hospital performance with a case-mix standardized mortality model using an existing administrative database in Japan. *BMC Health Serv Res.* 2010; 10: 130. PubMed-ID: 20482816. DOI 10.1186/1472-6963-10-130
- Nadathur SG (2010). Maximising the value of hospital administrative datasets. *Aust Health Rev.* 2010; 34 (2): 216-223. PubMed-ID: 20497736. DOI 10.1071/AH09801
- O'Kelly CJ, Kulkarni AV, Austin PC, Wallace MC, Urbach D (2010). The impact of therapeutic modality on outcomes following repair of ruptured intracranial aneurysms: an administrative data analysis. *Clinical article. J. Neurosurg.* 2010; 113 (4): 795-801. PubMed-ID: 19852537. DOI 10.3171/2009.9.JNS081645
- Omoto D, Bederman SS, Yee, Albert J M, Kreder HJ, Finkelstein JA (2010). How do validated measures of functional outcome compare with commonly used outcomes in administrative database research for lumbar spinal surgery? *Eur Spine J.* 2010; 19 (8): 1369-1377. PubMed-ID: 19816717. DOI 10.1007/s00586-009-1187-2
- Ross JS, Maynard C, Krumholz HM, Sun H, Rumsfeld JS, Normand S-LT, Wang Y, Fihn SD (2010). Use of administrative claims models to assess 30-day mortality among Veterans Health Administration hospitals. *Med Care.* 2010; 48 (7): 652-658. PubMed-ID: 20548253. DOI 10.1097/MLR.0b013e3181dbe35d
- Ross JS, Normand S-LT, Wang Y, Ko DT, Chen J, Drye EE, Keenan PS, Lichtman JH, Bueno H, Schreiner GC, Krumholz HM (2010). Hospital volume and 30-day mortality for three common medical conditions. *N. Engl. J. Med.* 2010; 362 (12): 1110-1118. PubMed-ID: 20335587. DOI 10.1056/NEJMsa0907130
- Schubert I, Ihle P, Köster I (2010). Interne Validierung von Diagnosen in GKV-Routinedaten: Konzeption mit Beispielen und Falldefinition. *Gesundheitswesen.* 2010; 72 (6): 316-322. PubMed-ID: 20480460. DOI 10.1055/s-0030-1249688
- Shahian DM, Wolf RE, Iezzoni LI, Kirle L, Normand S-LT (2010). Variability in the measurement of hospital-wide mortality rates. *N. Engl. J. Med.* 2010; 363 (26): 2530-2539. PubMed-ID: 21175315. DOI 10.1056/NEJMsa1006396
- Sibley LM, Moineddin R, Agha MM, Glazier RH (2010). Risk adjustment using administrative data-based and survey-derived methods for explaining physician utilization. *Med Care.* 2010; 48 (2): 175-182. PubMed-ID: 19927013. DOI 10.1097/MLR.0b013e3181c16102
- So L, Beck CA, Brien S, Kennedy J, Feasby TE, Ghali WA, Hude Quan (2010). Chart documentation quality and its relationship to the validity of administrative data discharge records. *Health Informatics J.* 2010; 16 (2): 101-113. PubMed-ID: 20573643. DOI 10.1177/1460458210364784
- Stamm K, Reinhard I, Salize HJ (2010). Kosten und Kostenverläufe von Versicherten mit Depressionsdiagnose und ohne psychische Störung im Vergleich - eine Sekundäranalyse von Routinedaten einer Betriebskrankenkasse. *Neuropsychiatr.* 2010; 24 (2): 99-107. PubMed-ID: 20605005
- Tu K, Mitiku T, Lee DS, Guo H, Tu JV (2010). Validation of physician billing and hospitalization data to identify patients with ischemic heart disease using data from the Electronic

- Medical Record Administrative data Linked Database (EMRALD). *Can J Cardiol.* 2010; 26 (7): 8. PubMed-ID: 20847968
- van Emmer, Metzinger B (2010). Qualitätssicherung mit Routinedaten aus Sicht der Deutschen Krankenhausgesellschaft. *das Krankenhaus.* 2010; 102 (12): 1177-1182
- van Walraven C, Austin PC, Manuel D, Knoll G, Jennings A, Forster AJ (2010). The usefulness of administrative databases for identifying disease cohorts is increased with a multivariate model. *J Clin Epidemiol.* 2010; 63 (12): 1332-1341. PubMed-ID: 20457509. DOI 10.1016/j.jclinepi.2010.01.016
- van Walraven C, Bennett C, Forster AJ (2010). Derivation and validation of a MEDLINE search strategy for research studies that use administrative data. *Health Serv Res.* 2010; 45 (6 Pt 1): 1836-1845. PubMed-ID: 20819111. DOI 10.1111/j.1475-6773.2010.01159.x
- Verelst S, Jacques J, Van den Heede, Koen, Gillet P, Kolh P, Vleugels A, Sermeus W (2010). Validation of Hospital Administrative Dataset for adverse event screening. *Qual Saf Health Care.* 2010; 19 (5): e25. PubMed-ID: 20427309. DOI 10.1136/qshc.2009.034306
- Yeh RW, Sidney S, Chandra M, Sorel M, Selby JV, Go AS (2010). Population trends in the incidence and outcomes of acute myocardial infarction. *N. Engl. J. Med.* 2010; 362 (23): 2155-2165. PubMed-ID: 20558366. DOI 10.1056/NEJMoa0908610
- Yun H, Delzell E, Ensrud KE, Kilgore ML, Becker D, Morrisey MA, Curtis JR (2010). Predicting hip and major osteoporotic fractures using administrative data. *Arch. Intern. Med.* 2010; 170 (21): 1940-1942. PubMed-ID: 21098356. DOI 10.1001/archinternmed.2010.410

2009

- Cho S-H, Yun S-C (2009). Bed-to-nurse ratios, provision of basic nursing care, and in-hospital and 30-day mortality among acute stroke patients admitted to an intensive care unit: cross-sectional analysis of survey and administrative data. *Int J Nurs Stud.* 2009; 46 (8): 1092-1101. PubMed-ID: 19268287. DOI 10.1016/j.ijnurstu.2009.02.001
- Davenport DL, Holsapple CW, Conigliaro J (2009). Assessing surgical quality using administrative and clinical data sets: a direct comparison of the University HealthSystem Consortium Clinical Database and the National Surgical Quality Improvement Program data set. *Am J Med Qual.* 2009; 24 (5): 395-402. PubMed-ID: 19584374. DOI 10.1177/1062860609339936
- Finlayson E, Birkmeyer JD (2009). Research based on administrative data. *Surgery.* 2009; 145 (6): 610-616. PubMed-ID: 19486760. DOI 10.1016/j.surg.2009.03.005
- Glance LG, Osler TM, Mukamel DB, Meredith W, Wagner J, Dick AW (2009). TPM-ICD9: a trauma mortality prediction model based on ICD-9-CM codes. *Ann. Surg.* 2009; 249 (6): 1032-1039. PubMed-ID: 19474696. DOI 10.1097/SLA.0b013e3181a38f28
- Guru V, Naylor CD, Fremes SE, Teoh K, Tu JV (2009). Publicly reported provider outcomes: the concerns of cardiac surgeons in a single-payer system. *Can J Cardiol.* 2009; 25 (1): 33-38. PubMed-ID: 19148340
- Heller G (2009). Aktueller Stand und weitere Entwicklung des Projektes "Qualitätssicherung mit Routinedaten" (QSR). *Dtsch Med Wochenschr.* 2009; 134 (S 08): S315
- Jhung MA, Banerjee SN (2009). Administrative coding data and health care-associated infections. *Clin. Infect. Dis.* 2009; 49 (6): 949-955. PubMed-ID: 19663692. DOI 10.1086/605086
- Jollis JG (2009). The role of risk models in upholding standards for percutaneous coronary interventions. *JACC Cardiovasc Interv.* 2009; 2 (2): 144-145. PubMed-ID: 19463416. DOI 10.1016/j.jcin.2008.11.007
- Kaafarani, Haytham M A, Rosen AK (2009). Using administrative data to identify surgical adverse events: an introduction to the Patient Safety Indicators. *Am. J. Surg.* 2009; 198 (5 Suppl): 8. PubMed-ID: 19874937. DOI 10.1016/j.amjsurg.2009.08.008
- Kisely S, Lin E, Lesage A, Gilbert C, Smith M, Campbell LA, Vasiliadis H-M (2009). Use of administrative data for the surveillance of mental disorders in 5 provinces. *Can J Psychiatry.* 2009; 54 (8): 571-575. PubMed-ID: 19726010
- Klein LW, Kolm P, Xu X, Krone RJ, Anderson HV, Rumsfeld JS, Brindis RG, Weintraub WS (2009). A longitudinal assessment of coronary interventional program quality: a report from the American College of Cardiology-National Cardiovascular Data Registry. *JACC Cardiovasc Interv.* 2009; 2 (2): 136-143. PubMed-ID: 19463415. DOI 10.1016/j.jcin.2008.09.012
- Krumholz HM, Wang Y, Chen J, Drye EE, Spertus JA, Ross JS, Curtis JP, Nallamothu BK, Lichtman JH, Havranek EP, Masoudi FA, Radford MJ, Han LF, Rapp MT, Straube BM, Normand S-LT (2009). Reduction in acute myocardial infarction mortality in the United

- States: risk-standardized mortality rates from 1995-2006. JAMA. 2009; 302 (7): 767-773. PubMed-ID: 19690309. DOI 10.1001/jama.2009.1178
- Riley GF (2009). Administrative and claims records as sources of health care cost data. Med Care. 2009; 47 (7 Suppl 1): 5. PubMed-ID: 19536019. DOI 10.1097/MLR.0b013e31819c95aa
- Slany E, Reuter W (2009). Qualitätssicherung mit Routinedaten (QSR)--eine neue Dimension im Qualitätsmanagement der stationären Behandlung? Versicherungsmedizin. 2009; 61 (2): 73-76. PubMed-ID: 19544719
- Staiger DO, Dimick JB, Baser O, Fan Z, Birkmeyer JD (2009). Empirically derived composite measures of surgical performance. Med Care. 2009; 47 (2): 226-233. PubMed-ID: 19169124. DOI 10.1097/MLR.0b013e3181847574
- Van den Heede, Koen, Lesaffre E, Diya L, Vleugels A, Clarke SP, Aiken LH, Sermeus W (2009). The relationship between inpatient cardiac surgery mortality and nurse numbers and educational level: analysis of administrative data. Int J Nurs Stud. 2009; 46 (6): 796-803. PubMed-ID: 19201407. DOI 10.1016/j.ijnurstu.2008.12.018
- Van den Heede, Koen, Sermeus W, Diya L, Clarke SP, Lesaffre E, Vleugels A, Aiken LH (2009). Nurse staffing and patient outcomes in Belgian acute hospitals: cross-sectional analysis of administrative data. Int J Nurs Stud. 2009; 46 (7): 928-939. PubMed-ID: 18656875. DOI 10.1016/j.ijnurstu.2008.05.007
- van Walraven C, Austin PC, Jennings A, Quan H, Forster AJ (2009). A modification of the Elixhauser comorbidity measures into a point system for hospital death using administrative data. Med Care. 2009; 47 (6): 626-633. PubMed-ID: 19433995. DOI 10.1097/MLR.0b013e31819432e5

2008

- Abrams TE, Vaughan-Sarrazin M, Rosenthal GE (2008). Variations in the associations between psychiatric comorbidity and hospital mortality according to the method of identifying psychiatric diagnoses. *J Gen Intern Med.* 2008; 23 (3): 317-322. PubMed-ID: 18214622. DOI 10.1007/s11606-008-0518-z
- Aelvoet W, Windey F, Molenberghs G, Verstraelen H, van Reempts P, Foidart J-M (2008). Screening for inter-hospital differences in cesarean section rates in low-risk deliveries using administrative data: an initiative to improve the quality of care. *BMC Health Serv Res.* 2008; 8: 3. PubMed-ID: 18177493. DOI 10.1186/1472-6963-8-3
- Austin PC, Donovan L, Yun L, Tu JV (2008). Comparing clinical and administrative data for profiling hospitals on postdischarge medication use by patients with acute myocardial infarction. *Am. Heart J.* 2008; 156 (3): 595-605. PubMed-ID: 18760146. DOI 10.1016/j.ahj.2008.04.010
- Bahl V, Thompson MA, Commisky EL, Anderson S, Campbell DA (2008). Developing an Adverse Event Reporting System Using Administrative Data. *J Patient Saf.* 2008; 4 (1): 31-37
- Baldi I, Vicari P, Di Cuonzo D, Zanetti R, Pagano E, Rosato R, Sacerdote C, Segnan N, Merletti F, Ciccone G (2008). A high positive predictive value algorithm using hospital administrative data identified incident cancer cases. *J Clin Epidemiol.* 2008; 61 (4): 373-379. PubMed-ID: 18313562. DOI 10.1016/j.jclinepi.2007.05.017
- Ceit C (2008). Einsatz von Qualitätsindikatoren aus Routinedaten aus Sicht des BQS. *Dtsch Med Wochenschr.* 2008; 133: S137
- Ceratti A, Roger France, F H, Beguin C (2008). Health data quality improvement by comparing administrative medical data and billing data. *Int J Med Inform.* 2008; 77 (8): 527-533. PubMed-ID: 18035589. DOI 10.1016/j.ijmedinf.2007.10.003
- Chang DC, Burwell LA, Lyon GM, Pappas PG, Chiller TM, Wannemuehler KA, Fridkin SK, Park BJ (2008). Comparison of the use of administrative data and an active system for surveillance of invasive aspergillosis. *Infect Control Hosp Epidemiol.* 2008; 29 (1): 25-30. PubMed-ID: 18171183. DOI 10.1086/524324
- Coory M, Duckett S, Sketcher-Baker K (2008). Using control charts to monitor quality of hospital care with administrative data. *Int J Qual Health Care.* 2008; 20 (1): 31-39. PubMed-ID: 18065757. DOI 10.1093/intqhc/mzm060
- Esmail N (2008). Hospital benchmarking based on administrative data: methods, experiences, reactions. *Dtsch Med Wochenschr.* 2008; 133: S138
- Garout M, Tilney HS, Tekkis PP, Aylin P (2008). Comparison of administrative data with the Association of Coloproctology of Great Britain and Ireland (ACPGBI) colorectal cancer database. *Int J Colorectal Dis.* 2008; 23 (2): 155-163. PubMed-ID: 17960396. DOI 10.1007/s00384-007-0390-z
- Glance LG, Li Y, Osler TM, Mukamel DB, Dick AW (2008). Impact of date stamping on patient safety measurement in patients undergoing CABG: experience with the AHRQ Patient

- Safety Indicators. *BMC Health Serv Res.* 2008; 8: 176. PubMed-ID: 18700979. DOI 10.1186/1472-6963-8-176
- Glance LG, Osler TM, Mukamel DB, Dick AW (2008). Impact of the present-on-admission indicator on hospital quality measurement: experience with the Agency for Healthcare Research and Quality (AHRQ) Inpatient Quality Indicators. *Med Care.* 2008; 46 (2): 112-119. PubMed-ID: 18219238. DOI 10.1097/MLR.0b013e318158aed6
- Heller G (2008). Zur Messung und Darstellung von medizinischer Ergebnisqualität mit administrativen Routinedaten in Deutschland. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 2008; 51 (10): 1173-1182. PubMed-ID: 18985411. DOI 10.1007/s00103-008-0652-0
- Ihle P (2008). Datenschutzrechtliche und methodische Aspekte beim Aufbau einer Routinedatenbasis aus der Gesetzlichen Krankenversicherung zu Forschungszwecken. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 2008; 51 (10): 1127-1134. PubMed-ID: 18985406. DOI 10.1007/s00103-008-0647-x
- Jones HE, Ohlssen DI, Spiegelhalter DJ (2008). Use of the false discovery rate when comparing multiple health care providers. *J Clin Epidemiol.* 2008; 61 (3): 232-240. PubMed-ID: 18226745. DOI 10.1016/j.jclinepi.2007.04.017
- Kuwabara K, Imanaka Y, Matsuda S, Fushimi K, Hashimoto H, Ishikawa KB, Horiguchi H, Hayashida K, Fujimori K (2008). The association of the number of comorbidities and complications with length of stay, hospital mortality and LOS high outlier, based on administrative data. *Environ Health Prev Med.* 2008; 13 (3): 130-137. PubMed-ID: 19568897. DOI 10.1007/s12199-007-0022-9
- LaValley MP (2008). Logistic regression. *Circulation.* 2008; 117 (18): 2395-2399. PubMed-ID: 18458181. DOI 10.1161/CIRCULATIONAHA.106.682658
- Mansky T (2008). Definition von Qualitätsindikatoren aus Routinedaten: Erfahrungen, Möglichkeiten und Grenzen. *Dtsch Med Wochenschr.* 2008; 133: S154
- Mansky T (2008). The use of administrative data for measuring medical outcome - perspectives. *Dtsch Med Wochenschr.* 2008; 133: S135
- Moore DF, Lix LM, Yogendran MS, Martens P, Tamayo A (2008). Stroke surveillance in Manitoba, Canada: estimates from administrative databases. *Chronic Dis Can.* 2008; 29 (1): 22-30. PubMed-ID: 19036220
- Mukhtar SA, Hoffman NE, MacQuillan G, Semmens JB (2008). The hospital mortality project: a tool for using administrative data for continuous clinical quality assurance. *HIM J.* 2008; 37 (2): 9-18. PubMed-ID: 18583717
- Neuner T, Schmid R, Wolfersdorf M, Spiessl H (2008). Predicting inpatient suicides and suicide attempts by using clinical routine data? *Gen Hosp Psychiatry.* 2008; 30 (4): 324-330. PubMed-ID: 18585535. DOI 10.1016/j.genhosppsych.2008.03.003
- Ng JQ, Morlet N, Bremner AP, Bulsara MK, Morton AP, Semmens JB (2008). Techniques to monitor for endophthalmitis and other cataract surgery complications. *Ophthalmology.* 2008; 115 (1): 3-10. PubMed-ID: 17997486. DOI 10.1016/j.opthta.2007.09.010

- Prosser RJ, Carleton BC, Smith MA (2008). Identifying persons with treated asthma using administrative data via latent class modelling. *Health Serv Res.* 2008; 43 (2): 733-754. PubMed-ID: 18370976. DOI 10.1111/j.1475-6773.2007.00775.x
- Quan H, Li B, Saunders LD, Parsons GA, Nilsson CI, Alibhai A, Ghali WA (2008). Assessing validity of ICD-9-CM and ICD-10 administrative data in recording clinical conditions in a unique dually coded database. *Health Serv Res.* 2008; 43 (4): 1424-1441. PubMed-ID: 18756617
- Raleigh VS, Cooper J, Bremner SA, Scobie S (2008). Patient safety indicators for England from hospital administrative data: case-control analysis and comparison with US data. *BMJ.* 2008; 337: a1702. PubMed-ID: 18930971
- Render ML, Deddens J, Freyberg R, Almenoff P, Connors AF, Wagner D, Hofer TP (2008). Veterans Affairs intensive care unit risk adjustment model: validation, updating, recalibration. *Crit. Care Med.* 2008; 36 (4): 1031-1042. PubMed-ID: 18379226. DOI 10.1097/CCM.0b013e318169f290
- Scholle SH, Roski J, Adams JL, Dunn DL, Kerr EA, Dugan DP, Jensen RE (2008). Benchmarking Physician Performance: Reliability of Individual and Composite Measures. *Am J Manag Care.* 2008; 14 (12): 833-838. PubMed-ID: 19067500
- Schubert I (2008). Ausgewählte methodische Aspekte bei der Nutzung von Qualitätsindikatoren auf der Basis von Routinedaten. *Dtsch Med Wochenschr.* 2008; 133: S155
- Schubert I, Köster I, Küpper-Nybelen J, Ihle P (2008). Versorgungsforschung mit GKV-Routinedaten. Nutzungsmöglichkeiten versichertenbezogener Krankenkassendaten für Fragestellungen der Versorgungsforschung. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz.* 2008; 51 (10): 1095-1105. PubMed-ID: 18985403. DOI 10.1007/s00103-008-0644-0
- Shwartz M, Ren J, Peköz EA, Wang X, Cohen AB, Restuccia JD (2008). Estimating a composite measure of hospital quality from the Hospital Compare database: differences when using a Bayesian hierarchical latent variable model versus denominator-based weights. *Med Care.* 2008; 46 (8): 778-785. PubMed-ID: 18665057. DOI 10.1097/MLR.0b013e31817893dc
- Swart E (2008). Was ist bei der Bildung von Qualitätsindikatoren aus Routinedaten zu beachten. *Dtsch Med Wochenschr.* 2008; 133: S153
- Tam V, Frost SA, Hillman KM, Salamonson Y (2008). Using administrative data to develop a nomogram for individualising risk of unplanned admission to intensive care. *Resuscitation.* 2008; 79 (2): 241-248. PubMed-ID: 18691801. DOI 10.1016/j.resuscitation.2008.06.023
- Zethelius B, Berglund L, Sundström J, Ingelsson E, Basu S, Larsson A, Venge P, Arnlöv J (2008). Use of multiple biomarkers to improve the prediction of death from cardiovascular causes. *N. Engl. J. Med.* 2008; 358 (20): 2107-2116. PubMed-ID: 18480203. DOI 10.1056/NEJMoa0707064

2007

- Aylin P, Bottle A (2007). Are hospital league tables calculated correctly? A commentary. *Public Health*. 2007; 121: 905-906
- Aylin P, Lees T, Baker S, Prytherch D, Ashley S (2007). Descriptive study comparing routine hospital administrative data with the Vascular Society of Great Britain and Ireland's National Vascular Database. *Eur J Vasc Endovasc Surg*. 2007; 33 (4): 461. PubMed-ID: 17175183. DOI 10.1016/j.ejvs.2006.10.033
- Aylin P, Bottle A, Majeed A (2007). Use of administrative data or clinical databases as predictors of risk of death in hospital: comparison of models. *BMJ*. 2007; 334 (7602): 1044. PubMed-ID: 17452389. DOI 10.1136/bmj.39168.496366.55
- Blitzer EM, Neusser S, Lorenz C, Dörnung H, Schäfer T (2007). Krankenhaus-Rangfolgen nach Ergebnisqualität in der Hüftendoprothetik - Routinedaten mit oder ohne ergänzende Patientenbefragungen? - Teil 2: Patientenbefragung in Kombination mit Routinedaten. *GMS Medizinische Informatik, Biometrie und Epidemiologie*. 2007; 3
- Brocco S, Visentin C, Fedeli U, Schievano E, Avogaro A, Andretta M, Avossa F, Spolaore P (2007). Monitoring the occurrence of diabetes mellitus and its major complications: the combined use of different administrative databases. *Cardiovasc Diabetol*. 2007; 6: 5. PubMed-ID: 17302977. DOI 10.1186/1475-2840-6-5
- Brosz M (2007). Analysen zur Versorgungssituation auf Basis ärztlich erhobener Routinedaten aus Praxisverwaltungssystemen. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik*. 2007; 4: 225-228
- Cooper GS, Schultz L, Simpkins J, Lafata JE (2007). The utility of administrative data for measuring adherence to cancer surveillance care guidelines. *Med Care*. 2007; 45 (1): 66-72. PubMed-ID: 17279022. DOI 10.1097/01.mlr.0000241107.15133.54
- Coster C de, Luis A, Taylor MC (2007). Do administrative databases accurately measure waiting times for medical care? Evidence from general surgery. *Can J Surg*. 2007; 50 (5): 394-396. PubMed-ID: 18031641
- Drösler SE, Cools A, Köpfer T, Stausberg J (2007). Eignen sich Qualitätsindikatoren aus Routine- daten zur Qualitätsmessung im Krankenhaus? Erste Ergebnisse mit den amerikanischen Indi- katoren zur Patientensicherheit in Deutschland. *Z Arztl Fortbild Qualitätssich*. 2007; 101 (1): 35-42. PubMed-ID: 17458363
- Frohlich KL, Dunn JR, McLaren L, Shiell A, Potvin L, Hawe P, Dassa C, Thurston WE (2007). Understanding place and health: a heuristic for using administrative data. *Health Place*. 2007; 13 (2): 299-309. PubMed-ID: 16516531. DOI 10.1016/j.healthplace.2006.01.007
- Fry DE, Pine M, Jordan HS, Elixhauser A, Hoaglin DC, Jones B, Warner D, Meimban R (2007). Combining administrative and clinical data to stratify surgical risk. *Ann. Surg*. 2007; 246 (5): 875-885. PubMed-ID: 17968182. DOI 10.1097/SLA.0b013e3180cc2e7a
- Gedeborg R, Furebring M, Michaëlsson K (2007). Diagnosis-dependent misclassification of infections using administrative data variably affected incidence and mortality estimates

- in ICU patients. *J Clin Epidemiol.* 2007; 60 (2): 155-162. PubMed-ID: 17208121. DOI 10.1016/j.jclinepi.2006.05.013
- Gilmore AS, Helderman JH, Ricci J-F, Ryskina KL, Feng S, Kang N, Legorreta AP (2007). Linking the US transplant registry to administrative claims data: expanding the potential of transplant research. *Med Care.* 2007; 45 (6): 529-536. PubMed-ID: 17515780. DOI 10.1097/MLR.0b013e3180326121
- Hannan EL, Farrell LS (2007). Predicting trauma inpatient mortality in an administrative database: an investigation of survival risk ratios using New York data. *J Trauma.* 2007; 62 (4): 964-968. PubMed-ID: 17426555. DOI 10.1097/01.ta.0000215375.07314.bd
- Heller G, Günster C, Misselwitz B, Feller A, Schmidt S (2007). Jährliche Fallzahl pro Klinik und Überlebensrate sehr untergewichtiger Frühgeborener (VLBW) in Deutschland--Eine bundesweite Analyse mit Routinedaten. *Z Geburtshilfe Neonatol.* 2007; 211 (3): 123-131. PubMed-ID: 17541879. DOI 10.1055/s-2007-960747
- Hirschmann MT, Uike K-N, Kaufmann M, Huegli R, Regazzoni P, Gross T (2007). Qualitätssicherung interdisziplinärer Polytraumaversorgung. Möglichkeiten und Grenzen retrospektiver Standardisierung. *Anaesthesist.* 2007; 56 (7): 673-678. PubMed-ID: 17483913. DOI 10.1007/s00101-007-1192-y
- Horwitz LI, Cuny JF, Cerese J, Krumholz HM (2007). Failure to rescue: validation of an algorithm using administrative data. *Med Care.* 2007; 45 (4): 283-287. PubMed-ID: 17496710. DOI 10.1097/01.mlr.0000250226.33094.d4
- Jasser SA, Garvin JH, Wiedemer N, Roche D, Gallagher RM (2007). Use of coded and administrative data to identify mental health conditions: impediments and implications in a chronic pain study. *AMIA Annu Symp Proc.* 2007: 991. PubMed-ID: 18694091
- Johnston TC, Coory MD, Scott I, Duckett S (2007). Should we add clinical variables to administrative data?: The case of risk-adjusted case fatality rates after admission for acute myocardial infarction. *Med Care.* 2007; 45 (12): 1180-1185. PubMed-ID: 18007168. DOI 10.1097/MLR.0b013e318148477c
- Julious SA, George S (2007). Are hospital league tables calculated correctly? *Public Health.* 2007; 121 (12): 902. PubMed-ID: 17825857. DOI 10.1016/j.puhe.2006.06.021
- Kahn JM, Kramer AA, Rubenfeld GD (2007). Transferring critically ill patients out of hospital improves the standardized mortality ratio: a simulation study. *Chest.* 2007; 131 (1): 68-75. PubMed-ID: 17218558. DOI 10.1378/chest.06-0741
- Luthi J-C, Troillet N, Eisenring M-C, Sax H, Burnand B, Quan H, Ghali W (2007). Administrative data outperformed single-day chart review for comorbidity measure. *Int J Qual Health Care.* 2007; 19 (4): 225-231. PubMed-ID: 17599922. DOI 10.1093/intqhc/mzm017
- Mansky T (2007). Qualitätssicherung mit Routinedaten. *Chirurg.* 2007; Suppl: 233-234. PubMed-ID: 18224764
- McDonald KM, Davies SM, Geppert J, Romano PS (2007). Why rescue the administrative data version of the "failure to rescue" quality indicator. *Med Care.* 2007; 45 (4): 277-279. PubMed-ID: 17496708. DOI 10.1097/01.mlr.0000259077.03041.f8

- Mohammed MA, Stevens A (2007). The value of administrative databases. *BMJ*. 2007; 334 (7602): 1014-1015. PubMed-ID: 17510106. DOI 10.1136/bmj.39211.453275.80
- Müller-Bergfort S, Fritze J (2007). Diagnose- und Prozedurendaten im deutschen DRG-System. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz*. 2007; 50 (8): 1047-1054. PubMed-ID: 17676420. DOI 10.1007/s00103-007-0294-7
- Naessens JM, Campbell CR, Berg B, Williams AR, Culbertson R (2007). Impact of diagnosis-timing indicators on measures of safety, comorbidity, and case mix groupings from administrative data sources. *Med Care*. 2007; 45 (8): 781-788. PubMed-ID: 17667313. DOI 10.1097/MLR.0b013e3180618b7f
- Nebeker JR, Yarnold PR, Soltysik RC, Sauer BC, Sims SA, Samore MH, Rupper RW, Swanson KM, Savitz LA, Shinogle J, Xu W (2007). Developing indicators of inpatient adverse drug events through nonlinear analysis using administrative data. *Med Care*. 2007; 45 (10 Supl 2): 8. PubMed-ID: 17909388. DOI 10.1097/MLR.0b013e3180616c2c
- Normand SL, Shahian DM (2007). Statistical and Clinical Aspects of Hospital Outcomes Profiling. *Stat Science*. 2007; 22:02: 206-226
- Normand S-LT, Wolf RE, Ayanian JZ, McNeil BJ (2007). Assessing the accuracy of hospital clinical performance measures. *Med Decis Making*. 2007; 27 (1): 9-20. PubMed-ID: 17237448. DOI 10.1177/0272989X06298028
- Park H-K, Yoon S-J, Ahn H-S, Ahn LS, Seo H-J, Lee S-I, Lee KS (2007). Comparison of risk-adjustment models using administrative or clinical data for outcome prediction in patients after myocardial infarction or coronary bypass surgery in Korea. *Int. J. Clin. Pract*. 2007; 61 (7): 1086-1090. PubMed-ID: 17537190. DOI 10.1111/j.1742-1241.2007.01345.x
- Pine M, Jordan HS, Elixhauser A, Fry DE, Hoaglin DC, Jones B, Meimban R, Warner D, Gonzales J (2007). Enhancement of claims data to improve risk adjustment of hospital mortality. *JAMA*. 2007; 297 (1): 71-76. PubMed-ID: 17200477. DOI 10.1001/jama.297.1.71
- Pitches DW, Mohammed MA, Lilford RJ (2007). What is the empirical evidence that hospitals with higher-risk adjusted mortality rates provide poorer quality care? A systematic review of the literature. *BMC Health Serv Res*. 2007; 7: 91. PubMed-ID: 17584919. DOI 10.1186/1472-6963-7-91
- Schäfer T, Neusser S, Lorenz C, Dörning H, Bitzer EM (2007). Krankenhaus-Rangfolgen nach Ergebnisqualität in der Hüftendoprothetik - Routinedaten mit oder ohne ergänzende Patientenbefragungen? - Teil 1: Routinedaten. *GMS Medizinische Informatik, Biometrie und Epidemiologie*. 2007; 3
- Schräder P, Grouven U, Bender R (2007). Können Mindestmengen für Knieprothesen anhand von Routinedaten errechnet werden? Ergebnisse einer Schwellenwertanalyse mit Daten der externen stationären Qualitätssicherung. *Orthopade*. 2007; 36 (6): 570-576. PubMed-ID: 17497123. DOI 10.1007/s00132-007-1066-7
- Schubert HJ (2007). Offenlegen oder nicht? Chancen und Risiken der Veröffentlichung von medizinischen Qualitätsvergleichen. *Dtsch. Med. Wochenschr*. 2007; 132: 2637-2642

- Shahian DM, Silverstein T, Lovett AF, Wolf RE, Normand S-LT (2007). Comparison of clinical and administrative data sources for hospital coronary artery bypass graft surgery report cards. *Circulation*. 2007; 115 (12): 1518-1527. PubMed-ID: 17353447. DOI 10.1161/CIRCULATIONAHA.106.633008
- Siebers L (2007). Möglichkeiten und Chancen der Analyse von Qualitätskriterien auf der Basis von DRG-Routinedaten (I). *das Krankenhaus*. 2007; 99 (8): 763-767
- Siebners L (2007). Möglichkeiten und Chancen der Analyse von Qualitätskriterien auf der Basis von DRG-Routinedaten (II). *das Krankenhaus*. 2007; 99 (9): 838-843
- Sund R (2007). Utilization of routinely collected administrative data in monitoring the incidence of aging dependent hip fracture. *Epidemiol Perspect Innov*. 2007; 4: 2. PubMed-ID: 17555560. DOI 10.1186/1742-5573-4-2
- Tang PC, Ralston M, Arrigotti MF, Qureshi L, Graham J (2007). Comparison of methodologies for calculating quality measures based on administrative data versus clinical data from an electronic health record system: implications for performance measures. *J Am Med Inform Assoc*. 2007; 14 (1): 10-15. PubMed-ID: 17068349. DOI 10.1197/jamia.M2198
- Wang OJ, Wang Y, Lichtman JH, Bradley EH, Normand S-LT, Krumholz HM (2007). "America's Best Hospitals" in the treatment of acute myocardial infarction. *Arch. Intern. Med*. 2007; 167 (13): 1345-1351. PubMed-ID: 17620526
- Zorn U (2007). Routinedaten noch keine Alternative zum BQS-Verfahren. *Deutsches Ärzteblatt*. 2007; 104 (31-32): A2172-A2174

2006

- Becker A, Beck U, Pfeuffer B, Mantke R (2006). Qualitätssicherung mit Routinedaten - Ergebnisqualität und Kosten. *das Krankenhaus*. 2006; 98 (9): 748-755
- Coster C de, Quan H, Finlayson A, Gao M, Halfon P, Humphries KH, Johansen H, Lix LM, Luthi J-C, Ma J, Romano PS, Roos L, Sundararajan V, Tu JV, Webster G, Ghali WA (2006). Identifying priorities in methodological research using ICD-9-CM and ICD-10 administrative data: report from an international consortium. *BMC Health Serv Res*. 2006; 6: 77. PubMed-ID: 16776836. DOI 10.1186/1472-6963-6-77
- Fantini MP, Stivanello E, Frammartino B, Barone AP, Fusco D, Dallolio L, Cacciari P, Perucci CA (2006). Risk adjustment for inter-hospital comparison of primary cesarean section rates: need, validity and parsimony. *BMC Health Serv Res*. 2006; 6: 100. PubMed-ID: 16911770. DOI 10.1186/1472-6963-6-100
- Fry DE, Pine MB, Jordan HS, Hoaglin DC, Jones B, Meimban R (2006). The hazards of using administrative data to measure surgical quality. *Am Surg*. 2006; 72 (11): 1031. PubMed-ID: 17120944
- Gallivan S, Utley M, Pagano D, Treasure T (2006). MADCAP: a graphical method for assessing risk scoring systems. *Eur J Cardiothorac Surg*. 2006; 29 (4): 431-433. PubMed-ID: 16483790. DOI 10.1016/j.ejcts.2005.12.057
- Glance LG, Dick AW, Osler TM, Mukamel DB (2006). Does date stamping ICD-9-CM codes increase the value of clinical information in administrative data? *Health Serv Res*. 2006; 41 (1): 231-251. PubMed-ID: 16430609. DOI 10.1111/j.1475-6773.2005.00419.x
- Groene O (2006). Vorschläge der WHO zur umfassenden Leistungsbewertung von Krankenhäusern. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik*. 2006; 11 (4): 226-233
- Guru V, Fremez SE, Naylor CD, Austin PC, Shrive FM, Ghali WA, Tu JV (2006). Public versus private institutional performance reporting: what is mandatory for quality improvement? *Am. Heart J*. 2006; 152 (3): 573-578. PubMed-ID: 16923433. DOI 10.1016/j.ahj.2005.10.026
- Kosseim M, Mayo NE, Scott S, Hanley JA, Brophy J, Gagnon B, Pilote L (2006). Ranking hospitals according to acute myocardial infarction mortality: should transfers be included? *Med Care*. 2006; 44 (7): 664-670. PubMed-ID: 16799361. DOI 10.1097/01.mlr.0000215848.87202.c7
- Krumholz HM, Brindis RG, Brush JE, Cohen DJ, Epstein AJ, Furie K, Howard G, Peterson ED, Rathore SS, Smith SC, Spertus JA, Wang Y, Normand S-LT (2006). Standards for statistical models used for public reporting of health outcomes: an American Heart Association Scientific Statement from the Quality of Care and Outcomes Research Interdisciplinary Writing Group: cosponsored by the Council on Epidemiology and Prevention and the Stroke Council. Endorsed by the American College of Cardiology Foundation. *Circulation*. 2006; 113 (3): 456-462. PubMed-ID: 16365198. DOI 10.1161/CIRCULATIONAHA.105.170769

- Krumholz HM, Wang Y, Mattera JA, Wang Y, Han LF, Ingber MJ, Roman S, Normand S-LT (2006). An administrative claims model suitable for profiling hospital performance based on 30-day mortality rates among patients with heart failure. *Circulation*. 2006; 113 (13): 1693-1701. PubMed-ID: 16549636. DOI 10.1161/CIRCULATIONAHA.105.611194
- Krumholz HM, Wang Y, Mattera JA, Wang Y, Han LF, Ingber MJ, Roman S, Normand S-LT (2006). An administrative claims model suitable for profiling hospital performance based on 30-day mortality rates among patients with an acute myocardial infarction. *Circulation*. 2006; 113 (13): 1683-1692. PubMed-ID: 16549637. DOI 10.1161/CIRCULATIONAHA.105.611186
- Lönneker ST (2006). Bettenabbau mit Gewinn? *KU Krankenhaus Umschau*. 2006; 75 (9): 782-785
- Scholte op Reimer, Wilma J M, Dippel, Diederik W J, Franke CL, van Oostenbrugge, Robert J, Jong G de, Hoeks S, Simoons ML (2006). Quality of hospital and outpatient care after stroke or transient ischemic attack: insights from a stroke survey in the Netherlands. *Stroke*. 2006; 37 (7): 1844-1849. PubMed-ID: 16728690. DOI 10.1161/01.STR.0000226463.17988.a3
- Scott IA, Ward M (2006). Public reporting of hospital outcomes based on administrative data: risks and opportunities. *Med. J. Aust.* 2006; 184 (11): 571-575. PubMed-ID: 16768665

2005

- Becker A, Mantke R, Beck U (2005). Qualitätssicherung mit Routinedaten im CLINOTEL-Krankenhausverbund. *das Krankenhaus*. 2005; 97 (12): 1093-1102
- Calderon-Margalit R, Mor-Yosef S, Mayer M, Adler B, Shapira SC (2005). An administrative intervention to improve the utilization of laboratory tests within a university hospital. *Int J Qual Health Care*. 2005; 17 (3): 243-248. PubMed-ID: 15837715. DOI 10.1093/intqhc/mzi025
- Drösler SE (2005). Aus Routinedaten kann man mehr machen. *KU Krankenhaus Umschau*. 2005; 74 (1): 43-47
- Gordon HS, Johnson ML, Wray NP, Petersen NJ, Henderson WG, Khuri SF, Geraci JM (2005). Mortality after noncardiac surgery: prediction from administrative versus clinical data. *Med Care*. 2005; 43 (2): 159-167. PubMed-ID: 15655429
- Helfand B, Cherlin E, Bradley EH (2005). Next Generation Leadership: A Profile of Self-Rated Competencies Among Administrative Resident and Fellows. *J Health Adm Educ*. 2005; 22 (1): 85-105
- Kokotailo RA, Hill MD (2005). Coding of stroke and stroke risk factors using international classification of diseases, revisions 9 and 10. *Stroke*. 2005; 36 (8): 1776-1781. PubMed-ID: 16020772. DOI 10.1161/01.STR.0000174293.17959.a1
- McGee DL (2005). Body mass index and mortality: a meta-analysis based on person-level data from twenty-six observational studies. *Ann Epidemiol*. 2005; 15 (2): 87-97. PubMed-ID: 15652713. DOI 10.1016/j.annepidem.2004.05.012
- Quan H, Sundararajan V, Halfon P, Fong A, Burnand B, Luthi J-C, Saunders LD, Beck CA, Feasby TE, Ghali WA (2005). Coding algorithms for defining comorbidities in ICD-9-CM and ICD-10 administrative data. *Med Care*. 2005; 43 (11): 1130-1139. PubMed-ID: 16224307
- Schreyögg J (2005). Identifizierung geeigneter Versichertengruppen für die integrierte Versorgung anhand von GKV-Routinedaten. *Gesundheitsökonomie und Qualitätsmanagement: Klinik und Praxis Wirtschaft und Politik*. 2005; 10 (6): 349-355
- Spiegelhalter DJ (2005). Handling over-dispersion of performance indicators. *Qual Saf Health Care*. 2005; 14 (5): 347-351. PubMed-ID: 16195568. DOI 10.1136/qshc.2005.013755

2004

- Austin PC, Tu JV (2004). Automated variable selection methods for logistic regression produced unstable models for predicting acute myocardial infarction mortality. *J Clin Epidemiol.* 2004; 57 (11): 1138-1146. PubMed-ID: 15567629. DOI 10.1016/j.jclinepi.2004.04.003
- Clark DE, Winchell RJ (2004). Risk adjustment for injured patients using administrative data. *J Trauma.* 2004; 57 (1): 130. PubMed-ID: 15284563
- Goldstein LB, Samsa GP, Matchar DB, Horner RD (2004). Charlson Index comorbidity adjustment for ischemic stroke outcome studies. *Stroke.* 2004; 35 (8): 1941-1945. PubMed-ID: 15232123. DOI 10.1161/01.STR.0000135225.80898.1c
- Guller U, Hervey S, Purves H, Muhlbaier LH, Peterson ED, Eubanks S, Pietrobon R (2004). Laparoscopic versus open appendectomy: outcomes comparison based on a large administrative database. *Ann. Surg.* 2004; 239 (1): 43-52. PubMed-ID: 14685099. DOI 10.1097/01.sla.0000103071.35986.c1
- Mohammed MA, Rathbone A, Myers P, Patel D, Onions H, Stevens A (2004). An investigation into general practitioners associated with high patient mortality flagged up through the Shipman inquiry: retrospective analysis of routine data. *BMJ.* 2004; 328 (7454): 1474-1477. PubMed-ID: 15205291. DOI 10.1136/bmj.328.7454.1474
- Pope GC, Kautter J, Ellis RP, Ash AS, Ayanian JZ, Lezzoni LI, Ingber MJ, Levy JM, Robst J (2004). Risk adjustment of Medicare capitation payments using the CMS-HCC model. *Health Care Financ Rev.* 2004; 25 (4): 119-141. PubMed-ID: 15493448
- Quan H, Parsons GA, Ghali WA (2004). Assessing accuracy of diagnosis-type indicators for flagging complications in administrative data. *J Clin Epidemiol.* 2004; 57 (4): 366-372. PubMed-ID: 15135837. DOI 10.1016/j.jclinepi.2003.01.002
- Scott I, Youlden D, Coory M (2004). Are diagnosis specific outcome indicators based on administrative data useful in assessing quality of hospital care? *Qual Saf Health Care.* 2004; 13 (1): 32-39. PubMed-ID: 14757797
- Southern DA, Quan H, Ghali WA (2004). Comparison of the Elixhauser and Charlson/Deyo methods of comorbidity measurement in administrative data. *Med Care.* 2004; 42 (4): 355-360. PubMed-ID: 15076812

2003

- Austin PC, Tu JV, Alter DA (2003). Comparing hierarchical modeling with traditional logistic regression analysis among patients hospitalized with acute myocardial infarction: should we be analyzing cardiovascular outcomes data differently? *Am. Heart J.* 2003; 145 (1): 27-35. PubMed-ID: 12514651. DOI 10.1067/mhj.2003.23
- Brown KL, Ridout DA, Goldman AP, Hoskote A, Penny DJ (2003). Risk factors for long intensive care unit stay after cardiopulmonary bypass in children. *Crit. Care Med.* 2003; 31 (1): 28-33. PubMed-ID: 12544989. DOI 10.1097/01.CCM.0000046068.19048.86
- Faris PD, Ghali WA, Brant R (2003). Bias in estimates of confidence intervals for health outcome report cards. *J Clin Epidemiol.* 2003; 56 (6): 553-558. PubMed-ID: 12873650
- Luca A de, Agabiti N, Fiorelli M, Sacchetti ML, Tancioni V, Picconi O, Cardo S, Guasticchi G (2003). Implementation of a surveillance system for stroke based on administrative and clinical data in the Lazio region (Italy): methodological aspects. *Ann Ig.* 2003; 15 (3): 207-214. PubMed-ID: 12910874
- Sernyak MJ, Rosenheck R (2003). Risk adjustment in studies using administrative data. *Schizophr Bull.* 2003; 29 (2): 267-271. PubMed-ID: 14552502
- Zhan C, Miller MR (2003). Administrative data based patient safety research: a critical review. *Qual Saf Health Care.* 2003; 12 Suppl 2: 63. PubMed-ID: 14645897

2002

- Gregory KD, Korst LM, Gornbein JA, Platt LD (2002). Using administrative data to identify indications for elective primary cesarean delivery. *Health Serv Res.* 2002; 37 (5): 1387-1401. PubMed-ID: 12479502
- Johnston JA, Wagner DP, Timmons S, Welsh D, Tsevat J, Render ML (2002). Impact of different measures of comorbid disease on predicted mortality of intensive care unit patients. *Med Care.* 2002; 40 (10): 929-940. PubMed-ID: 12395026. DOI 10.1097/01.MLR.0000027367.95427.AA
- Kaplan V, Angus DC, Griffin MF, Clermont G, Scott Watson R, Linde-Zwirble WT (2002). Hospitalized community-acquired pneumonia in the elderly: age- and sex-related patterns of care and outcome in the United States. *Am. J. Respir. Crit. Care Med.* 2002; 165 (6): 766-772. PubMed-ID: 11897642. DOI 10.1164/ajrccm.165.6.2103038
- Lee W-C (2002). Standardization using the harmonically weighted ratios: internal and external comparisons. *Stat Med.* 2002; 21 (2): 247-261. PubMed-ID: 11782063
- McDonald KM, Romano PS, Geppert J, Davies SM, Duncan BW, Shojania KG, Hansen A (2002). Measures of Patient Safety Based on Hospital Administrative Data - The Patient Safety Indicators. CAHRQ Technical Reviews, Report No.: 02-0038. 2002; August. PubMed-ID: 20734521
- Pulkstenis E, Robinson TJ (2002). Two goodness-of-fit tests for logistic regression models with continuous covariates. *Stat Med.* 2002; 21 (1): 79-93. PubMed-ID: 11782052
- Quan H, Parsons GA, Ghali WA (2002). Validity of information on comorbidity derived from ICD-9-CCM administrative data. *Med Care.* 2002; 40 (8): 675-685. PubMed-ID: 12187181. DOI 10.1097/01.MLR.0000020927.46398.5D
- Reker DM, Rosen AK, Hoenig H, Berlowitz DR, Laughlin J, Anderson L, Marshall CR, Rittman M (2002). The hazards of stroke case selection using administrative data. *Med Care.* 2002; 40 (2): 96-104. PubMed-ID: 11802082
- Romano PS, Chan BK, Schembri ME, Rainwater JA (2002). Can administrative data be used to compare postoperative complication rates across hospitals? *Med Care.* 2002; 40 (10): 856-867. PubMed-ID: 12395020. DOI 10.1097/01.MLR.0000027452.96163.A4
- Tirschwell DL, Longstreth WT (2002). Validating administrative data in stroke research. *Stroke.* 2002; 33 (10): 2465-2470. PubMed-ID: 12364739

2001

- Aylin P, Alves B, Best N, Cook A, Elliott P, Evans SJ, Lawrence AE, Murray GD, Pollock J, Spiegelhalter D (2001). Comparison of UK paediatric cardiac surgical performance by analysis of routinely collected data 1984-96: was Bristol an outlier? *Lancet*. 2001; 358 (9277): 181-187. PubMed-ID: 11476833. DOI 10.1016/S0140-6736(01)05404-6
- Dorsch MF, Lawrance RA, Sapsford RJ, Oldham J, Greenwood DC, Jackson BM, Morrell C, Ball SG, Robinson MB, Hall AS (2001). A simple benchmark for evaluating quality of care of patients following acute myocardial infarction. *Heart*. 2001; 86 (2): 150-154. PubMed-ID: 11454829
- Ghali WA, Quan H, Brant R (2001). Risk adjustment using administrative data: impact of a diagnosis-type indicator. *J Gen Intern Med*. 2001; 16 (8): 519-524. PubMed-ID: 11556927
- Julious SA, Nicholl J, George S (2001). Why do we continue to use standardized mortality ratios for small area comparisons? *J Public Health Med*. 2001; 23 (1): 40-46. PubMed-ID: 11315692
- Mark DH (2001). Race and the limits of administrative data. *JAMA*. 2001; 285 (3): 337-338. PubMed-ID: 11176846
- Miller MR, Elixhauser A, Zhan C, Meyer GS (2001). Patient Safety Indicators: using administrative data to identify potential patient safety concerns. *Health Serv Res*. 2001; 36 (6 Pt 2): 110-132. PubMed-ID: 16148964
- Weir N, Dennis MS (2001). Towards a national system for monitoring the quality of hospital-based stroke services. *Stroke*. 2001; 32 (6): 1415-1421. PubMed-ID: 11387507
- Zaslavsky AM (2001). Statistical issues in reporting quality data: small samples and casemix variation. *Int J Qual Health Care*. 2001; 13 (6): 481-488. PubMed-ID: 11769751

2000

- Athienites NV, Miskulin DC, Fernandez G, Bunnapradist S, Simon G, Landa M, Schmid CH, Greenfield S, Levey AS, Meyer KB (2000). Comorbidity assessment in hemodialysis and peritoneal dialysis using the index of coexistent disease. *Semin Dial.* 2000; 13 (5): 320-326. PubMed-ID: 11014695
- Glance LG, Osler T, Shinozaki T (2000). Effect of varying the case mix on the standardized mortality ratio and W statistic: A simulation study. *Chest.* 2000; 117 (4): 1112-1117. PubMed-ID: 10767249
- Holcomb J (2000). The role of administrative data in measurement and reporting of quality of hospital care. *Tex Med.* 2000; 96 (10): 48-52. PubMed-ID: 11070735
- Librero J, Marín M, Peiró S, Aguiló J (2000). Complication Screening Programme: validity and sources of data. *Int J Qual Health Care.* 2000; 12 (5): 439-442. PubMed-ID: 11079225
- Weingart SN, Iezzoni LI, Davis RB, Palmer RH, Cahalane M, Hamel MB, Mukamal K, Phillips RS, Davies DT, Banks NJ (2000). Use of administrative data to find substandard care: validation of the complications screening program. *Med Care.* 2000; 38 (8): 796-806. PubMed-ID: 10929992

1999

- lezzoni LI, Davis RB, Palmer RH, Cahalane M, Hamel MB, Mukamal K, Phillips RS, Banks NJ, Davis DT (1999). Does the Complications Screening Program flag cases with process of care problems? Using explicit criteria to judge processes. *Int J Qual Health Care*. 1999; 11 (2): 107-118. PubMed-ID: 10442841
- Kritchevsky SB, Braun BI, Gross PA, Newcomb CS, Kelleher CA, Simmons BP (1999). Definition and adjustment of Cesarean section rates and assessments of hospital performance. *Int J Qual Health Care*. 1999; 11 (4): 283-291. PubMed-ID: 10501598
- Lee WC (1999). Properties of the geometrically averaged ratio, an alternative standardized measure. *Epidemiology*. 1999; 10 (4): 456-459. PubMed-ID: 10401884
- Rosenheck R, Fontana A, Stolar M (1999). Assessing quality of care: administrative indicators and clinical outcomes in posttraumatic stress disorder. *Med Care*. 1999; 37 (2): 180-188. PubMed-ID: 10024122
- Sullivan LM, Dukes KA, Losina E (1999). Tutorial in biostatistics. An introduction to hierarchical linear modelling. *Stat Med*. 1999; 18 (7): 855-888. PubMed-ID: 10327531

1998

- Black C, Roos NP (1998). Administrative data. Baby or bathwater? *Med Care*. 1998; 36 (1): 3-5. PubMed-ID: 9431326
- D'Agostino RB (1998). Propensity score methods for bias reduction in the comparison of a treatment to a non-randomized control group. *Stat Med*. 1998; 17 (19): 2265-2281. PubMed-ID: 9802183
- Elixhauser A, Steiner C, Harris DR, Coffey RM (1998). Comorbidity measures for use with administrative data. *Med Care*. 1998; 36 (1): 8-27. PubMed-ID: 9431328
- Marshall EC, Spiegelhalter DJ (1998). Reliability of league tables of in vitro fertilisation clinics: retrospective analysis of live birth rates. *BMJ*. 1998; 316 (7146): 1701. PubMed-ID: 9614016
- Parry GJ, Gould CR, McCabe CJ, Tarnow-Mordi WO (1998). Annual league tables of mortality in neonatal intensive care units: longitudinal study. International Neonatal Network and the Scottish Neonatal Consultants and Nurses Collaborative Study Group. *BMJ*. 1998; 316 (7149): 1931-1935. PubMed-ID: 9641927

1997

- Christiansen CL, Morris CN (1997). Improving the statistical approach to health care provider profiling. *Ann. Intern. Med*. 1997; 127 (8 Pt 2): 764-768. PubMed-ID: 9382395
- lezzoni LI (1997). Assessing quality using administrative data. *Ann. Intern. Med*. 1997; 127 (8 Pt 2): 666-674. PubMed-ID: 9382378

1996

Normand ST, Glickman ME, Sharma RG, McNeil BJ (1996). Using admission characteristics to predict short-term mortality from myocardial infarction in elderly patients. Results from the Cooperative Cardiovascular Project. *JAMA*. 1996; 275 (17): 1322-1328. PubMed-ID: 8614117

1995

Court BV, Cheng KK (1995). Pros and cons of standardised mortality ratios. *Lancet*. 1995; 346 (8987): 1432. PubMed-ID: 7475851

Gatsonis CA, Epstein AM, Newhouse JP, Normand SL, McNeil BJ (1995). Variations in the utilization of coronary angiography for elderly patients with an acute myocardial infarction. An analysis using hierarchical logistic regression. *Med Care*. 1995; 33 (6): 625-642. PubMed-ID: 7760578

Hartz AJ, Kuhn EM, Yuan Z, Bailey RC, Rimm AA (1995). Adequacy of national mortality data for internal hospital use: a case study. *Int J Qual Health Care*. 1995; 7 (2): 109-118. PubMed-ID: 7655807

Henry OA, Gregory KD, Hobel CJ, Platt LD (1995). Using ICD-9 codes to identify indications for primary and repeat cesarean sections: agreement with clinical records. *Am J Public Health*. 1995; 85 (8 Pt 1): 1143-1146. PubMed-ID: 7625515

Hollis S, Yates DW, Woodford M, Foster P (1995). Standardized comparison of performance indicators in trauma: a new approach to case-mix variation. *J Trauma*. 1995; 38 (5): 763-766. PubMed-ID: 7760406

Iezzoni LI, Shwartz M, Ash AS, Hughes JS, Daley J, Mackiernan YD (1995). Using severity-adjusted stroke mortality rates to judge hospitals. *Int J Qual Health Care*. 1995; 7 (2): 81-94. PubMed-ID: 7655814

Wray NP, Ashton CM, Kuykendall DH, Hollingsworth JC (1995). Using administrative databases to evaluate the quality of medical care: a conceptual framework. *Soc Sci Med*. 1995; 40 (12): 1707-1715. PubMed-ID: 7660184

1994

Boyd O, Grounds M (1994). Can standardized mortality ratio be used to compare quality of intensive care unit performance? *Crit. Care Med*. 1994; 22 (10): 1706-1709. PubMed-ID: 7924389

Iezzoni LI, Daley J, Heeren T, Foley SM, Fisher ES, Duncan C, Hughes JS, Coffman GA (1994). Identifying complications of care using administrative data. *Med Care*. 1994; 32 (7): 700-715. PubMed-ID: 8028405

Iezzoni LI, Daley J, Heeren T, Foley SM, Hughes JS, Fisher ES, Duncan CC, Coffman GA (1994). Using administrative data to screen hospitals for high complication rates. *Inquiry*. 1994; 31 (1): 40-55. PubMed-ID: 8168908

1993

- Luft HS, Romano PS (1993). Chance, continuity, and change in hospital mortality rates. Coronary artery bypass graft patients in California hospitals, 1983 to 1989. *JAMA*. 1993; 270 (3): 331-337. PubMed-ID: 8315777
- Romano PS, Roos LL, Jollis JG (1993). Adapting a clinical comorbidity index for use with ICD-9-CM administrative data: differing perspectives. *J Clin Epidemiol*. 1993; 46 (10): 1075. PubMed-ID: 8410092

1992

- Deyo RA, Cherkin DC, Ciol MA (1992). Adapting a clinical comorbidity index for use with ICD-9-CM administrative databases. *J Clin Epidemiol*. 1992; 45 (6): 613-619. PubMed-ID: 1607900
- Hannan EL, Kilburn H, Lindsey ML, Lewis R (1992). Clinical versus administrative data bases for CABG surgery. Does it matter? *Med Care*. 1992; 30 (10): 892-907. PubMed-ID: 1405795
- Iezzoni LI, Foley SM, Heeren T, Daley J, Duncan CC, Fisher ES, Hughes J (1992). A method for screening the quality of hospital care using administrative data: preliminary validation results. *QRB Qual Rev Bull*. 1992; 18 (11): 361-371. PubMed-ID: 1465294

1990

- Iezzoni LI (1990). Using administrative diagnostic data to assess the quality of hospital care. Pitfalls and potential of ICD-9-CM. *Int J Technol Assess Health Care*. 1990; 6 (2): 272-281. PubMed-ID: 2203703
- Park RE, Brook RH, Kosecoff J, Keesey J, Rubenstein L, Keeler E, Kahn KL, Rogers WH, Chassin MR (1990). Explaining variations in hospital death rates. Randomness, severity of illness, quality of care. *JAMA*. 1990; 264 (4): 484-490. PubMed-ID: 2195173

1988

- Jencks SF, Williams DK, Kay TL (1988). Assessing hospital-associated deaths from discharge data. The role of length of stay and comorbidities. *JAMA*. 1988; 260 (15): 2240-2246. PubMed-ID: 3050163
- Roos NP, Roos LL, Mossey J, Havens B (1988). Using administrative data to predict important health outcomes. Entry to hospital, nursing home, and death. *Med Care*. 1988; 26 (3): 221-239. PubMed-ID: 3352323

1985

Feinstein AR, Sosin DM, Wells CK (1985). The Will Rogers phenomenon. Stage migration and new diagnostic techniques as a source of misleading statistics for survival in cancer. N. Engl. J. Med. 1985; 312 (25): 1604-1608. PubMed-ID: 4000199. DOI 10.1056/NEJM198506203122504